



**Bangladesh – India Friendship Power Company (Pvt.) Limited**  
(A Joint Venture of NTPC Ltd. and BPDB)

*Monitoring of Environment Parameter and Implementation of Environmental Management Plan during Construction Period along with Engineering Activities for 2X660 MW Maitree Super Thermal Power Project at Rampal in Bagerhat District*

## **38<sup>th</sup> Quarter Monitoring Report**

**Monitoring Period: August – October 2023**



April 2024



*Monitoring of Environment Parameter and Implementation of Environmental  
Management Plan during Construction Period along with Engineering Activities  
for 2x660 MW Maitree Super Thermal Power Project at Rampal, Bagerhat*

## **38<sup>th</sup> Quarterly Monitoring Report**

**Monitoring Period: August 2023 – October 2023**





## Acknowledgements

The Center for Environmental and Geographic Information Services (CEGIS) is indebted to Bangladesh-India Friendship Power Company (Pvt.) Limited (BIFPCL) for awarding the contract on “Monitoring of Environment Parameter and Implementation of environmental Management Plan During Construction Period Along with Engineering Activities for 2x660 MW Maitree Super Thermal Power Project at Rampal, Bagerhat.” to CEGIS. The current document constitutes 37<sup>th</sup> quarterly monitoring aspects covering all the preselected parameters and locations as specified in EIA of Power plant as well as EIA of coal transportation.

CEGIS is obliged to Mr. Habibur Rahman, Secretary, Power Division, Ministry of Power, Energy and Mineral Resources for his dynamic leadership in this sector. CEGIS is also grateful to Mr. Gurdeep Singh, Chairman, BIFPCL for his vibrant role and wise guidance in completing the study. CEGIS expresses its gratitude to Engr. Md Mahbubur Rahman, Chairman, Bangladesh Power Development Board (BPDB), for his continuous inspiration and support in all respect for conducting the study successfully. Moreover, CEGIS Team acknowledges Engr. Sayeed Akram Ullah, Managing Director of BIFPCL for his kind considerations and anticipations. In addition, CEGIS is also thankful to Ravindra Kumar, Chief Technical Officer; and Kamendra Kumar Sharma, GM-EMG, BIFPCL throughout the study period. CEGIS team also appreciates the continuous support from Md. Ranjibul Mijan Sarkar, DGM GM-EMG.

In addition, CEGIS is also grateful to the field officials of different Government and Non-Government Organizations (NGOs) for contributing and sharing their ideas and views towards the project activities and associated existing problems of the study area along with their suggestions for sustainable continuation of the project activities and associated issues regarding power plant construction.

Last but not the least, the study team appreciates and acknowledges the concerns and perceptions of local people regarding the project and their active participations during field visits.



# Table of Contents

<b>Acknowledgements .....</b>	<b>i</b>
<b>List of Tables.....</b>	<b>vi</b>
<b>List of Figures .....</b>	<b>vii</b>
<b>Abbreviations and Acronyms .....</b>	<b>xi</b>
<b>Units.....</b>	<b>xiii</b>
<b>Units Conversion Table .....</b>	<b>xv</b>
<b>Glossary .....</b>	<b>xvii</b>
<b>Executive Summary.....</b>	<b>xix</b>
<b>1. Introduction .....</b>	<b>1</b>
1.1 Background .....	1
1.2 Objectives.....	1
1.3 Criteria for Selection of Monitoring Sites/Locations.....	1
1.4 Main Stakeholders.....	7
1.4.1 Forest Department.....	7
1.4.2 Department of Environment (DoE) .....	7
1.4.3 Bangladesh India Friendship Power Company (Pvt.) Limited (BIFPCL).....	7
1.4.4 Local Community.....	7
1.4.5 Major Component of Monitoring Study .....	8
<b>2. Physical Environment.....</b>	<b>9</b>
2.1 Air Quality.....	9
2.1.1 Methodology.....	9
2.1.2 Pollution Sources in the Sundarbans .....	9
2.1.3 Monitoring Locations.....	9
2.1.4 Status of Air Quality.....	13
2.1.5 Findings.....	15
2.2 Noise Quality.....	16
2.2.1 Methodology.....	16
2.2.2 Locations of Noise Level Monitoring.....	16
2.2.3 Noise in the Study Area.....	21
2.2.4 Status of Noise .....	21
2.3 Water Quality .....	22
2.3.1 Methodology.....	22

2.3.2	Selection of Parameters.....	22
2.3.3	Sampling Procedure .....	23
2.3.4	Water Quality Parameter Analysis Techniques/Methods .....	25
2.3.5	Water Quality Reporting Arrangement .....	25
2.3.6	Monitoring Results and Discussion .....	30
2.3.7	Status of the Groundwater Quality .....	31
2.4	Land and Agricultural Resources Monitoring.....	36
2.4.1	Methodology.....	36
2.4.2	Location.....	37
2.4.3	Laboratory Analysis .....	41
2.4.4	Agricultural Resources Monitoring .....	41
2.4.5	Livestock Resources Monitoring .....	44
2.5	Water Resources Monitoring.....	45
2.6	Transportation Monitoring .....	52
2.6.1	Methodology.....	52
2.6.2	Traffic Volume Calculation .....	52
2.6.3	Results of Monitoring .....	55
<b>3.</b>	<b>Biological Environment.....</b>	<b>57</b>
3.1	Fisheries Resources.....	57
3.1.1	Methodology.....	57
3.1.2	Status of Monitoring.....	58
3.2	Monitoring of Ecosystem and Bio-diversity.....	71
3.2.1	Aquatic Ecosystem Monitoring.....	81
3.2.2	Status of Benthos and Planktons in River Systems.....	87
3.3	Sundarbans Forest Health Monitoring.....	90
3.3.1	Methodology.....	91
3.3.2	Bio-Indicators for Forest Health Monitoring.....	91
3.3.3	Sampling Design of Permanent Sample Plots (PSPs).....	91
3.3.4	Monitoring Result and Discussion of SRF Health .....	98
<b>4.</b>	<b>Social Environment.....</b>	<b>109</b>
4.1	Introduction.....	109
4.1.1	Methodology.....	109
4.1.2	Findings of Social Safeguard Monitoring.....	109
4.1.3	Recommendations .....	117
<b>5.</b>	<b>Environmental Compliance .....</b>	<b>119</b>

5.1	Introduction.....	119
5.2	Compliance to the conditions of DoE (EIA study of Coal Transportation) .....	152
<b>6.</b>	<b>References.....</b>	<b>161</b>
	<b>Appendix I: Checklist of Monitoring Environmental Compliances .....</b>	<b>169</b>
	<b>Appendix II: Photo Album.....</b>	<b>177</b>
	<b>Appendix III: Terms of References (ToR).....</b>	<b>179</b>
	<b>Appendix IV: Monitoring Data.....</b>	<b>185</b>
	<b>Appendix IV: Monitoring Results .....</b>	<b>299</b>

## List of Tables

Table 2.1: Air Quality Monitoring Plan.....	10
Table 2.2: Air Quality Monitoring Results (38 <sup>th</sup> Quarterly Program) .....	15
Table 2.3: Noise Monitoring Plan .....	16
Table 2.4: Groundwater Quality Monitoring Parameters, Locations and Plan .....	23
Table 2.5: Surface Water Quality Monitoring Parameters, Locations and Plan.....	24
Table 2.6: Testing Methodology of Water Quality Parameter .....	29
Table 2.7: Monitoring Sites and Characteristics.....	29
Table 2.8: Land Resources Monitoring Plan .....	37
Table 2.9: Location and Sediment Monitoring Plan.....	46
Table 2.10: Reference Level of Different Metals in Sediment of the Passur River .....	47
Table 2.11: Factors used for PCU Calculation.....	55
Table 2.12: Calculated PCU in Three Locations at Three Different Time Period .....	55
Table 3.1: The Sampling Locations for Monitoring of Fisheries Resources .....	57
Table 3.2: Classification of Habitat use .....	61
Table 3.3: Site Wise Species Diversity using Shannon-Weiner Index.....	65
Table 3.4: Site Wise Rich Species Number.....	65
Table 3.5: Growth Rate and Mortality of Fish/Shrimp (1st to 18th QM) .....	68
Table 3.6: Growth Rate and Mortality of Fish/Shrimp (18th to 38 <sup>th</sup> QM).....	68
Table 3.7: Total Catch in Different Gears in the Sampling Sites .....	69
Table 3.8: Total Catch in the Sampling Sites.....	70
Table 3.9: The Present Catch in Three (03) Sampling Ghers.....	70
Table 3.10: Plant Species Composition of the Sampled Homesteads.....	72
Table 3.11: Proportion of Healthy and Unhealthy Plants in Studied Homesteads.....	75
Table 3.12: Vegetation Canopy Cover in Different Studied Homesteads .....	77
Table 3.13: Bird Nest Monitoring Datasheet .....	78
Table 3.14: Dolphin Observation Datasheet.....	85
Table 3.15: Status of Benthos at Different Points .....	87
Table 3.16: Species Composition and Abundance of Phytoplankton in Different Monitoring Locations .....	88
Table 3.17: General Description of Permanent Sampling Plots (PSPs).....	92
Table 3.18: Species Diversity Index, Evenness Index and Richness Index of the Monitoring Site in SRF .....	103
Table 3.19: Mean Carbon Density in Baseline and Present Condition of the Four Monitoring Sites .....	104

Table 3.20: Phenological Behavior of Major Mangrove Species in the PSPs.....	105
Table 3.21: Observation of Disease.....	107
Table 5.1: Monitoring of Environmental and Social Management System Action Plan Implementation .....	121
Table 5.2: Monitoring of Labor and Working Condition.....	127
Table 5.3: Monitoring of Community Health, Safety and Security .....	130
Table 5.4: Monitoring of Biodiversity and Sustainable Management of Living Natural Resources....	135
Table 5.5: Status of Compliance to the Conditions of DoE .....	137
Table 5.6: Compliance Conditions of DoE (EIA study of Coal Transportation) .....	152

## List of Figures

Figure 1.1: Location Map of the Study Area .....	3
Figure 1.2: AOI of Environmental and Socio-economic Monitoring.....	5
Figure 2.1: Acquisition of Ambient Air Quality Monitoring .....	10
Figure 2.2: Air Quality Monitoring Locations .....	11
Figure 2.3: Seasonal Variation of the Air Quality Parameters.....	14
Figure 2.4: Dendrogram of the Monitoring Stations using Euclidean Distance.....	15
Figure 2.5: Ambient Noise Acquisition during the Monitoring Period.....	16
Figure 2.6: Noise Level Monitoring Locations.....	19
Figure 2.7: Status of Average Seasonal Variations of Noise Level at Different Monitoring Locations.	21
Figure 2.8: Water Sample Collection and Insitu Testing of Water Parameters .....	23
Figure 2.9: Surface Water and Groundwater Quality Monitoring Location .....	27
Figure 2.10: Variations in pH Values in Different Monitoring Sites.....	32
Figure 2.11: Variations in Temperature Values in Different Monitoring Sites .....	32
Figure 2.12: Variations in Salinity Values in Different Monitoring Sites .....	33
Figure 2.13: Variations in DO Values in Different Monitoring Sites .....	33
Figure 2.14: Variations in TDS Values in Different Monitoring Sites .....	33
Figure 2.15: Variations in TH Values in Different Monitoring Sites .....	33
Figure 2.16: Variations in TSS Values in Different Monitoring Sites.....	33
Figure 2.17: Variations in COD Values in Different Monitoring Sites.....	33
Figure 2.18: Variations in Nitrate Values in Different Monitoring Sites .....	33
Figure 2.19: Variations in Sulphate Values in Different Monitoring Sites.....	33
Figure 2.20: Variations in Phosphate Values in Different Monitoring Sites.....	34

Figure 2.21: Variations in Arsenic Values in Different Monitoring Sites.....	34
Figure 2.22: Variations in Lead Values in Different Monitoring Sites.....	34
Figure 2.23: Variations in G-pH Values in Different Monitoring Sites.....	34
Figure 2.24: Variations in G-Temperature Values in Different Monitoring Sites.....	34
Figure 2.25: Variations in G-Salinity Values in Different Monitoring Sites .....	34
Figure 2.26: Variations in G-DO Values in Different Monitoring Sites.....	35
Figure 2.27: Variations in G-TDS Values in Different Monitoring Sites.....	35
Figure 2.28: Variations in Monsoon G-TSS Values in Different Monitoring Sites .....	35
Figure 2.29: Variations in Monsoon G-TH Values in Different Monitoring Sites.....	35
Figure 2.30: Variations in G-Nitrate Values in Different Monitoring Sites .....	35
Figure 2.31: Variations in Monsoon G-Sulphate Values in Different Monitoring Sites.....	35
Figure 2.32: Variations in Monsoon G-Phosphate Values in Different Monitoring Sites.....	35
Figure 2.33: Variations in Monsoon G-Arsenic Values in Different Monitoring Sites .....	35
Figure 2.34: Location of Soil and Agricultural Resources Monitoring.....	39
Figure 2.35: View of Monitoring plot-1 (Baranpara) at November, 2023. ....	43
Figure 2.36: View of Monitoring plot-2 (Chunkuri-2) at November, 2023. ....	43
Figure 2.37: View of Monitoring plot-3 (Kapalirmet) at November, 2023.....	43
Figure 2.38: View of Monitoring plot-4 (Chakgona) at November, 2023.....	43
Figure 2.39: View of Monitoring plot-5 (Basherhula) at November, 2023.....	43
Figure 2.40: View of Monitoring plot-6 (Bidyarban) at November, 2023.....	43
Figure 2.41: View of Livestock Resources in the Monitoring Plots at November, 2023 .....	44
Figure 2.42: Location of Sediment Sampling .....	49
Figure 2.43: Sediment Quality Monitoring Data at Different Locations of the Passur River .....	52
Figure 2.44: Locations of Traffic Survey.....	53
Figure 3.1: Fisheries Resources Monitoring Locations .....	59
Figure 3.2: Habitat Classification on the Basis of Different Life Stages of Fish Species .....	63
Figure 3.3: Dendogram Showing Similarity in Binary Species Composition in Three Sampling Sites	64
Figure 3.4: Photos of Some Observed Fish Species in 38 <sup>th</sup> Quarter Monitoring.....	66
Figure 3.5: Site-wise Fish Species Richness (FSR) in the Passur River System.....	66
Figure 3.6: Habitat Distribution of Different Life Stages of Fish Species.....	67
Figure 3.7: Relative Abundance of Major Migratory Fish Species in Sampling Sites.....	67
Figure 3.8: Migration Extent of Major Migratory Fish Species in Sampling Sites.....	68
Figure 3.9: Occurrence of Dolphins in Passur and Maidara River along the Project Site.....	83
Figure 3.10: Location of Dolphin occurrences in Dhangmari Khal .....	84
Figure 3.11: Location of Dolphin Occurrences in Chandpai.....	84



Figure 3.12: Location of Dolphin Occurrence in Bhadra Khal.....	85
Figure 3.13: Layout of the Subplots and Transect Line Perpendicular from Ecotone (River or Canal Bank).....	91
Figure 3.14: Location Map of Sundarbans Forest Health Monitoring Plots (PSP).....	93
Figure 3.15: Layout of the Survey Activities in Each Subplot.....	95
Figure 3.16: Mangrove Structure Monitoring by Team Members by DBH Measurements .....	95
Figure 3.17: Pneumetaphore and Crab Hole Status Inside the Plot at Akram Point .....	96
Figure 3.18: Using a Densitometer and Lux Meter, the Team Member is Collecting Data on Canopy Cover and Light Intensity, Ensuring Accurate Documentation .....	97
Figure 3.19: Tiger Pugmarks .....	99
Figure 3.20: Live Lichen In Passur Tree .....	99
Figure 3.21: Wild Boar Footprints .....	99
Figure 3.22: Lichen Abundance among the Plots.....	100
Figure 3.23: Multi Criteria Analysis of Different Parameters in 38 <sup>th</sup> Monitoring Period .....	101
Figure 3.24: Time Series Analysis of Pneumetaphore, Seedling, Sapling Density, Light Intensity and Canopy Coverage among 5 Monitoring Plots.....	103
Figure 3.25: Phonological Behaviors Observed during this Monitoring Period.....	106
Figure 3.26: Twisted Leaves of Amoor with Hollow and Spots.....	107
Figure 3.27: Twisted or Mail Formed Brown Leaves with Spots or Bumps on Leaves.....	107
Figure 4.1: Socio-Economic Environment Monitoring Location.....	111
Figure 4.2: Debris Management and Coal Handling Activities in the Project Area .....	113
Figure 4.3: Discussion at Rajnagar Union Complex .....	113
Figure 4.4: Discussion at Gaurambha Bazaar .....	113
Figure 4.5: Rally and Wreath Laying at National Mourn Day .....	115
Figure 4.6: Drawing Competition at Sheikh Rassel Day.....	115
Figure 4.7: Book Distribution at National Mourn Day .....	116
Figure 4.8: Medical Campaign from May 2023 to July 2023 .....	116
Figure 4.9: Expecting Safe Bridges with the Connecting Approach Road .....	117



## Abbreviations and Acronyms

AAS	Atomic Absorption Spectrophotometer
AECL	Adroit Environment Consultants Ltd
As, Pb, Hg	Arsenic, Lead and Mercury
BCSIR	Bangladesh Council of Scientific and Industrial Research
BDS	Business Development Studies
BIFPCL	Bangladesh-India Friendship Power Company (Pvt.) Limited
BOD	Biochemical Oxygen Demand
BPDB	Bangladesh Power Development Board
BUET-BRTC	Bangladesh University of Engineering and Technology - Bureau of Research, Testing and Consultation
CDM	Clean Development Mechanism
CEGIS	Center for Environmental and Geographic Information Services
COD	Chemical Oxygen Demand
CPUE	Catch per Unit Effort
CSR	Corporate Social Responsibility
dBH	Diameter at Breast Height
DCR	Duplicate Carbon Receipt
DO	Dissolved Oxygen
DoE	Department of Environment
DPHE	Department of Public Health Engineering
EC	Electrical Conductivity
ECR	Environment Conservation Rules
EHS	Environmental Health Safety
EIA	Environmental Impact Assessment
EMP	Environmental Management Plan
EPC	Engineering Procurement Construction
ESP	Exchangeable Sodium Percentage
FGD	Focus Group Discussion
FGD	Flue Gas Desulfurization
FSR	Fisheries Species Richness
GIS	Geographic Information System
GoB	Government of Bangladesh

GPS	Global Positioning System
GW	Groundwater
HS	Household Survey
IFC	International Finance Corporation
IGA	Income Generation Activities
ISO	International Organization for Standardization
IUCN	International Union for Conservation of Nature
Kg	Kilogram
KII	Key Informants Interview
MoPEMR	Ministry of Power, Energy and Mineral Resources
MW	Mega Watt
MSDS	Materials Safety Data Sheet
NTPC	National Thermal Power Corporation
OHSAS	Occupational Health and Safety Management Systems
PCU	Passenger Car Unit
PGCB	Power Grid Company of Bangladesh Ltd
PMU	Project Management Unit
PRA	Participatory Rural Appraisal
PWD	Public Works Department
QMR	Quarterly Monitoring Report
RRA	Rapid Rural Appraisal
RS	Remote Sensing
SAR	Sodium absorption ratio
SRDI	Soil Resources Development Institute
SRF	Sundarbans Reserve Forest
TDS	Total Dissolved Solid
TH	Total Hardness
ToR	Terms of References
TSS	Total Suspended Solid
USEPA	United States Environmental Protection Agency
VOC	Volatile Organic Compounds

## Units

dB	Decibel	mg	Milligram
hr	Hour	MW	Mega Watt
Kg	Kilogram	Nm	Normal Meter
Km	Kilometre	ppm	parts per million
KV	Kilo Volt	ppt	parts per trillion
KW	Killo Watt	ton/year	Ton Per Year
m	Meter	s	Seconds



## Units Conversion Table

### General Units

$$1^{\circ}\text{C} = 274.15 \text{ K} = 33.8^{\circ} \text{ F}$$

$$1 \text{ hectare} = 10^{-2} \text{ km}^2 = 2.471 \text{ acres}$$

$$1 \text{ kilogram} = 2.20 \text{ pound}$$

$$1 \text{ kilometre} = 0.62137 \text{ mile}$$

$$1 \text{ liter} = 0.001 \text{ cubic meter}$$

$$1 \text{ meter} = 3.2808 \text{ feet}$$

$$1 \text{ metric ton} = 1000 \text{ kg}$$

$$1 \text{ mg/L} \approx 1 \text{ g/m}^3 \approx 1 \text{ ppm (w/w)}$$

$$1 \text{ mg/m}^3 = 1 \mu\text{g/L}$$

$$1 \text{ pascal} = 1 \text{ N/m}^2 = 0.01 \text{ millibar}$$

$$1 \text{ square mile} = 640 \text{ acre} = 2.590 \text{ km}^2$$

### Energy Units

$$1 \text{ GWyr} = 8.76 \times 10^9 \text{ kW}$$

$$1 \text{ horsepower} = 746 \text{ W}$$

$$1 \text{ KWh} = 3412 \text{ Btu}$$

$$1 \text{ kWh} = 859.85 \text{ kcal}$$

$$1 \text{ KWh} = 3.6 \times 10^6 \text{ J}$$

$$1 \text{ MW} = 1000 \text{ KW} = 10^6 \text{ W}$$





## Glossary

<i>Aman:</i>	Group of rice varieties grown in the monsoon season and harvested in the post-monsoon season. This is generally transplanted at the beginning of monsoon from July-August and harvested in November-Dec. Mostly rain-fed, supplemental irrigation needed in places during dry spell.
<i>Aus:</i>	Group of rice varieties sown in the pre-monsoon season and harvested in the monsoon season. These are broadcasted/transplanted during March-April and harvested during June-July. Generally, rain-fed, irrigation needed for HYVT. (High yield variety) Aus.
<i>B Aus:</i>	Broadcast Aus
<i>Bazar:</i>	Market
<i>Beel:</i>	A saucer-shaped natural depression, which generally retains water throughout the year and in some cases seasonally connected to the river system.
<i>Boro:</i>	A group of rice varieties sown and transplanted in winter and harvested at the end of the pre-monsoon season. These are mostly HYV and fully irrigated, planted in December-January and harvested before the onset of monsoon in April- May.
<i>Haat:</i>	Market place where market exchanges are carried out either once, twice or thrice a week, however not every day.
<i>Gear/Jaal:</i>	Different types of fishing net to catch fish from the water bodies.
<i>Kutchra:</i>	A house made of locally available materials with earthen floor, commonly used in the rural areas.
<i>Khal:</i>	A drainage channel usually small, sometimes man-made through which the water flows. These may or may not be perennial.
<i>Kharif:</i>	Pre-monsoon and monsoon growing season. Cropping season linked to monsoon between March-October, often divided into kharif-1 (March-June) and kharif-2 (July-October).
<i>Perennial Khal:</i>	Water available in the khal all the year round.
<i>Pacca:</i>	Well-constructed building using modern masonry materials.
<i>Rabi:</i>	Dry agricultural crop growing season; mainly used for the cool winter season between November and February.
<i>Seasonal Khal:</i>	Water not available in the khal all the year round.
<i>T. Aman:</i>	Transplanted Aman
<i>Upazila:</i>	Upazila is an administrative subdivision of a District.



## Executive Summary

This 38<sup>th</sup> quarterly monitoring report covers the status of EMP (Environmental Management Plan) implementation for the concurrent period (during construction stage) and prepared as per the recommendation of the EIA (Environmental Impact Assessment) report of power plant vide Memo No: DoE/Clearance/5062/2011 dt. 05/08/2013 as well as EIA report of Coal Transportation vide Memo No: DoE/Clearance/5532/2016 dtd.31/01/2018. During the month of October, 2023 covering the Monsoon season, CEGIS team carried out the monitoring activities for every monitoring aspects as assigned in the ToR (Terms of Reference) and approval conditions of DoE along with valuable suggestions and recommendations from different national and international organizations. In other words, the aspects can briefly be addressed as monitoring of the Environmental Compliances and monitoring of the selected environmental parameters such as ambient air quality, noise level, water quality, land resource, traffic management status, water resources management status, agricultural resources monitoring, fisheries resources, Socio-economic monitoring, aquatic & terrestrial ecosystem monitoring and the Sundarbans Reserve Forest (SRF) health monitoring.

### Environmental Compliance Monitoring

The present environmental compliance monitoring includes the status of EMP implementation based on physical observation, investigation and interviews/discussion to the proponents, project officials, relevant authorities and overall staffs of the entire plant. A comprehensive and detailed checklist was prepared to cover environmental compliance of different components e.g., Environmental and Social Management System and Action Plan; Labour and Working Condition; Community Health, Safety and Security; Biodiversity and Sustainable Management of Living Natural Resources, waste management and other relevant issues.

During 38<sup>th</sup> visit CEGIS went across again on those issues and found the same situation. CEGIS raised this issue in the meeting to consider this issue as urgent and project management has assured us to take immediate step to resolve the issue. Along with the previous issues we would like to bring the following issues to the respective authorities for an earlier solution:

1. The sensitive and critical issue has come in front is the Asbestos management issue. Plenty of Asbestos fibre were observed in the plant premises specially at the boiler and ESP plant site. Lack of proper management, Asbestos can be a serious health hazard causing the lung function decrease, lung cancer and even death if someone inhale plenty of Asbestos fibres. We strongly suggested to take necessary actions to manage the Asbestos as soon as possible.
2. Taking consideration of asbestos issue, BIFPCL has already issued a letter to BHEL to take necessary step on this issue but the respective authority is reluctant to resolve the issue.
3. Waste management issues need to be solved as soon as possible. The lavatory waste sewerage facility at labour shed is inadequate that is causing substantial environmental hazard in and around the camp area. Also dumping the construction waste by the side of Maidara River and Coal-water slurry at the jetty area has become a significant threat for the aquatic ecosystem at Maidara and Pashur River respectively mixing by rain water and other ways.
4. Current Dredged material disposal practice seems unsustainable and harmful for the environment and the adjacent biodiversity. Proper dredged material disposal plan is highly recommended. We have discussed this issue in the meeting where a concurrence has made to develop the Dredged Material Disposal Plan (DMDP) as soon as possible.

5. Coal Conveyor belt from jetty area to 1st Transportation Point (About 20 to 25 m) found still uncovered and lack of integrated dust control system allowing the coal ash to be dispersed in the air and nearby water body. Also, the grabber of the excavator was not enclosed that is also causing the air and river water pollution.
6. Heap of Sand and other loose material were found uncovered at the labour shed and inside the plant premises.

### Air Quality Monitoring

The concentration of Criteria pollutants ( $PM_{2.5}$ ,  $PM_{10}$ , SPM,  $SO_2$ ,  $NO_x$ , CO and  $O_3$ ) at the project area and the project influence area changes over the seasonal shift and location. Winter is the worst season in terms of air pollution of that area followed pre-monsoon. All of the air pollution remains lower during the monsoon or post-monsoon time due to wet wash of maximum rainy days.  $SO_2$  and  $NO_x$  are considerably lower particularly at Sundarbans areas. It increases towards project area and Khan Jahan Ali Bridge areas. Land development works of the project in 2014 increased dust pollution and finalized site development with grassy top soil by the end of 2016 might be responsible for reduced dust level in ambient air. Hiron point, Akram Point and Harbaria represents the locations of minimum pollution level situated inside the Sundarbans Forest area and are away from the nuclei of Mongla industrial zone and the project site.

### Noise Level Monitoring

The observed level of noise at Chalna, a commercial area located at a distance of 4 km to the north-west direction of the chimney was recorded as 54.28 dB. In contrast, its standard level is 70 dB (**Table: 2.4**). Levels of noise at Kaigar Daskati (48.11 dB) situated at the Gucchha Gram (a residential area located at the north-west corner of the project area) did not exceed their corresponding standard limit but level of noise at Chunkuri-2 (55.91 dB) located at 4km south-west direction from the chimney location and at Maidara Khal (58.05) at the south-west corner of the project area were slightly exceed their corresponding standard limit. On the other hand, levels of noise at Shapmari (township area) are recorded as 45.20 dB respectively that denotes, the levels of noise didn't cross their corresponding standard value (55 dB) in this location (**Table: 2.4**). The level of noise at Barni (Gaurambha) was recorded as 57.14 dB which was 2.86 dB lower than that of its standard limit (60 dB) of noise level for this location (**Table: 2.4**). Harbaria, Akram Point and Hiron Points are three silent zones in the study area. Noise levels in Harbaria (49.60 dB), Akram Point (39.07 dB), and Hiron Point (40.34 dB) were not found to exceed their standard limit of noise level (std. 50 dB). The level of observed noise at Khan Jahan Ali Bridge and the Mongla port area was recorded as 65.04 dB and 53.59 dB respectively. Whereas, the standard noise limits for Khan Jahan Ali Bridge (a commercial zone) and Mongla Port (an industrial zone) during the day are 70 dB and 75 dB, respectively.

### Water Quality Monitoring

During the 38<sup>th</sup> quarterly monitoring, pH was found neutral to slightly basic. Salinity on the other hand, found lower compared to the other seasons. In general, salinity is found to be higher in the downstream i.e. in the Harbaria, the Akram point and the Hiron point of Sundarbans compared to the upstream area i.e. near the power plant adjacent area as because these locations are situated very close to sea and tidal inflow from the sea. The Temperature and Dissolved Oxygen level was found in fair and favourable for the aquatic life forms during the monitoring periods. TDS and TH were found to be more in the Akram point area than the other sites as this site is a confluence point of Passur and Sibsa River with an influence of tidal inflow from the sea. have been found relatively the same for the same seasons of the last consecutive years. On the other hand, Nitrate ( $NO_3^-$ ) and Phosphate ( $PO_4^{3-}$ ) levels were found to exceed the standard set by the ECR'2023. The Sulphate concentrations were

found relatively higher in the post-monsoon and winter periods than in the monsoon seasons. In the case of metal pollution, no significant variation was recorded for As and Pb but this time the value was found to be 0.003 mg/L and exceeded the previously obtained values from all locations i.e. 0.001 mg/L which slightly exceeded the ECR' 2023 standard as set in the ER'2023. Oil & grease concentration was found less than 2.0 mg/L at all sites like the previous monitoring periods which is less than the recommended concentration.

On the other hand, that the physical characteristics of groundwater quality are still in good condition with slight variations in pH and salinity. The reason is saline water intrusion and infiltration due to the excessive withdrawal of groundwater by the surrounding communities during the dry season but during the monsoon season, the water becomes less saline as the aquifer recharges during the monsoon season. During the monitoring tier in May 2023, TDS values were found to be higher than the ECR'2023 which might be because Before monsoon, the water chemistry is governed by the weathering of carbonate and silicate minerals, reverse ion exchange and evaporation processes, which resulted in high EC, TDS, TH and major ions in the groundwater.<sup>1</sup> On the other hand, during winter and pre-monsoon concentration was found to breach the national water quality standard two times at Kapashdanga. The reason behind this exceedance is very hard to interpret (Islam et al., 2010) but the most widely discovered two theories for the background of arsenic contamination of groundwater in Bangladesh may be the pyrite oxidation and iron oxyhydroxide reduction (Saha and Rahman, 2020).

### **Land and Agricultural Resources Monitoring**

In course of Land and agricultural resources monitoring for the 38<sup>th</sup> quarterly monitoring program the concluding remarks can be mentioned as, HYV Aman was planted in Baranpara, Chunkuri-2 and Basherhula monitoring plot while Local Aman was cultivated in Chakgona and Bidyarban. Mostly BRRI dhan 73 and Chapshail is used for HYV Aman and Local Aman respectively. Kapalirmet and remain fallow as previous as aquaculture continues. However, agricultural practice and management remains similar to previous monitoring. Production and damage related data will be incorporated in 39<sup>th</sup> monitoring report. No specific impact was drawn for livestock during this monitoring.

### **Traffic Volume and Status Monitoring**

Similar to the earlier quarterly monitoring report, Khulna Mongla Road at Khudir Bottola had the highest traffic volume compared to the other two locations namely Khulna Mongla Road at Gonai Bridge and Power Plant access road at Taltola Bridge. On the other hand, Access road of the Power plant receives the lowest traffic load than the other monitoring locations. Moreover, during the noon time traffic loads were observed to be lower than the other time of the day. Vehicular movements at access road area were observed during the surveys were mostly for the regular construction activities of the Power Plant but decreasing than the previous time as one unit of 2x660 MW has already been completed. Furthermore, due to the completion of the Padma Bridge the Khulna mongla roads are receiving more traffic recently. Sediment samples were collected from selected sampling locations during this monitoring field visit. These samples have been sent to BCSIR for analysis. The analysis data will be incorporated with next monitoring report.

---

<sup>1</sup> E. Manikandan, N. Rajmohan, S. Anbazhagan, Monsoon impact on groundwater chemistry and geochemical processes in the shallow hard rock aquifer, CATENA, Volume 195, December 2020, 104766.

### **Sediment Quality Monitoring**

Sediment sample analysis report of 37<sup>th</sup> monitoring (July, 2023 or wet season) is incorporated in this report. According to the analyzed data, in Akram point Hg concentration crosses both ASV and AUC while in other locations the concentration of the element crosses only AUCV. The concentrations of all three elements (As, Pb, and Hg) increased in Harbaria compared to the previous wet season, whereas the concentrations of Hg increased in Moidara and Akram point, Pb increased in the Jetty site, while As and Pb increased in Mongla. The maximum concentration for As, Pb and Hg is found in Mongla, Harbaria and Akram, point respectively, while As and Pb concentration minimized at Akram point while minimum concentration of Hg is found in Harbaria. In Jetty site only, Hg concentration remains below the monitoring average

### **Fisheries Esources Monitoring**

Monitoring of 37-quarter for fisheries resources have been conducted at 13 sampling sites which were set at the inception stage. Out of these sites, effective samplings were done at 10 sites as fishing in other sites in the river were not observed. Amongst the effective sites, eight (07) were in the river and three (03) were in the country side (shrimp farms). The followings are the key findings of the 37<sup>th</sup> quarter monitoring in the fiscal year of 2023-24. Changes in habitat uses were observed in every past fiscal year along with the current one (as compared to the fiscal year of 2014-2015, 2015-2016, 2017-2018, 2018-2019, 2019-20, 2020-21, 2021-22 and 2022-23), caused mainly due to biophysical changes like tidal effect, forest erosion and vegetation coverage, seasonal variability, food availability and also fisheries management practices.

Moreover, through analyzing the type of habitat uses by different age group of fish species (based on the length-based community structure model) two types of habitats were found i.e. i) spawning and nursery ground and ii) omni ground including nursery, maturation and feeding ground. Shannon-Weiner diversity index has also been observed to vary between 37-quarter with that of all previous quarters. Highest Shannon-Weiner index was found at Mongla Point (0.76) indicating high evenly distributed fish species. On the contrary, lowest evenness was found at Maidara (0.16). However, maximum FSR was obtained at Charaputia (n=32), while very low FSR was recorded at Mongla (n=03). Among the habitats in down-stream of the Passur River system, Akram point was home to rich assemblage of *Baila*, *Paissa* and *Kathali Chingri*, Charaputia was rich of *Baila*, *Chaka Chingri* and *Chela*, Harbaria was rich of *Chaka*, *Golda* and *Motka Chingri*.

Fish species like *Chela*, *Baila*, *Paissa*, *Gagra Tengra* and *Gang Koi* attain the maximum abundance among the migratory fish species. Moreover, among the migratory species *Bailla*, *Paissa* and *Ramchos* were observed to migrate long distance. In this monitoring, the highest productivity was found at Charaputia followed by Harbaria. The present study revealed that the highest catch susceptibility was also found in case of Charpata Jal (6.0 kg/haul).

### **Ecological Monitoring**

A total of seven indicators such as Vegetation composition, plant diversity, vegetation canopy status, plant health, bird habitat status, dolphin, benthos and plankton's occurrence in aquatic ecosystems have been monitored for this monitoring season. A total of 50 tree species were recorded from all the monitoring sites with Shanon-Winner diversity index of 2.8 which denotes the diversity increased than previous monitoring tier. Plant heath and canopy status at most of the sites revealed insignificant change in three sites comparing the same seasonal monitoring in last year. Canopy coverage has drastically fall at one site due to death of maximum number of standing trees for sand filling on homestead platform. But, none of the changes revealed any effects from project activities. Only two bird nests were recorded at Chalkghona during this monitoring tier.

Except for the Passur-Maidara River, dolphin occurrences at all sites showed a trend of improvement compared to previous observations, but no cause for this improvement was defined. A total of 18 benthic and 48 phytoplankton species has been detected in river systems and inland freshwater ponds and lentic water showed highest diversity and population of these micro-organisms.

### **Sundarbans Reserve Forest Health Monitoring**

The Sundarbans Forest health is being monitored quarterly as per monitoring schedule and thirty-eight (38th) surveys were conducted at five locations. Four sites are along the Passur River at Karamjal, Harbaria, Akram point and Hiron point, and the fifth one is near Sutarkhali forest office. The sites have been selected considering the distance from the proposed Project site, wind directions, coal transportation route, river systems and vegetation types. In the permanent sample plots (PSPs), bio-indicators including tree growth, species diversity, seedling regeneration capacity, pneumatophore occurrence, crab hole density, canopy cover changes, Leaf Area Index, leaf phenology, pest and disease observations were made. Among them Sutar Khali boasts the highest count at 391,308, indicating robust aerial root development where Akram Point exhibits the lowest count (81,487), suggesting a potentially different soil and water interaction. Harbaria has the greatest number of seedlings (186,317) and saplings (14,383), demonstrating a thriving habitat. The lowest numbers are recorded near Akram Point, suggesting possible difficulties with plant regeneration. Furthermore, 99% of the subplots' canopy coverage is maintained, indicating generally healthy forest canopies. Sutar Khali and Harbaria show high rates of carbon sequestration (143 mg C/ha and 135 mg C/ha, respectively), suggesting efficient carbon storage. A lower rate (97 Mg C/ha) is recorded at Akram Point, indicating possible differences in the dynamics of carbon. According to the study, there were considerable differences in lichen abundance between plots and between tree species. The highest lichen abundance was found in the Harbaria plot, where lichen coverage on Passur trees reached 35%. The Sutarkhali plot also have high lichen abundance, with lichen coverage on Passur trees reaching 22.9%. During a field visit, leaf emergence, leaf shedding, flowering and fruiting, and fruit/propagule dropping were recorded for each plot. Notably, Amor, Kakra, and Passur trees initiated their flowering activities during the monitoring period, while Sundri, Kakra, Goran, and Urmui trees exhibited fruit development. A complex picture of the ecological health and diversity throughout these sites is painted by the differences in wood waste, canopy covering, light intensity, carbon sequestration, diversity, and pneumatophores, crab holes, seedlings, and saplings. These understandings are crucial for conservation initiatives, helping to develop specialized plans to protect and maintain the abundant biodiversity of the Sundarbans.

### **Socio- economic Monitoring**

The project is now moving toward the operation phase and demand of technical workforce is increased with the time being. There are some environmental and social concern during this quarter monitoring though people have positive sense toward the MSTPP regarding its CSR services.

MSTPP facilitates some livelihood supports for the local inhabitant by generating employment opportunities in transportations, small floating business and entrepreneurship within or periphery of the project area. For all the employees of the MSTPP, accommodation, utility arrangement, safety arrangement and other civic facilities are developed or in developing stage. The authority-initiated CSR activities for the local community from the early stage of the construction phase and the services is still continuing and trying to increase its collaboration in services day by day. Under the CSR activities, free medical services, ROs installation for ensuring safe drinking water, contribution in emergencies and participation in any cultural/religious events are also well accepted among the local people.

On the other hand, grievance regarding local labor recruitment and temporary restriction on workforce recruitment from Rampal Upazila disappoint the local inhabitants, especially the potential work forces. No platform is yet to be developed to place or drop the grievances to the respective concern officials of the MSTPP while it was repeatedly written in the earlier monitoring reports to setup grievance box at the main gate of MSTPP for mitigating community level grievances. Waste management and coal transportation within the project area are not maintained proper protocol. Thus, the project authority should develop proper monitor and resolution mechanism in this regard to ensuring safe environment within and surroundings of the project area.



# 1. Introduction

## 1.1 Background

The scope of works as assigned has provisioned to monitor the environmental components, social indicators and the implementation status of EMP (Environmental Management Plan) during the construction phase of 2x660 MW Maitree Super Thermal Power Plant. As an independent environmental monitoring agency, CEGIS was engaged for conducting the said activities in accordance with the Power Plant EIA approval condition no. 32.

The location of 2x660 MW MSTPP project encompasses Sapmari, Katakali and Kaigar Daskati Mauza of Rajnagar Union under Rampal Upazila of Bagerhat District (**Figure 1.1**). The Power Plant lies in between latitude 22° 37' 0" N and 22° 34' 30" N and longitude 89° 32' 0" E and 89° 34' 5" E. The Plant site is located at about 23 km south from the Khulna City and near about 14 km from the north-west direction of nearest tip of the Sundarbans (considering the proposed chimney location). Location of the study area along with the distance from World heritage sites are presented in **Figure 1.1**.

The study area includes: i) Area covering 10 km radius from the Plant location, ii) Area within 5 km strip from both banks of the Passur river starting from the Plant site to Hiron point (**Figure 1.2**). As per the contract, the findings of the previously formulated quarterly monitoring reports have been submitted to BIFPCL.

Monitoring of Environmental parameters and associated data collection is being continued considering the spatial as well seasonal variations. However, CEGIS team has carried out the 38<sup>th</sup> quarterly monitoring activities in October, 2023 covering all the preselected monitoring parameters.

## 1.2 Objectives

The prime objectives of the study are:

- To monitor the important environment and social parameters during construction phase of the Power Plant and
- To monitor, the environmental compliances regarding EMP implementation during Power Plant's construction works and associated activities.

## 1.3 Criteria for Selection of Monitoring Sites/Locations

The monitoring sites have been selected considering the sensitivity and the ambience of the surroundings likely to be impacted from the Project related activities which includes-

- Wind speed and direction, sensitive receptors in and around the vicinity of the project site were considered for monitoring the ambient air quality. Potential areas were also identified and selected for noise level monitoring likely to be impacted by the project activities. Similarly, sites for water quality monitoring were selected considering the water resources (Maidara and other nearer water bodies, Passur River from Chalna to Hiron Point) likely to be impacted by the project activities.
- Potential locations for fisheries resources monitoring were selected considering the fish habitats, biodiversity, migration and production zones likely to be impacted by the project activities.
- Monitoring locations for ecosystem and biodiversity, Soil and land resources were selected considering the induced impacts of the Project related activities on the project surrounding areas.

- Monitoring of socio-economic conditions of the PAPs (Project Affected Peoples) and project surrounding communities were being carried out on the basis of their circumstances likely to be transformed and /or altered by the project activities.
- Locations for Sundarbans Reserve Forest (SRF) Health Monitoring were selected considering the potential access routes of coal transportation through Sundarbans Forest area and associated activities for different phases of the power plant development and operation which might have significant effects on Sundarbans's flora and fauna.
- Monitoring aspects for Environmental compliances regarding EMP implementation status in and around the project area has been set as per suggestions made in the EIA reports and approval conditions from DoE of both the Power Plant and Coal transportation studies respectively for ensuring environmental sustainability and social acceptability.






Figure 1.1: Location Map of the Study Area








Figure 1.2: AOI of Environmental and Socio-economic Monitoring



## **1.4 Main Stakeholders**

### **1.4.1 Forest Department**

Monitoring of the Sundarbans Reserve Forest area need to be addressed as the conditions set out by the DoE. Hence, permission from the Forest Department is essential to carry out the said activities. The Forest Department has been providing the permission under certain conditions i.e. keeping close communication with the Forest Department, submission of the monitoring reports to the Forest Department along with the following activities:

- Inclusion of a Soil Scientist and a Botanist in the monitoring team,
- Monitoring of regeneration, in growths (seedlings), diseases and pests (if necessary, to carry out laboratory analysis),
- Monitoring of soil nutrients (macro, micro) and heavy metals,
- Monitoring of floral diversity, species richness and dominance,
- Measurement of carbon content both above and below the ground level,
- Assessment of impact on canopy cover, leaves phenology, flowers behaviour, pneumatophore and crab hole conditions.

However, BIFPCL forwards each copy of the earlier quarterly monitoring reports to the Chief Conservator of Forest, Bangladesh Forest Department, Agargaon, Dhaka and Conservator of Forest, Khulna Circle, Boyra, Khulna. Similarly, the report of 38<sup>th</sup> quarterly monitoring will also be forwarded to the same officials of the corresponding Departments.

### **1.4.2 Department of Environment (DoE)**

The monitoring plans, indicators, parameters, location have been selected and arranged by incorporating the suggestion(s) and approval condition(s) from both the Power Plant EIA study and Coal Transportation EIA study. The BIFPCL forwards the monitoring reports and data to DoE on a regular basis (Monthly and Quarterly). The monitoring reports are also presented to the Environmental Clearance Committee of the DoE during renewal of the site clearance. In addition, one representative from the local DoE office is involved in each monitoring visit to accompany the monitoring team.

### **1.4.3 Bangladesh India Friendship Power Company (Pvt.) Limited (BIFPCL)**

Bangladesh India Friendship Power Company (Pvt.) Limited (BIFPCL) is the Project Proponent of the proposed Power Project. The official(s) of BIFPCL has been assisting the study team from the beginning of the study. In addition, BIFPCL is thus far implementing the Environmental Management Plan (EMP) for ensuring environmental and social safeguarding of the Project surroundings including the Sundarbans Reserve Forest.

### **1.4.4 Local Community**

The Project Affected Peoples (PAPs) has been included in each of the social environment-monitoring program. The changes in important socio-economic indicators were examined through Focus Group Discussions (FGDs), Key informant interview(s) and other informal discussions with the local people in different locations of the project influenced area.

#### **1.4.5 Major Component of Monitoring Study**

The Physical, Biological and Social aspects are monitored on regular basis and this quarterly monitoring report is furnished with the following subsequent chapters-

- Physical Environment covers monitoring of air quality, noise level, water quality, Soil and land resources, traffic management and the morphological study;
- Biological environment covers monitoring of fisheries resources, ecological resources and the Sundarbans Reserve Forest (SRF) health conditions;
- Socio-economic environment covers compensation, resettlement/rehabilitation, project related employment generation, labour and working condition, community health, security and safety, along with corporate social responsibilities.
- Environmental compliances monitoring includes Monitoring of Environmental and Social Management System Action Plan Implementation; Labour and working conditions; Community health, safety & security and Monitoring of biodiversity and sustainable management of living natural resources in and around the project area.



## 2. Physical Environment

### 2.1 Air Quality

Air quality parameters and monitoring locations were selected considering the major effects to be exerted by the power project activities during the pre-construction, construction, and operation stages as depicted in the EIA study. During the recent visit, all the preselected parameters and locations were monitored to observe major changes in air quality due to concurrent construction and erection activities of the project. The monitoring team visited the site from October, 23 to November 08, 2023. Air samples were collected in 13 pre-selected sites.

#### 2.1.1 Methodology

During the EIA study, the criteria pollutants i.e., Particulate Matters (i.e., PM<sub>2.5</sub>, PM<sub>10</sub>, and SPM), SO<sub>x</sub>, NO<sub>x</sub>, CO, and O<sub>3</sub> were expected to be generated from different phases i.e. pre-construction, construction, and operation activities of the Power Plant. However, the monitoring locations, as well as the indicators for this study, were also selected during the EIA study based on several measures e.g., the sensitivity of the receptors, project activities like the movement of coal-carrying vessels, coal trans-shipment activities; wind speed, wind direction, atmospheric deposition (Wet and Dry) and atmospheric stability classes, etc. However, the Continuous Ambient Air Quality Micro-Monitoring Station (caaqMMS) AirSENCE was used to collect the in-situ air quality data. The AirSENCE provides Concentrations for gaseous pollutants including NO, NO<sub>2</sub>, CO, O<sub>3</sub>, SO<sub>2</sub>, VOC, H<sub>2</sub>S, and CO<sub>2</sub> in addition to all particulate matter fractions such as PM<sub>10</sub>, PM<sub>2.5</sub>, and PM<sub>1</sub>.

#### 2.1.2 Pollution Sources in the Sundarbans

The key sources of air pollution around the Mongla Port area and project site can be considered as cement factories, LPG bottling plant, non-regulated mechanized boats, cargo vessels and ships plying to Mongla Port area and other commercial activities. The non-regulated ships, mechanized boats, cargo vessels plying through the Sundarbans Reserve Forest (SRF) in connection with the Mongla Port operation; fishing activities; honey collection, Golpata and timber collection; tourism etc. could be big contributing sources of air pollutants i.e., Particulate matters (PM<sub>2.5</sub>, PM<sub>10</sub> and SPM), Oxides of Sulphur (SO<sub>x</sub>), Oxides of Nitrogen (NO<sub>x</sub>) and Green House Gases (GHGs) in the study area as well as across the Passur channel. However, an inventory of the existing emission types and sources for the study area has been provided in **Table A2** of **Appendix IV**.

#### 2.1.3 Monitoring Locations

Air quality is assessed monitored at the fixed locations for each of the monitoring quarters. As per the recommendations of DoE and experts' panel, two additional locations were included along with the existing monitoring locations. The air quality monitoring activities are shown in **Figure 2.1** and monitoring locations are shown in **Figure 2.2**. Details of the monitoring plan are attributed in **Table 2.1**.

Table 2.1: Air Quality Monitoring Plan

Sl. No.	Monitoring Indicators	Locations	GPS Points	Frequency	Methods/Tools/ Techniques
1	Particulate Matter (PM <sub>2.5</sub> , PM <sub>10</sub> and SPM) SO <sub>x</sub> , NO <sub>x</sub> , CO and O <sub>3</sub> .	South West corner of the Project boundary	89°33'34.5"E; 22°34'33.8"N	Each Quarter of the year	AirSENCE Continuous Ambient Air Quality Micro monitoring station, model ELITE. It provides concentrations for criteria gaseous pollutants including NO, NO <sub>2</sub> , CO, O <sub>3</sub> , SO <sub>2</sub> , VOC, and CO <sub>2</sub> and for all particulate matter pollutant, fraction sizes including PM <sub>10</sub> , PM <sub>2.5</sub> , and PM <sub>1</sub> .
2		Proposed township area near Chimney location, Mauza: Sapmari Katakhal.	89°32'3.8"E; 22°36'32.5"N		
3		North West corner of the Project boundary (Kaigar Daskati)	89°33'51.8"E; 22°36'1.06"N		
4		Barni, Gaurambha Union (4km North East from the chimney location)	89°34'37.7"E; 22°38'51.8"N		
5		Chunkuri-2, Bajua Union (4km South West from the chimney location)	89°34'01.1"E; 22°32'3.3"N		
6		Pankhali, Dacope, (4km North West from the Chimney location)	89°31'24.2"E; 22°36'6.7"N		
7		Mongla Port Area	89°35'50.4"E; 22°28'24.8"N		
8		Harbaria, Sundarbans	89°35'34.2"E 22°17'43.1"N		
9		Akram point, Sundarbans	89°30'54.1"E 22°23.50"N		
10		Hiron Point, Sundarbans	89°27'53.2"E; 21°46'27.60"N		
11		Khulna city near Khan Jahan Ali Bridge	89°35'35.5"E; 22°46'36.8"N		
12		Project site-1 (Proposed Township area)	89° 33' 13.7"E 22°35'43"N		
13		Access road bridge area	89°35'16.49" 22°34'37.11"N		



Figure 2.1: Acquisition of Ambient Air Quality Monitoring






Figure 2.2: Air Quality Monitoring Locations





### 2.1.4 Status of Air Quality

During this monitoring tier, the maximum value ( $87.94 \mu\text{g}/\text{m}^3$ ) of  $\text{PM}_{2.5}$  was found at the Akram point area whereas the minimum value ( $26.23 \mu\text{g}/\text{m}^3$ ) was recorded at the Padma Abashan area. On the other hand, the concentration of  $\text{PM}_{10}$  and SPM were also found to be highest ( $96.99 \mu\text{g}/\text{m}^3$  and  $108.34 \mu\text{g}/\text{m}^3$  respectively) at the Akram point area and the lowest ( $55.55 \mu\text{g}/\text{m}^3$  and  $30.67 \mu\text{g}/\text{m}^3$  at the Chalna area and Padma Abashan area respectively). The prominent reason behind the scenario might be that temperature inversions, which are common during cold days, can trap pollutants closer to the ground, leading to higher concentrations of  $\text{PM}_{2.5}$  and  $\text{PM}_{10}$ . This scenario will be further investigated during the next monitoring tier.

On the other hand, the concentrations of Sulphur dioxide ( $\text{SO}_2$ ) as observed in the ambient air were much lower than the Bangladesh standard limit of ( $80 \mu\text{g}/\text{m}^3$ ) at all the sampling locations. Among those, the maximum concentration ( $24.34 \mu\text{g}/\text{m}^3$ ) was found at the Padma Abashan area whereas the minimum concentration ( $2.86 \mu\text{g}/\text{m}^3$ ) was recorded at the Hiron point of Sundarbans area. Similarly, the values of  $\text{NO}_2$  were also observed well below the Bangladesh standard value of  $80 \mu\text{g}/\text{m}^3$ . The maximum concentration ( $30.15 \mu\text{g}/\text{m}^3$ ) of  $\text{NO}_2$  was found at the Shapmari area whereas the lowest concentration ( $15.79 \mu\text{g}/\text{m}^3$ ) was recorded at the Hiron Point area. The contributor to such  $\text{NO}_2$  emissions may be from local human haulers, cars, buses, etc. Moreover, the maximum values of CO ( $0.52 \text{ mg}/\text{m}^3$ ) and  $\text{O}_3$  ( $26.81 \mu\text{g}/\text{m}^3$ ) were found at the Access road area and the Akram point area respectively though the results were found much lower than the standard value ( $5 \text{ mg}/\text{m}^3$  and  $100 \mu\text{g}/\text{m}^3$  respectively) set in Air pollution control Rules, 2022. From the measured values, it can be concluded that the effect of seasonal variations on the surrounding environment may be the prominent reason for increasing or decreasing the concentrations of the criteria pollutants for the corresponding air sheds.

During the monitoring tier, all the criteria pollutants from all locations were observed to be within the standard limit set in Air Pollution Control Rules, 2022 except the concentration of  $\text{PM}_{2.5}$  at all locations. This scenario will be further investigated during the next monitoring tier. The monitoring results of the 38<sup>th</sup> monitoring program are depicted in **Table 2.2** and all the monitoring results across the monitoring periods are attached in **Table A1** of **Appendix IV**. The baseline emissions scenarios are appended in **Table A2** of **Appendix IV**.

#### *Seasonal variation*

The values of all the criteria pollutants as averaged for the corresponding locations for the corresponding seasons were found to be higher in the Khan Jahan Ali Bridge area than the project influence area followed by the Sundarbans Reserve Forest (SRF) area. On the other hand, the concentration of the measured parameters was found to be higher in the winter seasons of the monitoring periods except for CO,  $\text{SO}_2$ , & and  $\text{NO}_2$  which were found to be higher in Post-monsoon periods.

It is also to be noted that, the concentration of all criteria pollutants was observed to be decreased in the Sundarbans area than the previously monitored data of monsoon season except for CO. On the other hand,  $\text{PM}_{2.5}$  and  $\text{PM}_{10}$  increased at Khan Jahan Ali bridge (Toll Plaza area) than the previous monsoon period whereas the other parameters were decreased compared to the same season of the previous year. The concentration of  $\text{PM}_{2.5}$ , SPM, and  $\text{O}_3$  increased compared to the same season of the previous year, and the remaining parameters were observed to be decreased (**Figure 2.3**).




**Figure 2.3: Seasonal Variation of the Air Quality Parameters**

#### Cluster analysis

Cluster analysis was performed to identify the grouping pattern of the criteria pollutants along with their corresponding locations. Euclidean distances were observed to measure the distances among the objects using as variables (annual average concentrations of the seven studied variables for every station). According to the dendrogram (**Figure 2.4.**) Hiron point (L10), Akram Point (L9) and Harbaria (L8) represents the locations of minimum pollution level situated inside the Sundarbans Forest area and are away from the nuclei of Mongla industrial zone and the project site. On the other hand, Chalna

(L6), Mongla Ghat (L7) and Khan Jahan Ali Bridge in Khulna (L11) are subjected to higher in population density and increased industrial activities among all sites whereas Maidara (L1), Shapmari (L2), Koigardashkatir char (3), Gaurambha (L4) and Bajua (L5) represent lower or moderate commercial activities (**Figure 2.4**).



**Figure 2.4: Dendrogram of the Monitoring Stations using Euclidean Distance**

**Table 2.2: Air Quality Monitoring Results (38<sup>th</sup> Quarterly Program)**

Sl. No.	Location	Parameters						
		PM <sub>2.5</sub> ( $\mu\text{g}/\text{m}^3$ )	PM <sub>10</sub> ( $\mu\text{g}/\text{m}^3$ )	SPM ( $\mu\text{g}/\text{m}^3$ )	SO <sub>2</sub> ( $\mu\text{g}/\text{m}^3$ )	NO <sub>x</sub> ( $\mu\text{g}/\text{m}^3$ )	CO ( $\text{mg}/\text{m}^3$ )	O <sub>3</sub> ( $\mu\text{g}/\text{m}^3$ )
1	South-West corner of the project Boundary, Moidara	44.24	55.03	58.69	16.17	28.11	0.21	22.53
2	Propose Township area near Chimney location, Mouza-Sapmari Katakhal	44.52	55.74	58.85	10.16	30.16	0.50	25.87
3	North west corner of the project boundary (Koigardas Kathir Char)	49.92	59.62	64.79	9.90	27.13	0.17	24.96
4	Barni, Gaurambha Union 4 KM North-West from the Chimney location	52.21	61.03	67.19	4.41	26.83	0.37	25.83
5	Bauja Union 4km south west from the chimney location	42.24	51.93	55.81	19.56	27.38	0.36	25.23
6	Chalna Bazar Area, Dacope	42.01	51.57	55.55	23.14	29.58	0.52	24.85
7	Mongla Port area	59.68	66.93	76.21	12.79	28.35	0.35	24.88
8	Harbaria, Sundarban	70.29	76.43	87.85	9.17	26.33	0.39	20.56
9	Akram Point (Sibsa River)	87.94	97.00	108.34	4.67	21.64	0.47	26.81
10	Hiron Point, Sundarban	73.60	79.96	91.21	2.87	15.80	0.16	12.23
11	Khulna Khan Jahan Ali Bridge near toll plaza area	50.49	58.75	64.35	8.10	30.13	0.17	23.40
12	Padma Abashan area	26.24	30.67	77.40	24.35	25.52	0.18	16.95
13	Taltola Bazar/BIFPCL (Project)	28.84	33.53	84.84	18.54	25.56	0.52	18.85
<b>Std* (Air pollution Control Rules, 2022)</b>		65	150	200 (ECR'97)	80	80	5	100

Source: CEGIS field survey, August, 2023; STD\*-Standard.

### 2.1.5 Findings

According to the observed data it can be concluded that, winter is the worst season in terms of air pollution of that area followed pre-monsoon. All of the air pollution remains lower during the monsoon or post-monsoon time due to wet wash of maximum rainy days. SO<sub>2</sub> and NO<sub>x</sub> are considerably lower particularly at Sundarbans areas. It increases towards project area and Khan Jahan Ali Bridge areas. Land development works of the project in 2014 increased dust pollution and finalized

site development with grassy top soil by the end of 2016 might be responsible for reduced dust level in ambient air. Hiron point, Akram Point and Harbaria represents the locations of minimum pollution level situated inside the Sundarbans Forest area and are away from the nuclei of Mongla industrial zone and the project site.

## 2.2 Noise Quality

In general point of view, noise is the chaotic feeling of sound where many sound waves are mixed and difficult to distinguish a single signal. Noise is described by a weighted sound intensity (or level), which represents sound heard by the human ear and is measured in units called decibels (dBA).

### 2.2.1 Methodology

Noise levels were measured thrice in a day (morning, afternoon and evening) at eight locations and twice (morning & afternoon) at three locations around the project and study area. Each time, noise levels were recorded using noise level meter for five minutes of time span with an interval period of 30 second and the noise meter was properly set up and calibrated following the instruction manual. On the other hand, the monitoring locations were selected considering the sensitivity of the nearest receptors and accordingly, 6 (six) sites were selected in and around the Project area, 3 (three) sites were designated inside the Sundarbans Reserve Forest Area, 1 (one) at Mongla port area and the remaining one was selected at the Khan Jahan Ali Bridge toll plaza area near Khulna City (**Figure 2.6**). The monitoring activities are shown in **Figure 2.5**.



**Figure 2.5: Ambient Noise Acquisition during the Monitoring Period**

### 2.2.2 Locations of Noise Level Monitoring

Out of (11) locations, three (03) locations were inside the Sundarbans, six (06) locations were in and around the Project site, one at Khan Jahan Ali Bridge and the remaining one was at Mongla Ghat area **Table 2.3**.

**Table 2.3: Noise Monitoring Plan**

SL. No.	Monitoring locations	GPS points
1	South West corner of the Project boundary	89°33'34.5"E; 22°34'33.8"N
2	Proposed township area near Chimney location, Mauza: Sapmari Katakhal	89°32'3.8"E; 22°36'32.5"N
3	North West corner of the Project boundary (Kaigar Daskati)	89°33'51.8"E; 22°36'1.06"N
4	Barni, Gaurambha union (4km North East from the chimney location)	89°34'37.7"E; 22°38'51.8"N
5	Chunkuri-2, Bajua Union (4km South West from the chimney location)	89°34'01.1"E; 22°32'3.3"N



SL. No.	Monitoring locations	GPS points
6	Pankhali, Dacope, (4km North West from the Chimney location)	89°31'24.2"E; 22°36'6.7"N
7	Mongla Port Area	89°35'50.4"E; 22°28'24.8"N
8	Harbaria, Sundarbans	89°35'34.2"E; 22°17'43.1"N
9	Akram point, Sundarbans	89°30'54.1"E; 22°23'50"N
10	Hiron Point, Sundarbans	89°27'53.2"E; 22°46'27.60"N
11	Khulna city near Khan Jahan Ali Bridge	89°35'35.5"E; 22°46'36.8"N








Figure 2.6: Noise Level Monitoring Locations





### 2.2.3 Noise in the Study Area


Among the sources of noise generation engine boats, trawlers, small barges, ships plying along the waterways, birds' chirping, stormy wind, falling of leaves from the trees and the wave breaking sound were the main source of noise generation in and around the Sundarbans. On the other hand, construction activities, the urban and rural vehicles i.e. buses, trucks, local human haulers, auto-rickshaws, motorized vans, motorbikes etc. were much noticeable around the project area.

### 2.2.4 Status of Noise

In order to provide an overview of the observed noise data set, the average values for the respective locations have been appended in **Table C9 of Appendix IV** for ready reference; but the detailed noise level data have been attached in **Tables C1, C2, C3, C4, C5, C6, C7, C8, C9, and C10** respectively in the **Appendix IV**.

However, the Department of Environment of the People's Republic of Bangladesh, an agency under the Ministry of Environment and Forests has set up the standard of permissible limits of noise level at day time for different classified areas. According to Bangladesh Noise Pollution Control Rules (2006), the eleven monitored locations fall under different classified area like residential, commercial, mixed, silent and industrial class.

The observed level of noise at Chalna, a commercial area located at a distance of 4 km to the north-west direction of the chimney was recorded as 54.28 dB. In contrast, its standard level is 70 dB (**Table C10: Appendix IV**). Levels of noise at Kaigar Daskati (48.11 dB) situated at the Gucchha Gram (a residential area located at the north-west corner of the project area) did not exceed their corresponding standard limit but level of noise at Chunkuri-2 (55.91 dB) located at 4km south-west direction from the chimney location and at Maidara Khal (58.05) at the south-west corner of the project area were slightly exceed their corresponding standard limit. On the other hand, levels of noise at Shapmari (township area) are recorded as 45.20 dB respectively that denotes, the levels of noise didn't cross their corresponding standard value (55 dB) in this location (**Table C10: Appendix IV**). The level of noise at Barni (Gaurambha) was recorded as 57.14 dB which was 2.86 dB lower than that of its standard limit (60 dB) of noise level for this location (**Table C10: Appendix IV**). Harbaria, Akram Point and Hiron Points are three silent zones in the study area. Noise levels in Harbaria (49.60 dB), Akram Point (39.07 dB), and Hiron Point (40.34 dB) were not found to exceed their standard limit of noise level (std. 50 dB). The level of observed noise at Khan Jahan Ali Bridge and the Mongla port area was recorded as 65.04 dB and 53.59 dB respectively. Whereas, the standard noise limits for Khan Jahan Ali Bridge (a commercial zone) and Mongla Port (an industrial zone) during the day are 70 dB and 75 dB, respectively (**Figure 2.7**).



**Figure 2.7: Status of Average Seasonal Variations of Noise Level at Different Monitoring Locations**

## 2.3 Water Quality

An updated water quality status of the Passur-Sibsa River system and adjacent water bodies has been depicted in this section. Both the national and international guidelines were followed and adopted for sample collection as well as for analysis. This report includes physical water quality parameters collected during the 38<sup>th</sup> quarterly monitoring tier (October, 2023) and the test results obtained from the laboratory up to August 2023 (37<sup>th</sup> quarterly monitoring program). Several identical parameters as well for the selected locations to understand the effect of power plant activities on the surface and groundwater quality which may affect the aquatic life of the adjacent river, the Sundarbans Forest ecosystem, and community health in and around the power plant area.

### 2.3.1 Methodology

The procedure for water quality monitoring covers a selection of water quality parameters, identification of sampling locations, determination of sampling frequency, and evaluation criteria of the monitoring parameters, etc. Standard approaches and methodologies were followed for the events mentioned above. The surface and groundwater quality status of the water bodies in and around the Power Plant and the Sundarbans area were examined. The monitoring results are compared with the national standards (ECR, 2023, and all available amendments). The samples were collected from eighteen (18) pre-selected locations (15 locations for surface water along the Passur River from Chalna to Sibsa River near Akram Point, Maidhara River near the project area, and 3 locations for groundwater i.e. project area, Kapashdanga, and Rajnagar). However, the standard sampling procedure was followed for both surface and groundwater sampling to reduce the possibility of any error, and each sample was labelled at the time of sampling. The selected monitoring locations for the monitoring program are shown in **Figure 2.9**. The details of the monitoring plan covering sampling locations, geographical locations, frequency, and analysis techniques of sampling for surface and groundwater are given in **Table 2.4** and **Table 2.5** respectively.

### 2.3.2 Selection of Parameters

The selected parameters for Groundwater quality monitoring include pH, Temperature, Dissolved Oxygen (DO), Total Dissolve Solids (TDS), Total Hardness (TH), Chemical Oxygen Demand (COD), Salinity, Nitrate ( $\text{NO}_3^-$ ), Phosphate ( $\text{PO}_4^{3-}$ ), Sulphate ( $\text{SO}_4^{2-}$ ) and Heavy Metals (As, Pb, Hg) etc.

#### *Water Quality Parameters*

The selected parameters for surface water and groundwater quality include Temperature, pH, Dissolved Oxygen (DO), Total Dissolve Solids (TDS), Total Suspended Solids (TSS), Total Hardness (TH), Turbidity, Chemical Oxygen Demand (COD), Salinity, Nitrate ( $\text{NO}_3^-$ ), Phosphate ( $\text{PO}_4^{3-}$ ), Sulphate ( $\text{SO}_4^{2-}$ ), Heavy Metals (As, Pb, Hg), and Oil and Grease (for surface water). The parameters were categorized into 4 groups:

- Physical and aggregate properties i.e. pH, Temperature, Salinity, Hardness, TDS, TSS, Turbidity, Oil & Grease (for surface water);
- Inorganic non-metallic constituents i.e., DO,  $\text{NO}_3^-$ ,  $\text{PO}_4^{3-}$  and  $\text{SO}_4^{2-}$ ;
- Aggregate organic constituents i.e. COD and
- Heavy metals i.e. As, Pb and Hg;

However, some additional parameters i.e., PAH (Polycyclic Aromatic Hydrocarbons), TOC (Total Organic Carbon) and TC (Total Carbon) were included in connection with the surface water quality monitoring study (3 locations as per recommendation of the DoE approved coal transportation study monitoring framework as well as approval condition no. 26 and accordingly the analyzed data of the

additional parameters are recorded and submitted to the DoE and other authorities periodically.

### 2.3.3 Sampling Procedure

The study area is highly influenced by tidal variation. Hence, temporal and spatial variations of tides were considered in the sampling procedure. Surface water samples were collected at a distance of 50-100m away from the river bank and a depth of 6cm below the water surface during low tides or relative slack period after the low tide for all parameters except oil and grease. The non-acidified sampling bottles were rinsed with respective water samples before sampling. Acidified sampling bottles were used for heavy metal (As, Pb, Hg) sample collection. On the contrary, the Analysis of BOD<sub>5</sub> has been discarded because of constraints to maintain the proper procedure to collect, preserve, and lab test the water samples at ideal conditions. All samples were preserved as per standard procedure. The in-situ testing of the selected water quality parameters is shown in **Figure 2.8**. On the other hand, the groundwater samples were collected from hand-operated tube wells after 5-7 minutes of water extraction. Each sampling bottle was rinsed with respective water samples before sample collection and storage. Acidified sampling bottles were used for heavy metals (As, Pb, Hg) sample collection and were preserved following standard procedure.



**Figure 2.8: Water Sample Collection and Insitu Testing of Water Parameters**

**Table 2.4: Groundwater Quality Monitoring Parameters, Locations and Plan**

Sl. No.	Sampling Locations ID	Locations	GPS (Decimal Degree)		Frequency	Methods/Monitoring indicators/ Techniques
			Easting	Northing		
1	SL-1	Near Proposed Township Area	89.566139°E	22.594167°N	Quarterly	In-situ testing of physical water quality parameters was done by Horiba U-50 multi-meter. Preservation of samples and Laboratory analysis were carried out at DPHE Central Laboratory and BCSIR
2	SL-2	Rajnagar	89.576056°E	22.612528°N		
3	SL-3	Kapashdanga	89.563000°E	22.622528°N		

Table 2.5: Surface Water Quality Monitoring Parameters, Locations and Plan

Sl No	Monitoring Indicators	Sampling Locations ID	Locations	GPS (Decimal Degree)		Frequency	Methods/Tool/ Techniques
				Easting	Northing		
1	pH, Temperature, Salinity, DO, BOD <sub>5</sub> , TDS, TH, TSS, COD, Nitrate, Sulphate, Phosphate, Arsenic, Lead, Mercury, Oil & Grease, PAH, TOC, TC	SL-1	Left Bank of Passur River at 100m u/s of North West corner of the Project boundary	22.604167°N	89.527222°E	Quarterly	In-situ testing of physical water quality parameters was done by Horiba U-50 multi-meter. Preservation of samples and Laboratory analysis were carried out at DPHE Central Laboratory and BCSIR
2		SL-2	Middle of Passur River at 100m u/s of North West corner of the Project boundary	22.607222°N	89.528889°E		
3		SL-3	Right Bank of Passur River at 100m u/s of North West corner of the Project boundary	22.609361°N	89.531417°E		
4		SL-4	Left Bank of Passur River at Project Site-Jetty	22.584833°N	89.543583°E		
5		SL-5	Middle of Passur River at Project Site-Jetty	22.587667°N	89.546472°E		
6		SL-6	Right Bank of Passur River at Project Site-Jetty	22.589333°N	89.548222°E		
7		SL-7	Left Bank of Passur River at South West corner of the Project boundary	22.572889°N	89.552583°E		
8		SL-8	Middle of Passur River at South West corner of the Project boundary	22.574611°N	89.557500°E		
9		SL-9	Right Bank of Passur River at South West corner of the Project boundary	22.575667°N	89.559861°E		
10		SL-10	Maidara river at the South East corner of the project boundary at Ichamoti-Maidara confluence	22.600639°N	89.565611°E		
11		SL-11	Maidara river near proposed Township area	22.577472°N	89.569250°E		
12		SL-12	Passur river at Passur – Ghasiakhali confluence	22.473861°N	89.602361°E		
13		SL-13	Passur river at Harbaria of the Sundarbans Reserve Forest area	22.295250°N	89.593139°E		
14		SL-14	Passur river at Akram Point of the Sundarbans Reserve Forest Area	22.024120° N	89.514220°E		
15		SL-15	Passur river at Hiron point of the Sundarbans Reserve Forest Area	21.774183°N	89.464778°E		



#### **2.3.4 Water Quality Parameter Analysis Techniques/Methods**

Water quality parameters were analysed as per the procedure of American Public Health Association (APHA) standard. The analysis procedures of different parameters along with the standards are given in **Table 2.6**.

#### **2.3.5 Water Quality Reporting Arrangement**

The water quality status of the adjacent water bodies of power plants and the Sundarbans Reserve Forest (SRF) has been observed since April 2014. The 38<sup>th</sup> quarterly report covers yearly variations of monsoon up to August 2023 for chemical water quality status and yearly variations for post-monsoon in physical water quality status up to October 2023 and is presented and compared with the ECR' 2023 Standards. To do so, all sampling points are clustered in five different sampling sites considering the homogenous characteristics of the sampling points as well as the type of ecosystem touching the sample points. The clustered sample monitoring sites and the logical explanation of the clusters are presented in **Table 2.7**.








Figure 2.9: Surface Water and Groundwater Quality Monitoring Location





**Table 2.6: Testing Methodology of Water Quality Parameter**

Parameters	Methods/Measuring Tools	Unit	BD Standard (Drinking Water Quality; ECR' 2023)
Temperature	Horiba U-50 multimeter	0C	20 - 30
Salinity	Horiba U-50 multimeter	ppt	N/A
pH	Horiba U-50 multimeter	-	6.5-8.5
TDS	Horiba U-50 multimeter	ppm or mg/L	1000
TSS	Gravimetric method	ppm or mg/L	10
DO	Horiba U-50 multimeter	ppm or mg/L	6
TH	Titrimetic	ppm or mg/L	200-500
COD	CRM	ppm or mg/L	4
Nitrate (NO <sub>3</sub> -)	UV-VIS Spectrophotometers	ppm or mg/L	45
Pjosphate	UV-VIS Spectrophotometers	ppm or mg/L	6
Sulphate (SO <sub>4</sub> 2-)	UV-VIS Spectrophotometers	ppm or mg/L	250
Oil and Grease	Liquid-liquid extraction with hexane, treatment with silica gel and gravimetric determination	ppm or mg/L	0.01
Arsenic (As)	Atomic Absorption Spectrophotometers-Hydride Vapor Generating (AAS-HVG)	ppm or mg/L	0.05
Lead (Pb)	Atomic Absorption Spectrophotometers-Graphite Furnace (AAS-GF)	ppm or mg/L	0.01
Mercury (Hg)	Mercury Analyzer	ppm or mg/L	0.001

**Table 2.7: Monitoring Sites and Characteristics**

SL	Monitoring sites	Site Characteristics
(a)	Power plant & adjacent areas	Total 11 sampling points were selected and the values were averaged to represent the water quality status of power plant adjacent surface water bodies. These 11 sampling points are situated in the same river system or network and embedded within 1km radius of power plant area. Therefore, this study makes the clusters to represent the water quality status of the areas in a more explainable and understandable way.
(b)	Mongla-Passur confluence	This monitoring site is situated at least 13km downstream of the power plant. This point is a confluence area of Passur River and Mongla-Ghasiakhali channel. Around this point, the terrestrial ecosystem is mostly dominated by agricultural lands followed by rural settlements.
(c)	Harbaria	Harbaria site is situated around 15 km downstream of the Mongla/Ghasiakhali and Passur confluence. This site is dominated by Sundarbans Forest and heavily influenced by the activities of mother vessels unloading and small cargo movement for carrying of clinker, coal and LPG gas. It is to be noted here that the tidal effects of Bay of Bengal are very prominent here.
(d)	Akram point	Akram point is located around 35 km downstream of the Harbaria point. This site is situated at the confluence point of Passur and Sibsa River. This site is completely dominated by deep forests ecosystems. Influenced by tidal effects of Bay of Bengal.
(e)	Hiron Point	Hiron point is the furthest point of this surface water-monitoring scheme. This point is at 25 km downstream of the Akram point. Deep forests and marine habitats are the main characteristics of the site. This site is completely exposed to the Bay of Bengal.

### 2.3.6 Monitoring Results and Discussion

#### *Status of Surface Water Quality*

##### In-situ Tested Parameters

The in-situ tested results obtained up to the 38<sup>th</sup> monitoring period (October 2023: Post-monsoon season) are described below:

- The observed pH values ranged between 8.27 and 7.5. The highest value (8.27) was found at Passur Ghashiakhali confluence and the lowest (7.5) was observed at Madhara Ichamati confluence near the power plant. However, the values indicated are slightly basic during this post-monsoon season and completely comply with the ECR'2023. On the other hand, the water temperatures were found to be varied from 31.05°C-28 °C among the monitored sites.. Salinity concentrations ranged between 3.5 ppt. to 0.1 ppt. among the monitoring sites. Maximum salinity was recorded Hiron point of Sundarbans. This higher salinity concentration was due to the tidal flow from the direction of downstream to upstream. Among the sites, the DO level was found to be highest (7.9 mg/L) in the Harbaria of the Sundarbans area.

The laboratory-tested results obtained up to the 37<sup>th</sup> monitoring period (August 2023: Monsoon season) are described below:

- TDS (Total Dissolved Solids) was found to be highest (5800 mg/L) at the Hiron point of Sundarbans and lowest (132mg/L) at Middle of Passur River at 100m u/s of North West corner from the Project boundary. In general, the TDS values increase in Pre-monsoon and winter seasons than in monsoon and post-monsoon periods which could be the contribution of less rainfall and decreased upstream flow to its dilution in the rainy season (Izonfuo and Bariweni, 2001)<sup>2</sup>. Similarly, the TH was also found to be highest (1900 mg/L) in the Hiron point of Sundarbans. Unlike TDS, TH is affected by the insufficient freshwater supply due to low rainfall during winter and pre-monsoon periods and seawater i.e. saline water intrusion toward upstream (Rahman et al., 2013) which contains a huge quantity of minerals including calcium and magnesium and ultimately make the water hard.
- On the contrary, TSS was found to be higher in Pre-monsoon and winter seasons than those of monsoon and post-monsoon seasons which may be due to relatively low precipitation and less upstream freshwater flow, urban runoff, industrial wastes, bank erosion, bottom feeders (such as carp), algae growth or wastewater discharges, etc. During the monitoring period, TSS was found to be highest (17 mg/L) at the Right Bank of Passur River at 100m u/s of North West corner from the Project boundary.
- Among the monitoring sites, the Hiron point of Sundarbans got the highest COD value i.e. 124 mg/L during the monitoring period. Over the year, COD concentration was found to be higher in pre-monsoon followed by winter as these seasons had insignificant rainfall compared to those of other seasons which increased the density of organic matter. The nitrate value was found highest (7.1 mg/L) in the Maidara River near the proposed township area. Similarly, SO<sub>4</sub><sup>2-</sup> was found to be highest in (211.3 mg/L) whereas Phosphate was found highest (0.93 mg/L) in the Maidara River near the proposed township area. Moreover, during the last monsoon period, Arsenic concentrations ranged between 0.001 mg/L to 0.004 mg/L among all the monitoring locations (**Figure 2.23**).

<sup>2</sup> Izonfuo W. A and. L Bariweni 2001.The effect of urban runoff water and human activities on some physicochemical parameters of the Epie creek in the Niger Delta. J. Appl. Sci. & Enviro. Mgt, **5(1)**: 4755.

### Findings

The physico-chemical properties of Passur River change with the tidal intrusion in different seasons. During the 38<sup>th</sup> quarterly monitoring, pH was found neutral to slightly basic. Salinity on the other hand, found lower compared to the other seasons. In general, salinity is found to be higher in the downstream i.e. in the Harbaria, the Akram point and the Hiron point of Sundarbans compared to the upstream area i.e. near the power plant adjacent area as because these locations are situated very close to sea and tidal inflow from the sea. The Temperature and Dissolved Oxygen level was found in fair and favourable for the aquatic life forms during the monitoring periods. TDS and TH were found to be more in the Akram point area than the other sites as this site is a confluence point of Passur and Sibsa River with an influence of tidal inflow from the sea. Have been found relatively the same for the same seasons of the last consecutive years. On the other hand, Nitrate ( $\text{NO}_3^-$ ) and Phosphate ( $\text{PO}_4^{3-}$ ) levels were found to exceed the standard set by the ECR'2023. The Sulphate concentrations were found relatively higher in the post-monsoon and winter periods than in the monsoon seasons. In the case of metal pollution, no significant variation was recorded for As and Pb but this time the value was found to be 0.003 mg/L and exceeded the previously obtained values from all locations i.e. 0.001 mg/L which slightly exceeded the ECR' 2023 standard as set in the ER'2023. Oil & grease concentration was found less than 2.0 mg/L at all sites like the previous monitoring periods which is less than the recommended concentration. Seasonal variations for the corresponding parameters are shown in **Figure 2.11 to Figure 2.23**.

#### 2.3.7 Status of the Groundwater Quality

The in-situ tested results obtained up to the 38<sup>th</sup> monitoring period (October 2023: Post-monsoon season) are described below:

- pH was found to range between 7.9 to 8.2 among the monitoring sites which seemed to be slightly alkaline but not breach the ECR '23 (6.5-8.5) and the temperature was found to range between 28.1°C to 31.5°C where the highest temperature was recorded in Project area. Similarly, the salinity was found to be higher in the Kapashdanga site (0.4 ppt.) than in the other two sites. However, DO and TDS values ranged between 3.6-5.15 mg/L and 272 mg/L -650 mg/L respectively. Though the TDS concentration in the monsoon season was found to have breached the ECR'2023 (1000 mg/L) in general, TDS values were hardly observed to breach the ECR '23 in other seasons.
- On the other hand, TSS values were found to range between 1 mg/L to 2mg/L at all locations which completely complied with the national standard (10 mg/L). TH and COD values were observed to range between 160 to 190 mg/L and 4-20 mg/L respectively among all the monitoring sites. Nitrate values (1.9-10.5 mg/L) were found to comply with the national standard (45 mg/L). Similarly, Sulphate concentration (1.8 -5.4 mg/L) was also found to be complied with the national standard (250 mg/L).


Moreover, Arsenic concentration was found highest in Kapashdanga (0.055 mg/L) which seemed to breach the national standard. The higher amount of Arsenic in Kapashdanga is not seen to have prevailed at all seasons but for the Winter and pre-monsoon seasons of 2022 and 2023, the exceedances are being observed. The owner of the tube well has been notified about the exceedance and guided accordingly. The prominent sources of arsenic contamination in groundwater in Bangladesh are still a matter of debate as no single cause can interpret the contamination processes (Islam et al., 2010)<sup>3</sup>. The most widely discovered two theories for the background of arsenic

<sup>3</sup> M.S. Islam, F. Islam, W.W. IWA., Arsenic contamination in groundwater in Bangladesh: an environmental and social disaster., IWA Water Wiki (2010).


contamination of groundwater in Bangladesh may be the pyrite oxidation and iron oxyhydroxide reduction (Saha and Rahman, 2020)<sup>4</sup>. However, Pb concentration was found to range between <0.01- <0.03 mg/L which completely complies with the national standard (0.01 mg/L).

### Remarks

This concluding remark represents that the physical characteristics of groundwater quality are still in good condition with slight variations in pH and salinity. The reason is saline water intrusion and infiltration due to the excessive withdrawal of groundwater by the surrounding communities during the dry season but during the monsoon season, the water becomes less saline as the aquifer recharges during the monsoon season. During the monitoring tier in May 2023, TDS values were found to be higher than the ECR'2023 which might be because Before monsoon, the water chemistry is governed by the weathering of carbonate and silicate minerals, reverse ion exchange and evaporation processes, which resulted in high EC, TDS, TH and major ions in the groundwater.<sup>5</sup> On the other hand, during winter and pre-monsoon concentration was found to breach the national water quality standard two times at Kapashdanga. The reason behind this exceedance is very hard to interpret (Islam et al., 2010) but the most widely discovered two theories for the background of arsenic contamination of groundwater in Bangladesh may be the pyrite oxidation and iron oxyhydroxide reduction (Saha and Rahman, 2020). Seasonal variations for the corresponding parameters are shown in **Figure 2.24** to **Figure 2.35**.



**Figure 2.10: Variations in pH Values in Different Monitoring Sites**




**Figure 2.11: Variations in Temperature Values in Different Monitoring Sites**


<sup>4</sup> N. Saha, M.S. Rahman., Groundwater hydrogeochemistry and probabilistic health risk assessment through exposure to arsenic-contaminated groundwater of Meghna floodplain, central-east Bangladesh. *Ecotoxicol. Environ. Saf.*, 206 (2020), Article 111349, 10.1016/j.ecoenv.2020.111349.

<sup>5</sup> E. Manikandan, N. Rajmohan, S. Anbazhagan, Monsoon impact on groundwater chemistry and geochemical processes in the shallow hard rock aquifer, *CATENA*, Volume 195, December 2020, 104766.







**Figure 2.12: Variations in Salinity Values in Different Monitoring Sites**




**Figure 2.13: Variations in DO Values in Different Monitoring Sites**




**Figure 2.14: Variations in TDS Values in Different Monitoring Sites**




**Figure 2.15: Variations in TH Values in Different Monitoring Sites**




**Figure 2.16: Variations in TSS Values in Different Monitoring Sites**




**Figure 2.17: Variations in COD Values in Different Monitoring Sites**




**Figure 2.18: Variations in Nitrate Values in Different Monitoring Sites**




**Figure 2.19: Variations in Sulphate Values in Different Monitoring Sites**




**Figure 2.20: Variations in Phosphate Values in Different Monitoring Sites**




**Figure 2.21: Variations in Arsenic Values in Different Monitoring Sites**




**Figure 2.22: Variations in Lead Values in Different Monitoring Sites**




**Figure 2.23: Variations in G-pH Values in Different Monitoring Sites**




**Figure 2.24: Variations in G-Temperature Values in Different Monitoring Sites**




**Figure 2.25: Variations in G-Salinity Values in Different Monitoring Sites**




**Figure 2.26: Variations in G-DO Values in Different Monitoring Sites**




**Figure 2.27: Variations in G-TDS Values in Different Monitoring Sites**




**Figure 2.28: Variations in Monsoon G-TSS Values in Different Monitoring Sites**




**Figure 2.29: Variations in Monsoon G-TH Values in Different Monitoring Sites**




**Figure 2.30: Variations in G-Nitrate Values in Different Monitoring Sites**



**Figure 2.31: Variations in Monsoon G-Sulphate Values in Different Monitoring Sites**



**Figure 2.32: Variations in Monsoon G-Phosphate Values in Different Monitoring Sites**



**Figure 2.33: Variations in Monsoon G-Arsenic Values in Different Monitoring Sites**

## 2.4 Land and Agricultural Resources Monitoring

### 2.4.1 Methodology

Monitoring of selected indicators is very crucial for better management of land resources in the study area. Plot/land use, soil fertility/nutrient status, soil contamination with heavy metals and soil salinity have been considered as the major indicators for land resources monitoring. It is also assumed that during the operation phase of the power plant, fly ash and other air borne pollutants may get deposited on the surrounding agriculture land, which ultimately will pollute the study area soil. Before that (during pre-construction and construction stage), only natural phenomena are responsible to alter soil parameters.

#### *Sampling Frequency*

The frequency of monitoring for land resources data collection has been considered twice in a year. Accordingly, the soil samples are collected during this monitoring (38<sup>th</sup> monitoring) field visit and sent immediately to SRDI laboratory for analysis. The analysis data will be incorporated with next monitoring report.

#### *Monitoring Indicators*

The continuous monitoring has given an opportunity to observe seasonal change along with spatial change of selected indicators of sampling plots. The selected indicators are soil reaction (pH), soil salinity (EC), Organic matter (OM), base cations-Ca, Mg, K and Na, status of macro nutrients (N, P and S), status of micro nutrients (B, Fe, Mn and Zn) and presence of heavy metals (Pb and Cd). Sodium absorption ratio (SAR), exchangeable sodium percentage (ESP) can be calculated from the analysed data. It can also be mentioned that the structural change of soils in the sampling plots may also be identified from these data.

The formula to calculate SAR is given below, with concentration expressed in milli equivalents per liter (meq/L) analysed from a saturated paste soil extract.

$$SAR = \frac{[Na^+]}{\sqrt{\frac{1}{2} ([Ca^{2+}] + [Mg^{2+}])}}$$

ESP is the sodium absorbed on soil particles as a percentage of the Cation Exchange Capacity (CEC). It is calculated as

$$ESP = \frac{[Na^+]}{CEC} \times 100$$

CEC is often estimated as the major exchangeable cations, including hydrogen. Both cation and CEC are expressed as meq/100g. ESP can also be calculated as-

$$ESP = \frac{[Na^+]}{[Ca^{2+} + Mg^{2+} + Na^+ + K^+]} \times 100$$

ESP is used to characterise the sodicity of soils only, whereas SAR is applicable to both soil and soil solution or irrigation water.

### 2.4.2 Location

The selected mauzas for monitoring are Baranpara of Batiaghata Upazila, Chunkuri-2 of Dacope Upazila, Kapalirmet of Mongla Upazila, Chakgona of Rampal Upazila and Basherhula of Rampal Upazila under Khulna and Bagerhat Districts. The sampling locations with their corresponding coordinates are stated in Table 2.8. Locations of collected soil samples are presented in Figure 2.36.

**Table 2.8: Land Resources Monitoring Plan**

Site No.	Monitoring indicators	Location	GPS (Decimal Degree)		Sampling Frequency	Methods/ Tools/ Techniques
			Northing	Easting		
1	Plot use, Soil fertility and nutrient, Chemical properties of soil (pH, Pb, Cd), Crop production and damage	Mouza: Baranpara, Union: Gangarampur; Upazila: Batiaghata, District: Khulna	22°37'57.0"	89°30'59.1"	Bi-yearly (April and October)	In situ field sampling and Laboratory Testing in SRDI
2		Mauza: Chunkuri-2, Union: Bajua; Upazila: Dacope, District: Khulna	22°34'51.0"	89°32'20.0"		
3		Mouza: Kapalirmet/Buridmial Union: Burirdanga, Upazila: Mongla; District: Bagerhat	22°32'18.9"	89°36'8.8"		
4		Mouza: Chakgona, Union: Rajnagar Upazila: Rampal, District: Bagerhat	22°34'18.3"	89°34'25.3"		
5		Mouza: Basherhula, Union: Rajnagar; Upazila: Rampal, District: Bagerhat	22°36'14.0"	89°34'25.0"		
6		Mouza: Bidyarbon, Union: Burirdanaga; Upazila: Mongla, District: Bagerhat	22° 33' 42.0"	89° 34' 40.0"		








Figure 2.34: Location of Soil and Agricultural Resources Monitoring





### *Soil sample collection procedure*

#### Plot Selection

Monitoring plots were selected at the very beginning of this study. Expert's judgement along with plot owner's opinion was taken into consideration for this selection. Upazila Agriculture Officers of Batiaghata and Dacope of Khulna, Rampal and Mongla of Bagerhat District and Senior Scientific Officer of Soil Resource Development Institute (SRDI) of Khulna were contacted for collecting expert's judgement. Wind speed and wind direction were considered as potential local factor for the monitoring purpose. All the selected plots were characterized as medium high land ( $F_1$ ), which are normally flooded in the range of 30-90 cm and remain inundated for more than two weeks to few months during the flood period.

#### Soil Samples Collection

Standard procedure was maintained during the collection of soil samples. In every plot, minimum three pits were dug through augur to collect composite sample. Each plot had three composite samples, top soil (0-15 cm), sub soil (15-30 cm) and sub stratum (30-45 cm). Soil samples were preserved in an air-tight plastic bag for laboratory analysis.

#### **2.4.3 Laboratory Analysis**

Collected soil samples have been handed over to the SRDI, Dhaka for laboratory analysis. The analysis data and report are incorporated with next monitoring (39<sup>th</sup> monitoring) report.

#### **2.4.4 Agricultural Resources Monitoring**

Monitoring of agriculture resources has been scheduled twice a year as per the monitoring plan of the ToR and accordingly, the survey was conducted in November, 2023. The data on agricultural practice (Production, damage, input use etc.) was collected through informal interview (KII, RRA and FGD) with the local farmers from the monitoring area.

#### *Locations*

The agricultural monitoring locations remain same as the soil sampling locations which is presented in **Table 2.8**.

#### *Monitoring Indicators*

For data collection, six sampling plots were selected on random basis within the project influence area during construction phase monitoring. The mauzas which were selected for land resources monitoring were considered for monitoring agricultural resources.

During 34<sup>th</sup> quarterly visit, consultations and group discussions were organized with local people to know the use of agricultural inputs, present cropping patterns by land type, crop damages and other conditions like drainage congestion/water logging, salinity intrusion or other natural calamities induced impacts, diseases and pest infestation as well as management practices and crop production in the selected locations of the monitoring area.

#### *Present Cropping Patterns of Monitoring Plots*

Detailed data on cropping pattern for this year were obtained through discussions with the plot owners. Based on the discussions, the plot-based cropping patterns was identified and the associated data was collected in November 2022 and described in the following sections.

*Agriculture Plot-1 (Baranpara)*

This plot is located at Baranpara mauza and the area is about 0.4 hectare. The farmers cultivate HYV rice instead of local varieties for last couple of years. Due to satisfactory growth, the farmer didn't use any chemical fertilizer and pesticides. The cropping practice and management practice remain same as the previous monitoring. The detailed cropping pattern is shown in **Table E.2 of Appendix IV**. The status of the monitoring plot is shown in **Figure 2.37**.

*Agriculture Plot-2 (Chunkuri-2)*

This monitoring plot is located at Chunkuri-2 and the size of the plot is about 0.93 hectare. This year, HYV Aman was found to be cultivated in this plot in Kharif-II season instead of local Aman. No chemical fertilizers were applied in this plot. The cropping practice and management practice remain same as the previous monitoring. Detailed cropping pattern has been shown in **Table E.2 of Appendix IV**. The status of the monitoring plot is shown in **Figure 2.38**.

*Agriculture Plot-3 (Kapalirmet)*

This monitoring plot is located at Kapalirmet and the size of the plot is 0.14 hectare. During the 1<sup>st</sup> monitoring period of pre-construction phase, it was found to be cultivated, but later on, this plot remained fallow from the 2<sup>nd</sup> and 3<sup>rd</sup> monitoring program due to increase in salinity. According to the opinion of the local people, Bangladesh Water Development Board (BWDB) decided to re-excavate the Ghona River and hence they had to remove all the obstacles to facilitate the re-excavation of the Golbunia khal mouth. Then the saline water was allowed to enter into the settlement areas including their cultivated plots during the year 2014-15 and remained inundated by saline water. As a result, farmers started practicing shrimp culture instead of cultivating traditional crops in these plots. However, a number of farmers tried to cultivate crops in their plot in this adverse condition, but all crops were actually damaged due to the above-mentioned fact.

Owners of Shrimp farms of this area used the saline water in these plots for shrimp culture as there was no scope to drain out saline water from this area. The situation is still not in farmers' favour. Farmer of this land decided that they would not cultivate crops in future due to increase in salinity. Rather they would only practice the shrimp culture in future. It was observed during the recent monitoring period that the plot still remained fallow and used for shrimp cultivation. Detailed for this plot is presented in **Table E.2 of Appendix IV**. The status of the monitoring plot is shown in **Figure 2.39**.

*Agriculture Plot-4 (Chakgona)*

This monitoring plot is located at Chakgona and the size of the plot is 0.14 hectare. Local Aman (Chapsail) was found in the field during field visit where no chemical fertilizer was used (**Table E.2 of Appendix IV**). The status of the monitoring plot is shown in **Figure 2.40**.

*Agriculture Plot-5 (Basherhula)*

This monitoring plot is located in Basherhula and the size of the plot is 0.47 hectare. HYV Aman is cultivated instead of Local Aman (Chapshail) during this year. But due to salinity intrusion, damage issues were visible. The cropping practice and management practice remain same as the previous monitoring. However, detailed cropping pattern is shown in **Table E.2 of Appendix IV**. The status of the monitoring plot is shown in **Figure 2.41**.

*Agriculture Plot-6 (Bidyarbon)*

The size of the plot is 0.1 ha. This year the farmer used for cultivate local Aman (Chapshail). Farmer use urea for the growth of rice but no other fertilizer or pesticides are used here. Detailed cropping pattern is shown in **Table E.2 of Appendix IV**. The status of the monitoring plot is shown in **Figure 2.42**.



**Figure 2.35: View of Monitoring plot-1 (Baranpara) at November, 2023.**




**Figure 2.36: View of Monitoring plot-2 (Chunkuri-2) at November, 2023.**



**Figure 2.37: View of Monitoring plot-3 (Kapalirmet) at November, 2023.**



**Figure 2.38: View of Monitoring plot-4 (Chakgona) at November, 2023.**



**Figure 2.39: View of Monitoring plot-5 (Basherhula) at November, 2023.**



**Figure 2.40: View of Monitoring plot-6 (Bidyarban) at November, 2023.**



### *Crop Production in Monitoring Plots*

The information on crop production will be collected after harvesting in April 2024. For this reason, crop production details will be incorporated in April, 2024 report (40<sup>th</sup> monitoring).

### *Crop Damage in Monitoring Plots*

The information on crop damage will be collected after harvesting in April 2024. For this reason, crop damage details will be incorporated in April, 2024 report (40<sup>th</sup> monitoring).

## **2.4.5 Livestock Resources Monitoring**

### *Monitoring Indicators*

The frequency of monitoring for livestock resources data collection was considered twice in a year. During the 38<sup>th</sup> quarterly visit, consultations and group discussions were organized with local people to know the status of feed/fodder and diseases of livestock in the adjacent of the project area (Baranpara, Chunkuri-2) and study area (Mongla bazar, Bhaga bazar, Rampal). The data on livestock status was collected in November 2023 and described in the following sections. Present status of the livestock around the monitoring plots are shown in **Figure 2.43**.



**Figure 2.41: View of Livestock Resources in the Monitoring Plots at November, 2023**

### *Feed/Fodder condition of Livestock Resources*

Overall feed and fodder situation remain unchanged. The farmers of the sampling points still claim for fodder shortage. Due to commercial use of land, grazing land become squeezed day by day. Under this situation livestock farming become difficult in the sampling areas.

### *Diseases of Livestock Resources*

Diseases of livestock/poultry remain similar to the previous monitoring periods. According to Veterinary Surgeon (VS) of the Rampal upazila, the unhygienic condition of the courtyard is between July to November for spreading diseases to livestock and poultry populations. However, some diseases were also found in year-round. The severity of the infestation was reported more or less alike in this concurrent circumstance as for the past situations. The mortality rate of the livestock/poultry becomes negligible, due to immunization and insemination program run by Department of Livestock.

## **2.5 Water Resources Monitoring**

### **Monitoring of Chemical properties of riverbed sediment**

Sediment have been considered as an important environmental indicator for metal pollution in any natural ecosystem. The investigation of heavy metals in water and sediments could be used to assess the anthropogenic impacts and risks posed by waste discharges to the riverine ecosystems. Therefore, sediment quality assessment is done during environmental issues monitoring of this project.

### *Methodology*

Sediment have been considered as an important environmental indicator for metal pollution in any natural ecosystem. The investigation of heavy metals in water and sediments could be used to assess the anthropogenic impacts and risks posed by waste discharges to the riverine ecosystems. Therefore, sediment quality assessment is done during environmental issues monitoring of this project.

### Sampling Frequency

The frequency of monitoring for sediment quality is considered twice in a year (January and July). Accordingly, sediment sampling was done in 37<sup>th</sup> monitoring (July, 2023; considered as wet season, 2023). Data analysis of that sampling is incorporated in this report.

### Monitoring Indicators

The main objective of sediment quality monitoring is to find out the heavy metal accumulation in sediments due to anthropogenic activities (e.g. power plant activity and coal transportation). To find out the answers a biannual sediment monitoring is done in different sampling points. The major indicators for monitoring are heavy metals (As, Pb and Hg), pH and Sulfate. The selected heavy metals are mainly found in coal and assumed to pollute the sediment and water system during operation stage of power plant.

### Location

The sampling locations are selected in both near places of project area and inside the Sundarbans. The sampling locations are stated in **Table 2.9**. Locations of collected samples are presented in **Figure 2.44**.

**Table 2.9: Location and Sediment Monitoring Plan**

Site No	Monitoring Indicators	Location	GPS(Decimal Degree)		Sampling Frequency	Methods/Tools /Techniques
			Northing	Easting		
1	Heavy metals (Arsenic-As, Mercury-Hg, Lead-Pb); pH and Sulfate (SO <sub>4</sub> )	Project Site	N-22°35'21.2"	E-89°32'53.4"	Bi-yearly (January and July)	Laboratory Testing at BCSIR
2		Moidara River	N-22°34'33.4"	E-89°33'38.8"		
3		Mongla Port	N-22°30'57.1"	E-89°35'0.3"		
4		Harbaria	N-22°17'44.2"	E-89°32'53.4"		
5		Akram Point	N-22°01'07.6"	E-89°30'34.4"		

*Process of Sediment Samples Collection*Plot Selection

The sampling locations are selected on the basis of potential route of coal transshipment and assumed major polluted area. Project site and Moidara River is beside the power plant, while Harbaria and Akram point is inside the Sundarbans area where the coal transportation will take place. The sampling points were selected on the basis of TOR. Expert's judgement was also taken to validate the sampling points.

Sediment Samples Collection

Standard procedure was maintained during the collection of sediment samples. At least three replications were taken to ensure composite samples. Sediment samples were preserved in air-tight plastic bag for laboratory analysis.

Laboratory Analysis

Sediment samples are taken twice a year. Dry season samples are taken in January field visit and wet season samples are taken in July monitoring field visit. Accordingly, wet season, 2023 sample was taken in July, 2023 field visit (37<sup>th</sup> monitoring field visit). Data analysis of wet season, 2023 is incorporated in this report.

*Status of sediment quality of the Passur River*

The data presented in this report represents wet season, 2023 which was collected in July, 2023 (37<sup>th</sup> monitoring).

According to the analyzed data, Mercury (Hg) didn't cross average shale value (ASV) (**Marowsky and Wedepohl, 1971**) but crosses average upper crust value (AUCV) (**Rudnick and Gao, 2014**) in four locations (Jetty site, Moidara river, Mongla port and Harbaria) locations. In Akram point Hg concentration crosses both ASV and AUC. Regarding Arsenic (As) and Lead (Pb) concentration, both of the element's concentration remains lower than ASV and AUCV in all monitoring locations. As and Pb value found within the stated limits even in published reports (Ali *et al.*, 2018). As concentration increased in Mongla and Harbaria, as compared to the previous wet season monitoring report. Pb concentrations rose in Mongla, Harbaria, and the Jetty site. The concentration of mercury rose in the Akram Point, Harbaria, and Moidara Rivers. In summary, the concentrations of all three elements (As, Pb, and Hg) increased in Harbaria compared to the previous wet season, whereas the concentrations of Hg increased in Moidara and Akram point, Pb increased in the Jetty site, while As and Pb increased in Mongla. The maximum concentration for As, Pb and Hg is found in Mongla, Harbaria and Akram, point respectively, while As and Pb concentration minimized at Akram point while minimum

concentration of Hg is found in Harbaria. The average concentration for As, Pb and Hg during this monitoring is 2.81 ppm, 8.23 ppm and 0.17 ppm respectively (**Table 2.10**). Only Hg concentration average is higher than the previous wet season average. In Jetty site only, Hg concentration remains below the average. Previous monitoring data is incorporated in **Figure 2.45**.

**Table 2.10: Reference Level of Different Metals in Sediment of the Passur River**

Sl No.	Name of Heavy metal	Average upper crust concentration (ppm)	Average Shale Value (ppm)	Average heavy metal content in the Passur River in ppm (Ali <i>et al.</i> , 2018)	
				Summer	Winter
01.	Arsenic (As)	4.8	14	8.87	12.4
02.	Lead (Pb)	17	20	21.9	33.6
03.	Mercury (Hg)	0.05	0.26	-	-











Figure 2.42: Location of Sediment Sampling









**Figure 2.43: Sediment Quality Monitoring Data at Different Locations of the Passur River**

## 2.6 Transportation Monitoring

The traffic survey for this monitoring during the construction phase was conducted from October 25<sup>th</sup> to October 27<sup>th</sup>, 2023 on two weekdays and on one weekend at three pre-selected locations around the project site. Weather was sunny on all the three days when the survey was conducted. The selected sites were Khudir Bottola and Gonai Bridge at Khulna Mongla Road and Gonabelai Bridge at Power Plant access road presented in the **Figure 2.46**.

### 2.6.1 Methodology

Traffic surveys were carried out at three distinct periods (morning - 7:00 AM to 10:00AM; noon-12:00 PM to 2:00PM and evening- 17:00 PM to 19:00PM) to understand the nature of traffic flow and traffic load on the preselected locations during different phase of the day. Vehicles were categorized based on the available vehicle types around the project area.

### 2.6.2 Traffic Volume Calculation

The survey results were used in computing the traffic volume of these roads in Passenger Car Unit (PCU). PCU is a matrix used in Transportation Engineering, to assess traffic-flow rate on roadways. A PCU is essentially the impact that a mode of transport has on traffic variables (such as headway, speed, density) compared to a single car. While calculating the traffic volume in PCU, vehicle conversion factors suggested by the Roads and Highway department of Bangladesh were used as mentioned in **Table 2.11**.






Figure 2.44: Locations of Traffic Survey







**Table 2.11: Factors used for PCU Calculation**

Vehicle type	Factor
Bus	2.5
Minibus/Truck	2
Car/Microbus/Zeep	1
CNG	0.5
Rickshaw/Auto Rickshaw	0.8
Tempo/Human hauler	0.6
Motorcycle	0.3
Bicycle	0.2
Push Chart	4

Source: Roads and Highway Department, Bangladesh

### 2.6.3 Results of Monitoring

The summary results of vehicular movements at three different locations presented in **Table 2.12** shows that, according to the Passenger Car Unit (PCU) per hour, the Khulna-Mongla Highway receives the largest number of vehicles, compared to other surveyed roads.

**Table 2.12: Calculated PCU in Three Locations at Three Different Time Period**

Location	7:00 AM to 10:00AM	12:00 PM to 2:00PM	17:00 PM to 19:00PM
Khulna Mongla Road at Khudir Bottola	574	415	400
Khulna Mongla Road at Gonai Bridge	324	320	397
Power Plant access road at Gonabelai Bridge	227	60	113

Source: Field Survey; January, 2023

The traffic survey results indicate that, the Khulna Mongla Road at Khudir Bottola received the highest traffic volume like always compared to the other two locations namely Khulna Mongla Road at Gonai Bridge and Power Plant access road at Gonabelai Bridge. The traffic survey results also implies that, compared to the previous survey results, the overall traffic volume has been found to be lower. One of the major contributing factors behind the lower traffic volume could be political unrest of the country during the monitoring period. Moreover, as the construction works are approaching towards the end traffic volume has decreased in the said monitoring locations. The detail survey findings regarding the traffic volume surveys as well as the detail calculations are attached in **Appendix E1, E2, and E3**.



### 3. Biological Environment

Biological resources include all living organisms within an ecosystem which interact with one another as well as with the concerned physical environment. The biological resources around the project site were categorized into three major groups and monitored quarterly with the aim to establish baseline conditions to compare with the probable impact of the proposed project in place. These groups include fisheries resources, ecological resources and Sundarbans Reserve Forest (SRF).

#### 3.1 Fisheries Resources

The monitoring of 37 quarters for the session of 2014-15, 2015-16, 2016-17, 2017-18, 2018-2019, 2019-20, 2020-21, 2021-22 as well as of 2022-23 was completed and reported earlier. This chapter contains the findings of 38 quarter and a comparison with the earlier 37 quarters.

##### 3.1.1 Methodology

###### *Location of Monitoring Sites*

In this phase, the monitoring activities were carried out in 13 pre-selected locations of which 10 locations were for capture fish habitat and three (03) were for shrimp/fish farms (culture fish habitat). Sampling sites for capture fishery were selected based on the available fishing grounds at upstream, midstream and downstream of the Passur River system. Sampling sites for culture fishery (shrimp/fish farms) were selected considering the project influence area. The fisheries resources monitoring locations are provided in **Table 3.1** and also shown in **Figure 3.1**.

**Table 3.1: The Sampling Locations for Monitoring of Fisheries Resources**

Sampling Site	Capture Habitat Location	Sampling Site	Capture Habitat Location
A	Akram Point	F	Chandpai
B	Haldikhali	G	Jongra
C	Charaputia	H	Mongla Port
D	Bhodra	I	Maidara
E	Harbaria	J	Chalna Point, Batiaghata
Sl. No.	Culture Habitat Location	Sl. No.	Culture Habitat Location
1	Bhekatkhali Khal, Rajnagar	3	Chunkuri-2
2	Kapasdanga-Muralia		

###### *Selection of Parameters*

According to ToR, five major components were selected for fisheries monitoring, such as fish habitat status, fish migration, fish diversity, shrimp/fish farm practices and fish production. Fish habitat status was monitored through investigating habitat suitability index in view of habitat classification based on length frequencies of different fish species, sensitivity of fish diversity and survival success of different life stages of fish to abiotic factors (water quality, bed material, morphological aspects and biotic factors (food cover). Fish migration status was monitored through assessing migratory fish species diversity, migration pattern, migration purpose, period and extent of migration etc. Species evenness, species richness and community structure were investigated for monitoring fish diversity. Shrimp/fish farm practice was monitored by viewing stocking pattern, growth rate and mortality rate.

Fish production monitoring was divided into capture and shrimp/fish farm production.

#### *Fish Habitat Status*

Fish habitat status was monitored through determination of Habitat Suitability Index (HSI) by applying numerical habitat model based on the habitat classification and sensitivity of fish diversity and survival success of different life stages of fish to abiotic and biotic factors. Fish habitat classification was analyzed by calculating Euclidean Distance among sampling sites. Moreover, the similarities in species composition among the sites were analyzed using the Jaccard Index (JI) for estimating the extent of similarity between pairs of data sets.

#### *Fish Migration*

Migratory species were identified from the sampling sites by analyzing the common species found in the catch assessment survey and based on IUCN list.

#### *Fish Diversity*

Fish diversity was surveyed by Catch Per Unit Effort (CPUE) method. The fish individuals were counted according to the length of each species from the samples. Diversity was estimated by analyzing Shannon-Weiner Index ranges from 0 to 1. Fish species richness (FSR) was analyzed using the Simpson's Index that generates two types of values. The first one includes values from 0 to 1 expressing normalization scores for species richness status and the second one includes values from one (01) to values equal to the total number of species found in the sample which suggests that how many species are dominant in this fish community. Fish community structure has also been analyzed through counting the length-wise fish individuals.

#### *Fish-Shrimp Culture Practice*

For monitoring shrimp/fish farm, three farms within the direct impact zone of the proposed Power Plant were surveyed. Stocking pattern of the shrimp/fish farm is the major issue for successful production, because of having natural genetic resources from the wild source of the Passur River System. Moreover, mortality rate should be minimized for getting more economical output from the farms. So, stocking pattern and mortality rate and its causes were surveyed intensively.

#### *Fish Production*

Fish production for riverine fish was surveyed through CPUE. The information on the species-wise production of shrimp/fish farm was collected from the selected farms for the last catch.

### **3.1.2 Status of Monitoring**

Followed by the quarter monitoring of the 2014-15, 2015-16, 2016-17, 2017-18, 2018-19, 2019-20, 2020-21, 2021-22 and 2022-23 (up to 37th quarter monitoring), 38<sup>th</sup> quarter monitoring of session 2023-24 was conducted during the period from 02-12 November, 2023. No fishing activities were observed at Bhodra (D) and Jongra (G) point during the field visit in this quarter monitoring.

#### *Fish Habitat Status*

Fish habitat status has also varied in the view of habitat classification and habitat use pattern of different life stages of different fish species.





Figure 3.1: Fisheries Resources Monitoring Locations





### Habitat classification

Habitat classification was analyzed by using the length-wise distribution of different fish species in the sampling sites. The length of different life stages of fish species was identified and evaluated from literature review. Linkage distance was calculated with the similarity in distribution. The entire stretch of the Passur River System consists of three major behavioral habitats. The sampling sites were classified on the basis of abundance of different life stages of fish species in those habitats. The following **Table 3.2** show the classification of seven (07) sampling site for 1<sup>st</sup> to 15<sup>th</sup> quarter monitoring and ten (10) sampling sites from 16<sup>th</sup> to 37<sup>th</sup> quarter monitoring according to the ToR in respect of habitat uses for previous quarters of fisheries monitoring.

**Table 3.2: Classification of Habitat use**

Monitoring Quarter	Type of Habitat Use
1 <sup>st</sup> (April, 2014)	<ul style="list-style-type: none"> <li>• Grazing Ground</li> <li>• Grazing and Breeding Ground</li> </ul>
2 <sup>nd</sup> (July, 2014)	<ul style="list-style-type: none"> <li>• Grazing Ground</li> <li>• Spawning and Nursery Ground</li> </ul>
3 <sup>rd</sup> (October, 2014)	<ul style="list-style-type: none"> <li>• Grazing Ground</li> <li>• Grazing and Breeding Ground</li> <li>• Spawning, Nursery and Grazing Ground</li> </ul>
4 <sup>th</sup> (January, 2015)	<ul style="list-style-type: none"> <li>• Grazing Ground</li> <li>• Grazing and Breeding Ground</li> <li>• Spawning, Nursery and Grazing Ground</li> </ul>
5 <sup>th</sup> (April, 2015)	<ul style="list-style-type: none"> <li>• Grazing Ground</li> <li>• Nursery Ground</li> <li>• Spawning and Nursery</li> </ul>
6 <sup>th</sup> (August, 2015)	<ul style="list-style-type: none"> <li>• Grazing, Breeding Ground</li> <li>• Spawning, and Nursery Ground</li> </ul>
7 <sup>th</sup> (October, 2015)	<ul style="list-style-type: none"> <li>• Grazing Ground,</li> <li>• Nursery Ground and</li> <li>• Growing and Feeding</li> </ul>
8 <sup>th</sup> (January, 2016)	<ul style="list-style-type: none"> <li>• Nursery and Feeding Ground</li> <li>• Growing and Feeding</li> </ul>
9 <sup>th</sup> (April, 2016)	<ul style="list-style-type: none"> <li>• Spawning and Nursery Ground</li> <li>• Feeding and Growing Ground</li> </ul>
10 <sup>th</sup> (July, 2016)	<ul style="list-style-type: none"> <li>• Nursery Ground</li> <li>• Feeding and Breeding Ground</li> </ul>
11 <sup>th</sup> (October, 2016)	<ul style="list-style-type: none"> <li>• Breeding and Spawning Ground</li> <li>• Feeding and Grazing Ground</li> </ul>
12 <sup>th</sup> (January, 2017)	<ul style="list-style-type: none"> <li>• Grazing and Spawning Ground</li> <li>• Nursing Ground</li> </ul>
13 <sup>th</sup> (April, 2017)	<ul style="list-style-type: none"> <li>• Grazing and Feeding Ground</li> <li>• Nursing Ground</li> </ul>
14 <sup>th</sup> (October, 2017)	<ul style="list-style-type: none"> <li>• Grazing and Feeding Ground</li> <li>• Nursing Ground</li> </ul>
15 <sup>th</sup> (January, 2018)	<ul style="list-style-type: none"> <li>• Grazing and Feeding Ground</li> <li>• Nursing Ground</li> </ul>
16 <sup>th</sup> (April, 2018)	<ul style="list-style-type: none"> <li>• Feeding ground</li> <li>• Growing ground</li> </ul>




Monitoring Quarter	Type of Habitat Use
	<ul style="list-style-type: none"> <li>Nursing ground</li> </ul>
17 <sup>th</sup> (July, 2018)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Nursery Ground with Feeding and Growing Capacity</li> <li>Growing and Feeding Ground</li> <li>Omni-ground</li> </ul>
18 <sup>th</sup> (November, 2018)	<ul style="list-style-type: none"> <li>Ground for Maturation</li> <li>Omni-Ground: Nursery and Feeding Ground/Migratory Route; Ground for Maturation; Growing and Maturation Ground; Maturation Ground for Juveniles</li> </ul>
19 <sup>th</sup> (February, 2019)	<ul style="list-style-type: none"> <li>Ground for Feeding</li> <li>Omni-Ground including Nursery Ground and Ground for Maturation</li> </ul>
20 <sup>th</sup> (April, 2019)	<ul style="list-style-type: none"> <li>Ground for Feeding and Maturation</li> <li>Omni-Ground including Nursery Ground and Ground for Maturation</li> </ul>
21 <sup>st</sup> (July, 2019)	<ul style="list-style-type: none"> <li>Ground for Feeding and Maturation</li> <li>Omni-Ground including Nursery Ground and Ground for Maturation</li> </ul>
22 <sup>nd</sup> (November, 2019)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Omni-Ground including Feeding and Maturation Ground</li> </ul>
23 <sup>rd</sup> (February, 2020)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Spawning ground</li> <li>Ground for maturation and feeding</li> </ul>
25 <sup>th</sup> (July, 2020)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Ground for maturation and feeding</li> </ul>
26 <sup>th</sup> (November, 2020)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Omni-Ground including Spawning and Nursery Ground, and Maturation Ground</li> </ul>
27 <sup>th</sup> (January, 2021)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Omni-Ground including Spawning and Nursery Ground, and Maturation Ground</li> </ul>
28 <sup>th</sup> (April, 2021)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Ground for Maturation and Feeding</li> </ul>
29 <sup>th</sup> (September, 2021)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Ground for Maturation and feeding</li> </ul>
30 <sup>th</sup> (November, 2021)	<ul style="list-style-type: none"> <li>Feeding Ground</li> <li>Omni Ground including Nursery ground, and Maturation and Feeding Ground</li> </ul>
31 <sup>st</sup> (February, 2022)	<ul style="list-style-type: none"> <li>Nursery Ground</li> <li>Maturation and Feeding Ground</li> </ul>
32 <sup>nd</sup> (May, 2022)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Maturation Ground</li> </ul>
33 <sup>rd</sup> (July, 2022)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Feeding and Maturation Ground</li> </ul>
34 <sup>th</sup> (October, 2022)	<ul style="list-style-type: none"> <li>Feeding Ground</li> <li>Ground for Maturation</li> </ul>
35 <sup>th</sup> (January, 2023)	<ul style="list-style-type: none"> <li>Spawning and Nursery Ground</li> <li>Ground for Maturation and Feeding</li> </ul>

During the 38<sup>th</sup> quarterly monitoring conducted in 02-12 November of 2023-24 Session, the sampling sites were divided into two major classes- 1) Feeding Ground, and 2) Omni Ground including spawning, nursery and maturation ground. The classification of functional habitat on the basis of

different life stage of fishes is shown in **Figure-3.2**. The classification of the functional habitats from 2014-15 to 2022-23 is attached in **Table D1** in **Appendix IV**.

**1. Feeding ground:** The sampling sites, Mongla (H), Maidara (I) and Harbaria (E) were found to support mostly length groups of 3-5cm and 5-10cm of available fish species. Field findings revealed that the mentioned sampling sites were found to be used as feeding grounds of observed fish species.


**2. Omni Ground including Spawning, Nursery and Maturation Ground:** The sampling sites, Chalna (J) and Chandpai (F) were found to support mostly length groups of <2cm, 2-3cm and 3-5cm of available fish species. The sampling sites reveal to be used as spawning and nursery ground of available fish species. Akram Point (A) and Charaputia (C) were found to support mostly length groups of 5-10cm, 10-20cm and >25cm of available fish species and the sampling site Mongla (H) and Maidara (I) were found mostly length group of 3-5cm and 5-7cm of available fish species. Field findings revealed that the mentioned sampling sites were found to be used as maturation ground of observed fish species.



(Note: Life stages are identified through length measurement of the fish individuals)

**Figure 3.2: Habitat Classification on the Basis of Different Life Stages of Fish Species**

The dendrogram indicated the distances among the JI (Jaccard Coefficient Index) indices which are opposite to the JI values. It was found that the length-wise distribution relationship varied not only with the seasons but also with the year to year. In this quarterly monitoring in 2023-24, the JI value between Akram Point (A) and Chandpai (F) sampling sites were the highest (**Figure 3.3**) which indicates the maximum similarity in species occurrence between the two sites out of eight (08) sampling sites of available fishing. Jaccard co-efficient of similarity of the habitats from 2014-15 to 2022-23 is shown in **Figure D.2** of **Appendix IV**.



**Figure 3.3: Dendrogram Showing Similarity in Binary Species Composition in Three Sampling Sites**

### *Fish Diversity*

#### Shannon-Weiner Index

In this monitoring year of 2023-24, species evenness also varies among the sampling sites. Highest Shannon-Weiner index was found at Akram Point (0.91) indicating most evenly distributed fish species. On the contrary, lowest evenness was found at Haldikhali (0.60) (shown in Table 3.3). It has also been found that both the number of fish species found in in-situ catch and the evenness of their distribution within the sampling sites show high variation with the changing seasonal and yearly bio-physical conditions. The observed fish species during in-situ catch is shown in Figure 3.4. The Shannon-Weiner index of earlier quarters from 2014-15 to 2022-23 is shown in Table D.6 and D.7 of Appendix-IV.

#### Fish Species Richness (FSR)

Fish species richness was identified through Simpson's Index<sup>6</sup>. Considerable difference is noticed in the fish species richness (FSR) in different habitat classes (**Table 3.4** and **Figure-3.5**). Fish species richness in the earlier quarters from 2014-15 to 2022-23 is shown in Figure D-3 of Appendix IV.

In this monitoring phase, species richness varies with the sampling sites. Maximum FSR was obtained at Chanadpai (n=31), while very low FSR was recorded at Harbaria (n=07). Different scenarios of richness were found in this quarter in comparison to the previous monitoring years. Among habitats in the down-stream of the Passur River system, Akram point was home to rich assemblage of *Paissa*, *Datina*, *Chaka Chingri* and *Kathali Chingri*, Haldikhali was rich to *Motka Chingri*, *Chhuri* and *Loitta*. Charaputia was rich of *Paissa*, *Chaka Chingri*, *Pankhaki* and *Thuitta*, Harbaria was rich of *Nuna Chingri*, *Golda* and *Poma*. Fish species richness in the earlier quarters from 2014-15 to 2022-23 is shown in **Table D-8 and D-9 in Appendix IV**. The occurrence of fish species in the study is shown in **Table D.13 of Appendix IV**.

<sup>6</sup>Simpson's index is a method to calculate the community characteristics of fish in a particular habitat. It is mainly used to know about the species richness of a particular habitat to tell how many species are rich in their abundance. The value of this index ranges from 0 to 1. There is other kind of value which is described in the methodology section. The second value is mainly used to measure the species richness in the sampling sites.

**Table 3.3: Site Wise Species Diversity using Shannon-Weiner Index**

Sampling Site	Species Number	Shannon-Weiner Index	Sampling Site	Species Number	Shannon-Weiner Index
A	15	0.91	F	31	0.75
B	10	0.60	G	-	-
C	9	0.85	H	8	0.81
D	-	-	I	5	0.73
E	7	0.66	J	15	0.69

\*According to Shannon-Weiner Index, 0-0.30: Low diversity/equally distribution (VH); 0.31-0.50: Moderate Diversity (M); 0.51-0.80: High Diversity (HD) and 0.80-1.0: Very High Diversity (VHD).

**Table 3.4: Site Wise Rich Species Number**

Sampling Site	No. of Rich Species	Sampling Site	No. of Rich Species
A	4	F	9
B	3	G	-
C	5	H	5
D	-	I	3
E	3	J	5

Source: CEGIS Field Survey, November, 2023



*Java-Johnius elongatus*



*Poa-Johnius coitor*



*Loittya-Harpadon nehereus*



Mix catch-Paissa (*Liza Persia*), Chota baila (*Platycephalus indicus*), Kukurjib (*Cynoglossus lingua*), Golda- *Macrobrachium rosenbergii*






*Golda-Macrobrachium rosenbergii*



*Harina (Metapaeneus monoceros) and Nandi Baila-Stigmatogobius sadanundio*

Source: CEGIS Field Survey, October, 2024

**Figure 3.4: Photos of Some Observed Fish Species in 38<sup>th</sup> Quarter Monitoring**




(FSR is identified through Simpson's Index)

**Figure 3.5: Site-wise Fish Species Richness (FSR) in the Passur River System**

#### Fish Community Structure

Fish community structure was analyzed through counting the length-wise fish individuals (**Figure 3.6**). The following figure shows that Juvenile was dominant at Chalna Point but adult age group were at Akram Point, Haldikhali, Charaputia and Maidara. The length-wise fish individuals in different sampling sites from 2014-15 to 2022-23 is shown in **Table D-4** of **Appendix-IV**.




**Figure 3.6: Habitat Distribution of Different Life Stages of Fish Species**

Note: N.B.: Colour ranges from deepest green to deepest red. 0-4.99% Occurrence signifies Deepest Green; 5-9.99%-Shaded Green; 11-14.99%-Normal Green; 15-19.99%-Light Green; 20-24.99%; 25-29.99%-Lightest Green; 30-34.99%; 35-39.99%; 40-44.99; 45-49.99; 50-54.99-Light Magenta; 55-59.99-Deep Magenta; 60-64.99%; 65-69.99%; 70-74.99%; 75-79.99%-Light Red; 80-84.99%-Deep Red; 85-89.99%; 90-94.99%; 95-100%-Deepest Red.

### Fish Migration

#### Migratory Species Diversity

Migratory species were identified by analyzing the common species available in the regular catch from the sampling sites. Fish species like *Amadi*, *Chela*, *Datina* and *Paissa* attain the maximum abundance among the migratory fish species observed in the 38<sup>th</sup> quarter of monitoring. The relative abundance of the migratory species is given below in the **Figure 3.7**.




**Figure 3.7: Relative Abundance of Major Migratory Fish Species in Sampling Sites**

#### Migration Extent, Time and Purpose

Major fish species showed interesting pattern in distribution for exploiting different purposes mentioned in the following table all along the sampling sites. Among migratory species, *Paissa*, *Bele* and *Chela* were observed to migrate long distance (**Figure 3.8**). The extent of major migratory fish from 2014-15 to 2022-23 is shown in Table D.14 of Appendix-IV.





**Figure 3.8: Migration Extent of Major Migratory Fish Species in Sampling Sites**

### *Shrimp/Fish Growth Rate and Mortality*

During the 38<sup>th</sup> quarter of monitoring, maximum growth rate was observed in the Rajnagar shrimp gher. (**Table 3.5** and **Table 3.6**). Growth rate and mortality of fish species for the previously monitored quarters is attached in **Table D.10** and **D.11** of **Appendix-IV**.

**Table 3.5: Growth Rate and Mortality of Fish/Shrimp (1st to 18th QM)**

	Gher No.		1 <sup>st</sup> QM		2 <sup>nd</sup> QM		3 <sup>rd</sup> QM		4 <sup>th</sup> QM		5 <sup>th</sup> QM		6 <sup>th</sup> QM		7 <sup>th</sup> QM		8 <sup>th</sup> QM		9 <sup>th</sup> QM		10 <sup>th</sup> QM		11 <sup>th</sup> QM		12 <sup>th</sup> QM		13 <sup>th</sup> QM		14 <sup>th</sup> QM		15 <sup>th</sup> QM		16 <sup>th</sup> QM		17 <sup>th</sup> QM		18 <sup>th</sup> QM			
	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)				
1	0.3	15-20	0.3	40	0.25	50	-	-	-	30	0.18	25	0.20	60	-	-	-	0.21	15	0.3	40	0.20	60	-	-	-	10	0.30	0.03	50	-	-	0.28	0.28	0.28	0.38	80	-	-	
2	0.3	30-	0.3	94	0.25	10	-	-	-	-	10	0.14	20	0.15	100	-	-	0.17	0.21	15	0.3	40	0.25	60	-	-	-	25	0.38	0.03	50	-	-	0.42	0.42	0.42	0.30	70	0.30	80
3	0.2	25-	0.2	25	0.20	65	-	-	-	-	10	0.15	50	0.25	20	-	-	0.15	0.15	30	0.15	30	0.20	30	-	-	25	0.02	25	-	-	0.4	0.4	0.20	50	-	-	-		

**Table 3.6: Growth Rate and Mortality of Fish/Shrimp (18th to 38<sup>th</sup> QM)**

1	Gher No.		19 <sup>th</sup> QM		20 <sup>th</sup> QM		21 <sup>st</sup> QM		22 <sup>nd</sup> QM		23 <sup>rd</sup> QM		25 <sup>th</sup> QM		26 <sup>th</sup> QM		27 <sup>th</sup> QM		28 <sup>th</sup> QM		29 <sup>th</sup> QM		30 <sup>th</sup> QM		31 <sup>st</sup> QM		32 <sup>nd</sup> QM		33 <sup>rd</sup> QM		34 <sup>th</sup> QM		35 <sup>th</sup> QM		36 <sup>th</sup> QM		37 <sup>th</sup> QM		38 <sup>th</sup> QM	
	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)		
-	-	-	0.35	50	0.38	-	0.35	-	-	-	0.38	-	-	-	0.42	35	-	-	0.41	20	0.38	-	0.36	-	-	-	0.36	-	0.39	20	0.38	22	-	-	0.34	15	0.38	10	0.41	-

Gher No.	2	3	19 <sup>th</sup> QM		20 <sup>th</sup> QM		21 <sup>st</sup> QM		22 <sup>nd</sup> QM		23 <sup>rd</sup> QM		25 <sup>th</sup> QM		26 <sup>th</sup> QM		27 <sup>th</sup> QM		28 <sup>th</sup> QM		29 <sup>th</sup> QM		30 <sup>th</sup> QM		31 <sup>st</sup> QM		32 <sup>nd</sup> QM		33 <sup>rd</sup> QM		34 <sup>th</sup> QM		35 <sup>th</sup> QM		36 <sup>th</sup> QM		37 <sup>th</sup> QM		38 <sup>th</sup> QM	
			Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)	Growth Rate (cm/day)	Mortality (%)		
-	-	-	0.45	80	0.44	-	0.45	-	-	0.45	-	-	0.48	-	0.45	30	-	-	0.35	90	0.42	-	0.44	-	-	-	0.43	-	0.42	25	0.41	25	-	-	0.39	20	0.33	30	0.32	60
0.34	40	0.36	-	-	0.37	-	-	-	-	-	-	0.32	-	0.38	90	-	-	0.39	30	0.4	-	0.37	-	-	-	0.33	-	0.37	60	0.35	29	-	-	0.37	15	0.34	15	0.36	-	

Source: CEGIS Field Survey, 2014-2023

### Fish Production

#### Capture Fish Production

The present study revealed that the highest catch susceptibility was also found in case of Charpata Jal (14.0 kg/haul) shown in **Table 3.7**. The highest production was observed at Akram Point followed by Haldikhali (**Table 3.8**). Total catches in the earlier quarters is attached in **Table D.12** of **Appendix-IV**.

**Table 3.7: Total Catch in Different Gears in the Sampling Sites**

Site	Habitat	Gear Name/Type	Haul Duration (hr)	No of Haul	kg/haul
A	Passur River	Fash Jal	6.0	4	1.75
		Khepla Jal	0.08	40	0.05
		Charpata Jal	6.0	5	14.0
		Khepla Jal	0.08	60	0.04
		Borshi	12.0	4	5.75
B	Haldikhali Khal	Fash Jal	6.0	0.5	2.0
		Khepla Jal	0.08	35	0.05
		Poka Jal	6.0	6	4.83
C	Passur River	Moi Jal	12.0	20	0.02
		Borshi	12.0	4	0.43
E	Passur River	Moi Jal	0.5	20	0.01
		Borshi	1.0	2	0.03
		Borshi	1.0	2	1.08
		Fash Jal	12.0	2	1.0
F	Passur River	Charpata Jal	12.0	1	9.5
		Khepla Jal	0.08	25	0.01
		Net Jal	0.5	4	0.04
H	Passur River	Khepla Jal	0.08	30	0.01
I	Passur River	Khepla Jal	0.08	18	0.01
J	Passur River	Khepla Jal	0.08	15	0.01
		Khepla Jal	0.08	20	0.01

Source: Catch assessment survey, CEGIS, September 2023

\*\* Weight of Fry is not considered for catch assessment

**Table 3.8: Total Catch in the Sampling Sites**

Sampling Site	Total Catch (kg)	Sampling Site	Total Catch (kg)
A	104.5	F	9.85
B	34.8	G	-
C	2.1	H	0.3
D	-	I	0.25
E	5.0	J	0.4

\*Average Weight 0.15kg/mud crab and average weight 0.6 kg/mud eel

\*\* Weight of Fry is not considered for catch assessment

### Culture Fish Production

The present study on shrimp/fish farm in the 38<sup>th</sup> quarter monitoring phase showed that highest fish production was observed in the Rajnagar Gher followed by Kapashdanga Gher as shown in **Table 3.9**. Shrimp/fish production in the previous monitoring quarters is shown in (**Table D-5, Appendix-IV**).

**Table 3.9: The Present Catch in Three (03) Sampling Ghers**

Sampling Site	Species	Total Catch (ton)
1	Paissa	0.08
	Bagda	0.01
	Patari	0.04
	Tilapia	2.40
	Harina	0.05
	Golda	0.01
<b>Sub-Total=</b>		<b>2.59</b>
2	Tilapia	0.88
	Rui	0.20
	Catla	0.08
	Patari	0.08
	Paissa	0.16
	Harina	0.08
<b>Sub-Total=</b>		<b>1.48</b>
3	Paissa	0.02
	Bagda	0.01
	Patari	0.01
	Tilapia	0.01
	Harina	0.01
	Golda	0.01
	Chali	0.02
	Baila	0.01
	Motka	0.01
<b>Sub-Total=</b>		<b>0.09</b>

### **3.2 Monitoring of Ecosystem and Bio-diversity**

Plant Diversity has been determined through Random quadrat vegetation survey at selected homesteads. A total of 50 plant species (excluding undergrowth) has been recorded from 16 number of surveyed sample quadrates which Shanon-Winner Diversity Index were 2.80. Details of the survey result is presented in **Table 3.10** below. Species diversity of homestead plants followed higher than the previous monitoring period due to plantation of new trees at two monitoring sites.

Table 3.10: Plant Species Composition of the Sampled Homesteads

Species Name	Local Name	Family	Rajnagar				Borni				Kalekharber				Chakghona				Tot. No. of individuals	Biodiversity index
			Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16		
<i>Acrostichum aureum</i>	Tiger Fern	Pteridaceae	-				2	5	5	15				5					32	2.8
<i>Albizia richardiana</i>	Chambol	Fabaceae							1					12		1			14	
<i>Albizia saman</i>	Rendi Koro	Fabaceae		1		1	2	4	1	1					1	1			12	
<i>Areca catechu</i>	Supari	Arecaceae						1	12	4						7			24	
<i>Azadirachta indica</i>	Neem	Meliaceae					1	6	4				1	3		3			18	
<i>Borassus flabelifer</i>	Taal	Arecaceae					2				2		1	4			1		10	
<i>Cocos nucifera</i>	Narikel	Arecaceae	3		1	3	3	3	2		1	6	6		3	1		3	35	
<i>Diospyrus pregrina</i>	Gab	Ebenaceae													1	1			2	
<i>Excoecaria agallocha</i>	Gewa	Euphorbiaceae	5		10	4		1	3								2	30	55	
<i>Ficus hispida</i>	Dumur	Moraceae							3	4					1	2			10	
<i>Bombax ceiba</i>	Shimul	Bombacaceae										1					1		2	
<i>Hibiscus tiliaceus</i>	Bola	Malvaceae												12		1			13	
<i>Acanthus ilicifolius</i>	Hargoja	Acanthaceae				3													3	
<i>Lannea coromandelica</i>	Jigar	Anacardiaceae	8				10			2					25				45	
<i>Lawsonia inermis</i>	Mehedi	Lythraceae		1					1						1				3	
<i>Limonia acidissima</i>	Kotbel	Lamiaceae					1								1				2	
<i>Mangifera indica</i>	Aam	Sapindaceae					3								2	1	10		16	
<i>Manilkara zapota</i>	Safeda	Sapotaceae					1				1								2	
<i>Moringa oleifera</i>	Sazna	Moringaceae						1									1		2	
<i>Musa sp</i>	Kola	Musaceae					2				22	23	8		4		3		62	
<i>Phoenix sylvestris</i>	Khejur	Arecaceae		2	1			1						4	8	1		1	18	
<i>Phyllanthus emblica</i>	Amloki	Phyllanthaceae							1		1								2	
<i>Psidium guajava</i>	Peyara	Myrtaceae							1						1		4		6	
<i>Sonneratia apetalla</i>	Kewra	Sonneratiaceae			1					1							1		3	
<i>Swietenia mahagoni</i>	Mahagoni	Meliaceae					3				25	14	15	12	2	2			73	
<i>Syzygium cumini</i>	Jaam	Myrtaceae													3		1		4	



Species Name	Local Name	Family	Rajnagar				Borni				Kalekharber				Chakghona				Tot. No. of individuals	Biodiversity index
			Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16		
<i>Tamarindus indica</i>	Tentul	Fabaceae							1						1				2	
<i>Terminalia arjuna</i>	Arjun	Combretaceae													1				1	
<i>Terminalia catapa</i>	Kathbadam	Combretaceae												1		2	1		4	
<i>Citrus medica</i>	Lebu	Rutaceae					1												1	
<i>Erythrina orientalis</i>	Mandar	Fabaceae	1				2												3	
<i>Vachellia nilotica</i>	Babla	Fabaceae				1													1	
<i>Ipomoea carnea</i>	Dholkolmi	Convolvulaceae					10												10	
<i>Hibiscus rosa-sinensis</i>	Jaba	Malvaceae					2	3	3						2	1	4		15	
<i>Pongamia pinnata</i>	Koromja	Fabaceae								1						1			2	
<i>Anthocephalus chinensis</i>	Kadam	Rubiaceae							1										1	
<i>eucalyptus camaldulensis</i>	Eucalyptus	Myrtaceae								1									1	
<i>Polyalthia longifolia</i>	Debdaru	Annonaceae						1											1	
<i>Colocasia esculenta</i>	Kochu	Araceae						1		3					20				24	
<i>Justicia adhatoda</i>	Malabar nut	Acanthaceae								1									1	
<i>Unknown</i>								3	2	5						2			12	
<i>Averrhoa carambola</i>	Kamranga	Oxalidaceae						1											1	
<i>phyllanthus reticulatas</i>	Sitki	Euphorbiaceae									50								50	
<i>Aphanamixis polystachya</i>	Pithraj	Meliaceae							6	1	1								8	
<i>Zizyphus sp</i>	Kul boroi	Rhamnaceae				3			1										4	

### *Plant health*

The vegetation community structure of this area is dominated by tree species. Indiscriminate saltwater shrimp farming is a major threat to plant health in the area. So, the plant health of this area is not satisfactory. The expansion of shrimp farming in this area has increased soil salinity. Because of this, overall plant succession, growth and productivity varied from day to day.

#### Plant Diseases and symptoms in homestead vegetation

Plant diseases observation of an area is needed to evaluate plant health and productivity. During initial field survey, some tree species were selected for regular observation of plant disease. In this regard, a number of common tree species have been observed in each homestead.

Leaf blast, Leaf spot, lethal yellowing, nut fall, Mite damage on nut fruit are common diseases of the plants in the study area. A brief discussion was held with home owners about diseases of selected economic plants which exist in their homesteads. Most symptoms for plant diseases are descriptive. Although, all plant diseases symptoms are not visible in a same time of the year, but it was tried to observe the existing disease symptoms. Leaf spot and mite damage on fruits is the common symptoms of *Cocos nucifera*. In addition, bud/trunk rot (Heart Rot), lethal yellowing and diameter loss at top portion of this monocot is also common symptom of this plant in all location. Infection of fungal/bacterial is not remarkable all the homesteads. *Phoenix sylvestris* also found unhealthy due to leaf yellowing from manganese deficiency.

#### Number of diseases affected trees

Seven trees of three species of disease affected tree were recorded from Rajnagar and three individuals from two species found unhealthy at Chalkghona sites. Two species were monocot (*Cocos nucifera*/Coconut and *Phoenix sylvestris*/Date Palm) and one is dicot such as *Albizia Saman* (Rain Tree). At the Rajnagar site, four Date Palm has been died due to effect of land filling by sand. The cause of unhealthy for *A. saman* was due to land development with saline sand. Symptom was trunk narrowing and leaf blast. Except these sites, plant health status has showed improve at other two sites. Here should be mentioned that, none of the plant health issues are revealed for the Project operation.

Following table (**Table 3.11**) represents the time series data on unhealthy plants in studied homesteads.

Table 3.11: Proportion of Healthy and Unhealthy Plants in Studied Homesteads

Location	Plant Name	Tot. No. of Plant	No. of Unhealthy Plant																																
			Apr, 2014	Jun, 2014	Oct 2014	Jan 2015	Apr 2015	Aug, 2015	Oct, 2015	Jan, 2015	Oct, 2016	Jan, 2017	Jan, 2018	Apr, 2018	Jul, 2018	Nov, 2018	Feb-19	Apr, 2019	Jul, 2019	Nov, 2019	Feb, 2020	Jul, 2020	Nov, 2020	Jan, 2021	Apr, 2021	July, 2021	Nov, 2021	Feb, 2022	May, 2022	Jul, 2022	Dec, 2022	Feb, 2023	May, 2023	Sep, 2023	
Rajnagar	Cocos nucifera	177	NS	10	5	5	15	4	5	NS	3	4	6	6	9	4	4	3	2	3	10	3	7	11	10	10	10	3	1	2	4	5	7	1	2
	Phoenix sylvestris	25	NS	15	4	4	22	9	13	NS	10	2	5	4	7	6	8	9	5	3	4	4	5	2	12	2	3	2	2	1	7	3	2	4*8	4
	Manilkara zapota	1	NS	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	Dead	-			
	Albizia saman	2	NS	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	-	2	Logged	-		1	
	Excoecaria agallocha	159	NS	-	1	1	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10	-	-	-	-	12	3	1		
	Mangifera indica	3	NS	1	-	-	2	-	-	NS	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	3	Dead	-		
	Psidium guajava	2	NS	2	-	-	2	-	-	NS	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	2	Dead	-			
Borni	Cocos nucifera	10	7	3	-	-	3	1	2	NS	1	2	3	1	2		1	1	1	2	1	-	-	-	-	-	1	-	-	1	Logged	-			
	Phoenix sylvestris	12	-	5	4	4	3	1	4	NS	4	3	4	2	1		-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
	Borassus flabellifer	6	3	1	-	-	-	-	-	NS	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Mangifera indica	6	3	3	1	1	4	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1		
	Excoecaria agallocha	18	-	-	-	-	-	-	-	NS	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-		3	1	-	-	-		
	Swietenia mehogani	11	-	-	-	-	1	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
	Areca catechu	10	-	6	2	2	8	2	2	NS	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Manilkara zapota	1	-	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Psidium guajava	2	2	1	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kalekar	Cocos nucifera	56	35	5	1	1	2	2	3	NS	1	1	-	6	3	-	1	3	1	7	4	2	-	-	-	2	-	-	-	-	1	-	-		
	Phoenix sylvestris	10	-	3	-	-	1	-	1	NS	3	-	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-		

<sup>7</sup> 1 *Cocos* have been cut<sup>8</sup> 4 *Phoenix* death<sup>9</sup> 30 *Excoecaria* have been cut

Location	Plant Name	Tot. No. of Plant	No. of Unhealthy Plant																																
			Apr, 2014	Jun, 2014	Oct 2014	Jan 2015	Apr 2015	Aug, 2015	Oct, 2015	Jan, 2015	Oct, 2016	Jan, 2017	Jan, 2018	Apr, 2018	Jul, 2018	Nov, 2018	Feb-19	Apr, 2019	Jul, 2019	Nov, 2019	Feb, 2020	Jul, 2020	Nov, 2020	Jan, 2021	Apr, 2021	July, 2021	Nov, 2021	Feb, 2022	May, 2022	Jul, 2022	Dec, 2022	Feb, 2023	May, 2023	Sep, 2023	
	Mangifera indica	5	1	1	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-			
	Manilkara zapota	2	-	-	-	-	1	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-				
	Borassus flabellifer	8	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Zizyphus sp	1	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
	Psidium guajava	8	-	-	-	-	-	-	NS	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Tamarindus indica	2	-	-	-	-	1	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chalkghona	Cocos nucifera	3010	25	19	5	5	34	20	-	NS	2	2	4	5	3	-	3	4	2	4	3	5	-	-	-	-	-	-	-	-	2	-	3		
	Phoenix sylvestris	10	-	10	1	1	6	5	1	NS	1	-	5	2	3	-	-	1	2	2	1	3	-	1	3	2	1	1	-	-	2	-	3	1	
	Albizia saman	3	-	-	-	-	1	-	NS	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Excoecaria agallocha	36	-	-	1	1	-	-	NS	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	**	1	-		1
	Manilkara zapota	1	-	-	-	-	-	-	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-		2	
	Psidium guajava	17	1	7	-	-	-	-	NS	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Mangifera indica	7	2	1	-	-	-	-	NS	-	1	-	1	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3		
	Borassus flabellifer	2	-	-	-	-	-	-	NS	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Note: NS = Not Surveyed																																			

<sup>10</sup> 9 *Cocos* have been cut

## Vegetation canopy status

Species representation in different canopy layers of homestead vegetation

Coconut (*Cocos nucifera*) occupied top canopy of all the studied homestead vegetation. Date Palm (*Phoenix sylvestris*) is prevalent as second top layer followed by Gewa (*Excocharia agallocha*). Most of the fruit yielding trees like, Mango (*Mangifera indica*) possess upper bole of canopy layer. Lower bole is occupied by small fruit yielding trees like Guava (*Psidium guajava*), Banana (*Musa sp.*). Very few grass species and undergrowth vegetation were followed at studied homesteads.

Estimated Canopy cover in homestead vegetation of sampling sites

Canopy cover is slightly less at most sites and very less at Rajnagar. Homestead vegetation coverage in Rajnagar shows almost nil due to continuous death of standing trees due to impact of land development. **Table 3.12** represents the canopy status of different monitoring sites.

**Table 3.12: Vegetation Canopy Cover in Different Studied Homesteads**

Location	% of canopy cover			
	Rajnagar	Borni	Kalekarber	Chalkghona
Apr, 2014	NS	NS	NS	NS
Jun, 2014	19	26	20	13
Oct, 2014	19	18	24	24
Jan, 2015	17	18	25	22
Apr, 2015	20	12	23	17
Aug-15	20	14	24	21
Oct, 2015	20	20	24	21
Jan. 2016	20	20	22	20
Jul, 2016	21	25	24	21
Oct, 2016	23	25	26	27
Jan, 2017	19	23	25	26
Jan, 2018	15	21	23	25
Apr, 2018	18	21	24	16
Jul, 2016	14	23	24	18
Nov, 2018	11	20	25	21
Feb, 2019	22	21	24	22
Apr, 2019	19	21	25	22
Jul, 2019	18	20	25	22
Nov, 2019	16	18	24	20
Feb, 2020	14	20	24	23
Jul, 2020	11	17	22	17
Nov, 2020	8	22	22	21
Jan, 2021	8	19	24	18
Apr, 2021	8	23	19	21
Jul, 2021	10	24	21	24
Nov, 2021	14	22	24	23
Feb, 2022	11	20	24	20
May, 2022	15	20	24	23

Location	% of canopy cover			
	Rajnagar	Borni	Kalekarber	Chalkghona
July, 2022	16	26	25	24
Dec, 2022	2	18	25	16
Feb, 2023	2	22	24	23
May, 2023	2	18	23	15
Sep, 2023	6	26	26	25
Nov, 2023	2	21	20	18

Note: NS = Not Surveyed

### Bird Habitat

#### Local birds and their nesting behavior

Numerous local bird species are occurred in the study area. Homestead vegetation are the prime habitat for local birds. Existence of vast shrimp farms as well as canals and rivers also favor good number of water dependent bird species in this area. Most of the birds are nesting on tall trees of homesteads. Small bird like Tailor bird, prefer small bushy shrubs. Although, birds do not follow any local boundaries, a clear conception on available bird species have been gathered through discussions with studied homestead owners as well as physical observation.

#### Bird species and number of Bird nests in sampling sites

Two bird nests of Red Vented Bulbul have found at Chalkghona site in this monitoring tier. The remaining sites not found any nest. However, **Table 3.13** represent the bird nest monitoring datasheet over the monitoring periods.

**Table 3.13: Bird Nest Monitoring Datasheet**

Monitoring Tier	Location	Name of nesting Bird								
		Little Cormorant	Little Egret	Asian Pied Starling	Tailor Bird	Great Egret	Spotted Dove	Black R. Flameback	Common Myna	RV Bulbul
Apr 2014	R	NS	NS	NS	NS	NS	-	-	-	-
	B	-	-	1	-	-	-	-	-	-
	K	NS	NS	NS	NS	NS	-	-	-	-
	C	-	1	-	1	-	-	-	-	-
Jun 2014	R	12	4	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	11	-	-	-	-	-	-
Sep 2014	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Dec 2014	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-



Monitoring Tier	Location	Name of nesting Bird								
		Little Cormorant	Little Egret	Asian Pied Starling	Tailor Bird	Great Egret	Spotted Dove	Black R. Flameback	Common Myna	RV Bulbul
Apr 2014	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Aug 2015	R	1	5	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jan 2016	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jun 2016	R	10	5	-	-	3	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	1	1	-	-	-	-	-	-	-
Oct 2016	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jan 2017	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jan 2018	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	1	-	-	-	-	-	-	-
Nov 2018	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Feb 2019	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	1	-	-	-	-	-
Apr 2019	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jul 2019	R	-	-	-	1	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-

Monitoring Tier	Location	Name of nesting Bird								
		Little Cormorant	Little Egret	Asian Pied Starling	Tailor Bird	Great Egret	Spotted Dove	Black R. Flameback	Common Myna	RV Bulbul
Nov 2019	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Feb 2020	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jul 2020	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Nov 2020	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Jan 2021	R	-	-	1	1	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Apr 2021	R	-	-	1	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	1	-	-	-
Jul 2021	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Nov 2021	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Feb 2022	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
May, 2022	R	-	-	-	-	-	-	1	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	1	-	-
	C	-	-	-	-	-	-	-	-	-
July, 2022	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-

Monitoring Tier	Location	Name of nesting Bird								
		Little Cormorant	Little Egret	Asian Pied Starling	Tailor Bird	Great Egret	Spotted Dove	Black R. Flameback	Common Myna	RV Bulbul
Dec, 2022	R	-	-	-	-	-	-	-	10	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
Feb 2023	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	-	-
May 2023	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	1
	K	-	-	-	-	-	-	-	-	-
	C	-	-	2	-	-	-	-	-	-
Nov 2023	R	-	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-	-
	K	-	-	-	-	-	-	-	-	-
	C	-	-	-	-	-	-	-	2	-
Note: Location R=Rajnagar, B=Borni, K=Kalekarber, C=Chalkghona										

### 3.2.1 Aquatic Ecosystem Monitoring

Rivers, canals, ponds and saline water shrimp farms are main wetland forms in the study area. Of which, river bear the flowing/ lotic and ponds bear the stagnant/lentic water systems. Canals of this area have merged with shrimp farms. Shrimp farms extend a large proportion of total watershed of the study area those are intervene by the human. Therefore, canals are not an actual flowing or stagnant water system.

#### Monitoring Locations

Passur is the only external river beside the project area which maintains connectivity with all flowing water systems of the study area. On the other hand, Maidara River including two branches (Sailtakhali and Ichamoti) exists as an internal river system. Both of the river systems are support River Dolphin whole of the year. Hence, status of aquatic mammals (Dolphin) in these river systems has been monitored.

#### Dolphin Occurrence

##### Dolphin migration route in study area

Two dolphin species (Ganges River Dolphin and Irrawaddi Dolphin) travel throughout the Passur River for whole of the year. The Ganges River dolphin migrates from estuary regions to upstream connected rivers like Rupsha and Madhumoti. Though Irrawardi Dolphin is mostly habituated in estuary regions of Bangladesh, but this aquatic mammal is also occasionally sighted in Passur River. Ganges Dolphins also roam through Maidara River mainly during high tide. Siltation and narrowing of upstream branches are limiting the length of migration area of this river day by day.

*Dolphin occurrence in Passur and Maidara River*

Dolphin occurrences have been sighted at the Passur and Maidara River surround the project area (From Mongla-Passur Confluence to Maidara to Chalna Ghat) through Boat transect during low and mid tide. The transect length was 25km and survey time was 3hour 50 minutes during neap tide. A total of 10 dolphins have been recorded. Out of which, three individuals found at Mongla River, two were at Passur and five were in Maidara River. The encounter rate is 0.27 individual/km/hour which is lower than previous monitoring tier. **Figure 3.9** represents the survey transect and location of dolphin occurrence within the river channel.

*Dolphin occurrence in Dhangmari, Shella Gang and Bhadra Khal*

A total of 8 dolphins has monitored from 13.5km boat transect survey in Dhangmari Khal during low tide. The survey duration was 74 minutes. A total of 8 dolphins were recorded and the encounter rate was 0.33 individual/km/hour. The encounter rate is more or less similar than previous monitoring. The distribution of dolphin occurrence at Dhangmari Khal is presented in **Figure 3.10**.

Five Dolphins were also sighted in Shella Gang and Part of Passur River at Chandpai while 11.0 km transect survey conducted from Joymoni Thota to Jhongra PP to Chandpai FO to Joymoni Thota (**Figure 3.11**). The encounter rate was 0.42 individual/km/hour. The survey duration was 80 minutes.

30 dolphins were encountered at Bhadra Khal while 38 min survey during full tide within the 3.56 km inner reach from Bhadra Patrol Post. The encounter rate was 5.4 individuals/km/hr. The encounter rate was higher than the previous monitoring. The distribution of dolphin occurrence at Bhadra Khal is presented in **Figure 3.12**.

Another short survey was conducted Karomjal, Harbaria and Akram Point while passing the river. Dolphin has been notified at all the sites while travelling on boat. However, the survey result is included in **Table 3.14**.






Figure 3.9: Occurrence of Dolphins in Passur and Maidara River along the Project Site




**Figure 3.10: Location of Dolphin occurrences in Dhangmari Khal**



**Figure 3.11: Location of Dolphin Occurrences in Chandpai**





**Figure 3.12: Location of Dolphin Occurrence in Bhadra Khal**

**Table 3.14: Dolphin Observation Datasheet**

Monitoring Tier	Tidal Condition	Passur River at Project Site	Karamjal	Harbaria	Akram Point	Maidara River	Shella River at Chandpai
Apr-2014	FT	Y	NS	NS	NS	Y	NS
	NT	Y	NS	NS	NS	N	NS
Jun-2014	FT	Y	NS	NS	NS	N	NS
	NT	Y	N	N	N	N	NS
Oct-2014	FT	Y	NS	NS	NS	Y	NS
	NT	Y	Y	Y	N	Y	NS
Jan-2015	FT	Y	Y	Y	NS	Y	NS
	NT	Y	Y	N	Y	N	NS
Apr-2015	FT	Y	N	N	Y	Y	NS
	NT	Y	N	N	Y	N	NS
Aug-2015	FT	Y	NS	N	NS	Y	NS
	NT	Y	Y	N	NS	N	NS
Oct-2015	FT	NS	NS	Y	N	NS	NS
	NT	Y	Y	NS	Y	Y	NS
Oct-2015	FT	Y	Y	Y	Y	N	NS
	NT	Y	N	N	NS	Y	NS
Jul-2016	FT	Y	Y	Y	NS	Y	NS
	NT	Y	NS	Y	NS	NS	NS
Oct-2016	FT	N	Y	Y	N	NS	NS
	NT	Y	Y	NS	N	Y	NS

Monitoring Tier	Tidal Condition	Passur River at Project Site	Karamjal	Harbaria	Akram Point	Maidara River	Shella River at Chandpai
Jan-2017	FT	Y	Y	N	NS	N	NS
	NT	Y	Y	N	NS	Y	NS
Jan-2018	FT	Y	NS	Y	N	NS	NS
	NT	Y	Y	N	N	Y	N
Jun-2018	FT	Y	N	N	N	Y	Y
	NT	Y	NS	N	Y	Y	NS
Nov-2018	FT	NS	N	N	N	NS	NS
	NT	Y	N	N	N	Y	Y
Feb-2019	FT	NS	Y	Y	N	NS	Y
	NT	Y	N	N	Y	N	NS
Apr-2019	FT	NS	Y	N	N	NS	NS
	NT	N	N	Y	N	N	Y
Jul-2019	FT	Y	Y	N	N	Y	Y
	NT	Y	NS	N	N	N	NS
Nov-2019	FT	NS	Y	Y	N	NS	Y
	NT	Y	Y	N	Y	Y	Y
Feb-2020	FT	Y	Y	Y	Y	Y	Y
	NT	Y	N	NS	NS	Y	Y
Jul-2020	FT	Y	N	N	N	Y	Y
	NT	Ns	Y	N	N	NS	Y
Nov-2020	FT	NS	NS	NS	NS	NS	Y
	NT	Y	NS	NS	NS	Y	NS
Jan-2021	FT	NS	NS	NS	NS	NS	Y
	NT	Y	NS	NS	NS	Y	NS
Apr-2021	FT	NS	NS	NS	NS	NS	Y
	NT	Y	NS	NS	NS	Y	NS
Jul-2021	FT	Y	NS	Y	Y	Y	Y
	NT	NS	Y	N	N	NS	NS
Nov-2021	FT	Y	NS	N	N	Y	NS
	NT	N	N	Y	N	NS	NS
Feb-22	FT	Y	Y	Y	N	Y	Y
	NT	N	NS	Y	N	NS	NS
May-22	FT	Y	Y	N	N	Y	NS
	NT	NS	Y	Y	N	NS	Y
July-22	FT	N	NS	N	N	Y	Y
	NT	NS	Y	N	N	NS	NS
Dec-22	FT	NS	N	N	N	Y	Y
	NT	Y	NS	NS	N	NS	NS
Feb, 23	FT	NS	Y	Y	NS	Y	Y
	NT	Y	NS	NS	Y	NS	NS
May, 23	FT	NS	NS	N	NS	Y	Y
	NT	Y	Y	NS	N	NS	NS
Sep, 23	FT	NS	Y	N	NS	Y	Y

Monitoring Tier	Tidal Condition	Passur River at Project Site	Karamjal	Harbaria	Akram Point	Maidara River	Shella River at Chandpai
	NT	NS	N	Y	N	NS	NS
Nov, 23	FT	NS	N	Y	N	NS	NS
	NT	Y	N	Y	N	Y	Y
Note: FT=Flood Tide, NT=Neap Tide, NS=Not Surveyed; Occurrence Status: Y = Occurred, N = Not occurred							

### 3.2.2 Status of Benthos and Planktons in River Systems

Benthos and plankton sample have been collected from 8 different locations of Passur and Maidara rivers during different tidal conditions in February 2023 and July 2023. Detail status of benthos and planktons from recent survey is presented in following sections.

#### Species Composition of Benthos

A total of 18 benthic species has been detected from seven monitoring locations. Of which, eight species were detected from three monitoring locations in February 2023. On the other hand, 13 benthic species have been recorded from six locations during July, 2023. Species diversity and density were heist in lentic freshwater in Kalekarber Dighi. *Diaptomus sp.*, *Lecane unguita* and *Polychaeta larvae* are populated species of all (Table 3.15).

**Table 3.15: Status of Benthos at Different Points**

Sl. No.	Species Name	Abundance (No./Liter)							
		JS	MP	HB	AP	KB	KD	MD	HP
Feb, 2023									
1	<i>Chroomonasc oerulea</i>		76						
2	<i>Mollusk</i>				345				
3	<i>Oscillatoriap rinceps</i>			69					
4	<i>Pinnularia brevicostata</i>			456					
5	<i>Polychaeta</i>								
6	<i>Raphidiopsis mediterranea skuja</i>		67						
7	Unidentified species 1								23
8	Unidentified species 2		13						
Jul, 2023									
1	Bosmina sp.					333			
2	Brachionus quadridentatus					456			
3	Calanus sp.					555			
4	Cyclops sp. Larvae					560			
5	Daphnia sp.					344			
6	Diaptomus sp.					2000			
7	Keratella cochlearis					456			
8	Lecane unguita					1090			
9	Lepadella sp					345			
10	Polychaeta	500							
11	Polychaeta larvae		920	670	1090		457		
12	Raphidiopsis mediterranea skuja		73						
13	Chroomonascoer ulea		800						
Note: AP=Akrampoint, HB=Harbaria, JS=Passur River at Project Jetty Site, KB=Kalekarber Dighi, KD=Koigardaskathi Pukur, MD=Moidara River, MP=Mongla-Passur Confluence									

Species Composition of Planktons

Phytoplankton: A total of 48 phytoplankton species were recorded from the six locations of river water and two locations of inland freshwater pond. Of which, 40 species were recorded during February 2023 and 33 species were detected from the same locations in July, 2023. *Oscillatoria princeps*, *Actinocyclus octonarius*, *P. micans*, *Pleurosigma angulatum*, *Coscinodiscus radiatus*, *Pleurosigma angulatum* and *Raphidiopsis mediterranea* skuja shows highest population at most of the locations.

The lentic aquatic ecosystem supports highest population and highest species diversity. Koi-Gardaskathi pond support 19 phytoplankton species and Kalekarber Dighi supports 10 species. *Coscinodiscus radiatus* and *Oscillatoria princeps* are the dominant species. Species composition and abundance of Phytoplankton in different monitoring locations have been listed in following Table (Table 3.16).

**Table 3.16: Species Composition and Abundance of Phytoplankton in Different Monitoring Locations**

Sl. No.	Species Name		Abundance (No./Liter)						
		JS	MP	HB	AP	KB	KD	MD	HP
Feb, 2023									
1	<i>Actinocyclusoctonarius</i>			1,163					
2	<i>Alexandriumcyst</i>							900	
3	<i>Anabaena flos-aquae</i>				345				
4	<i>Asterionellopsis glacialis</i>								
5	<i>Asterolamp ramarylandica</i>			436					
6	<i>Boreadinium</i>	163							
7	<i>Ceratium sp.</i>						299		
8	<i>Closteriopsis longissimi</i>	300							
9	<i>Closterium tumidum</i>					155			
10	<i>Coscinodiscus centralis</i>			16					
11	<i>Coscinodiscus excentricus</i>			364	234		36	160	131
12	<i>Coscinodiscus granii</i> Gough			290		80		342	
13	<i>Coscinodiscus oculus</i>			146			289		
14	<i>Coscinodiscus wailesii</i>			291					
15	<i>Entomoneis</i>	759							
16	<i>Euastrum gemmatum</i>					635			
17	<i>Eudorina sp</i>		567	73				600	
18	<i>Gonatozygon aculeatum</i>					736	614	110	
19	<i>Licmophora sp</i>				456				
20	<i>Lyngbyaconfervoides</i>								80
21	<i>Nitzschia longissimi</i>							806	
22	<i>Nitzschia sigma</i>				345				
23	<i>Oscillatoria princeps</i>		656			2,604	429		385
24	<i>P. micans</i>						2,130		
25	<i>Pediastrum duplex</i>					387			
26	<i>Phacus longicauda</i>					110			
27	<i>Pinnularia</i>						288		

Sl. No.	Species Name	Abundance (No./Liter)							
		JS	MP	HB	AP	KB	KD	MD	HP
28	<i>Pleurosigma angulatum</i>				801		1,045	170	
29	<i>Pleurosigma diverse-striatum</i>							147	
30	<i>Pleurosigma angulatum</i>						205		
31	<i>Protoperidinium cyst</i>					287			
32	<i>Pseudo-nitzschia australis</i>			1000					
33	<i>Pseudonitzschia pungens</i>				450				
34	<i>Pyrocystis fusiformis</i>							220	
35	<i>Raphidiopsis mediterranea skuja</i>		456						
36	<i>Rhizosolenia setigera</i>				556				50
37	<i>Rhodophyta sp</i>		555						
38	<i>Snowella lacustris</i>					174			
39	<i>Spirogyra sp</i>		345			669			
40	<i>Staurostrum</i>							457	
41	<i>Thalassionema sp.</i>				1134				
Jul, 2023									
1	<i>Alexandrium catenella</i>						667		
2	<i>Alexandrium cyst</i>						3,667		
3	<i>Anabaena flos-aquae</i>				245				
4	<i>Astasia cylindrical Pringsheim</i>						455		
5	<i>Boreadinium</i>	123							
6	<i>Ceratium sp.</i>				234				
7	<i>Chroomonas coerules</i>						789		
8	<i>Closteriopsis longissimi</i>	450							
9	<i>Closterium tumidum</i>					155			
10	<i>Coscinodiscus excentricus</i>			433	350				
11	<i>Coscinodiscus granii Gough</i>					80	1000		
12	<i>coscinodiscus radiatus</i>						6,789		
13	<i>Entomoneis</i>	323							
14	<i>Euastrum gemmatum</i>					635			
15	<i>Eudorina</i>		1,232						
16	<i>Euglena acus</i>						666		
17	<i>Gonatozygon aculeatum</i>				230	736			
18	<i>Licmophora sp</i>				234				
19	<i>Lyngbya confervoides</i>						456		
20	<i>Oscillatoria limosa</i>			867			3,456		
21	<i>Oscillatoria princeps</i>		709			2604	18,999		
22	<i>Pediastrum duplex</i>					387			
23	<i>Phacus longicauda</i>					110			
24	<i>pinnularia brevicostata</i>						456		
25	<i>Pleurosigma angulatum</i>				1,691				
26	<i>Protoperidinium cyst</i>					287			
27	<i>Pseudonitzschia pungens</i>				432				
28	<i>Raphidiopsis mediterranea skuja</i>		770	1,067			2,345		

Sl. No.	Species Name	Abundance (No./Liter)							
		JS	MP	HB	AP	KB	KD	MD	HP
29	<i>Rhizosolenia setigara</i>				350				
30	<i>Snowella lacustris</i>					174			
31	<i>Spirogyra</i>					669			
32	<i>Thalassionema sp.</i>				467				
33	<i>Zygabikodinium lenticulatum</i>				456				
Note: AP=Akrampoint, HB=Harbaria, JS=Passur River at Project Jetty Site, KB=Kalekarber Dighi, KD=Koigardaskathi Pukur, MD=Moidara River, MP=Mongla-Passur Confluence									

### 3.3 Sundarbans Forest Health Monitoring

Forest Health Monitoring (FHM), established in the U.S. in 1991, is an ecological approach to assess forest ecosystems. It tracks condition, changes, trends, causal agents, and mechanisms through various methods and indicators. Forest health monitoring (FHM) plays a crucial role in evaluating the condition of mangrove ecosystems through various indicators like species composition, seedling density, canopy coverage, leaf area index, and phenological behaviors. Understanding mangrove health is crucial for effective management and conservation, especially in the context of potential impacts from Rampal Thermal Coal Power Plant projects.

Bio indicators like leaf area index (LAI), which reflects the amount of foliage cover. Healthy mangroves tend to have higher LAI, indicating strong growth and biomass production. Conversely, a decline in LAI could signal stress or disturbance, potentially due to power plant emissions or other factors. Similarly, the presence and abundance of lichens serve as valuable indicators. These sensitive organisms thrive in clean air but struggle under pollution stress. Therefore, their absence or decline could suggest air quality concerns associated with the power plant.

Mangrove structure, encompassing factors like tree DBH and height, stem density, and species composition, also offers valuable insights. Changes in these parameters, particularly reductions in canopy cover or stem density, could indicate stress on the mangrove community, potentially linked to altered environmental conditions caused by the power plant. Beyond physical indicators, the ecological roles of certain organisms play a significant role in mangrove health. Crabs, for example, facilitate nutrient cycling and soil aeration through burrowing activities, contributing to a healthy ecosystem. Their decline could signal reduced nutrient availability and oxygen levels, potentially impacting mangrove productivity.

Soil quality, assessed through physical, chemical, and biological parameters, is another crucial indicator. Healthy soil supports robust plant growth and microbial activity. Changes in soil properties, such as increased salinity or reduced organic matter content, could be detrimental to the mangroves. Finally, the forest's regeneration potential, reflected in seedling growth and diversity, provides valuable insights into its long-term sustainability. A robust ability to regenerate signifies a healthy and resilient ecosystem, while hindered regeneration could indicate stress or disturbance.

By comprehensively monitoring these bio-indicators in the Sundarbans Reserve Forest, we can gain a deeper understanding of the potential impacts of the Rampal Power Plant on the mangrove ecosystem. This knowledge is vital for informing informed decisions regarding the project's environmental implications and ensuring sustainable management of this critical natural resource.



### 3.3.1 Methodology

#### *Permanent Sample Plot (PSP) Establishment and Layout*

To set up permanent sample plots five sites have been selected on the basis of the preliminary survey (**Figure 3.14**). Among those, four sites are along the Passur River at Karamjal, Harbaria, Akram point and Hiron point, and the fifth one is near Sutarkhali forest office (**Table 3.17**). The sites have been selected considering the distance from the proposed Project site, wind directions, coal transportation route, river systems and vegetation types.


### 3.3.2 Bio-Indicators for Forest Health Monitoring

Monitoring of frequency for different indicators has been determined considering efficiency in time, cost and applicability. The indicators observed in this tier are as follows:

- Seedling Regeneration
- Pneumatophores
- Crab hole density
- Canopy cover
- Leaf area index (LAI)
- Species composition & diversity
- Biomass and carbon estimation
- Leaf phenology and phonological behaviour
- Pest and diseases identification

### 3.3.3 Sampling Design of Permanent Sample Plots (PSPs)

At each site, a transect line was laid out perpendicular to the river or canal bank. Along the transect line, three circular nested subplots of a 12.62m radius have been laid out at 100m intervals to capture the maximum tree species (**Figure 3.13**). Because of the variation in species composition in SRF, observation plots were laid out from the coast, river, or canal-side to the upper slope zone where the forest area is denser. The location of the first subplot was 40m away from the ecotone zone to save the subplot from riverbank erosion. Each subplot was again subdivided into four quadrates (**Figure 3.15**).



**Figure 3.13: Layout of the Subplots and Transect Line Perpendicular from Ecotone (River or Canal Bank)**

**Table 3.17: General Description of Permanent Sampling Plots (PSPs)**

Transect	Plot	Range	Compartment No.	GPS $\pm$ (m)		Soil Description	Plot Location Notes
				Latitude (N)	Longitude (E)		
Sutar khali	1	Khulna	32	22.4981	89.4875	Hard Clay	Just opposite from Sutar Khali Forest Station and 40m SW from Sutar Khali Canal
	2	Khulna	32	22.4973	89.4871	Hard Clay	Just opposite from Sutar Khali Forest Station and 140m SW from Sutar Khali Canal
	3	Khulna	32	22.4965	89.4866	Hard Clay	Just opposite from Sutar Khali Forest Station and 240m SW from Sutar Khali Canal
Karamjal	1	Chandpai	31	22.4253	89.5943	Hard Clay	Plot center 40m west from Passur River
	2	Chandpai	31	22.4252	89.5934	Hard Clay	Plot center 140m west of Passur River
	3	Chandpai	31	22.4226	89.5925	Hard Clay	Plot center 240m west of Passur River
Herbaria	1	Chandpai	29	22.2061	89.5924	Hard Clay	40m west of Passur River
	2	Chandpai	29	22.2962	89.5917	Hard Clay	140m west of Passur River
	3	Chandpai	29	22.2962	89.5908	Muddy	240m west of Passur River
Akram Point	1	Khulna	17	22.0187	89.5134	Hard Clay	40m east of Shibsha River
	2	Khulna	17	22.0180	89.5140	Clay	140m east of Shibsha River
	3	Khulna	17	22.0168	89.5145	Hard Clay	240m east of Shibsha River
Hiron Point	1	Khulna	44	21.9166	89.2333	Sandy	350m east from Gogari Canal
	2	Khulna	44	22.1833	89.5000	Sandy	40m north of the Bay of Bengal
	3	Khulna	44	21.7775	89.4598	Hard Clay	648m southeast of Shibsha River







Figure 3.14: Location Map of Sundarbans Forest Health Monitoring Plots (PSP)








**Figure 3.15: Layout of the Survey Activities in Each Subplot**

### *Tree Growth*

The tag number of trees (DBH  $\geq 5$  cm and lean angle greater than  $45^\circ$ ) is monitored and rewritten if any new tree is found within 12.62 m radius circle of the Permanent Sample Plot (PSP). The tree height and diameter are also taken by the surveyor (**Figure 3.16**).



**Figure 3.16: Mangrove Structure Monitoring by Team Members by DBH Measurements**

### *Seedling*

Within a circle of a 1 m radius, seedlings (height 1.37 m) were evaluated in each PSP. The number of seedlings was determined each species, and their status was also noted. Within a circle of one-meter radius centered on each of the five points of all the subplots, the total number of living seedlings has been counted. The first point was placed in the center of each subplot, while the other four were placed in the middle of the four transects made of woody debris that face  $45^\circ$ ,  $135^\circ$ ,  $225^\circ$ , and  $315^\circ$  respectively.

### *Pneumatophores*

The total number of living pneumatophores also recorded within a circular area of 1 m radius centering each of the five points of all the subplots. The first point has been laid out in the centre of each subplot and other four have been in the midpoint of the four woody debris transects that are facing at 45°, 135°, 225° and 315°.

### *Crab Hole*

Crab plays an important role in mangrove ecosystems such as decomposing litter fall thereby increasing fertility. In order to work out the crab density, usually crab hole abundance is monitored. For this purpose, the crab holes have been counted within an area of 1 m radius circle in each subplot's centre and in the midpoint of four woody debris transect (**Figure 3.17**)



**Figure 3.17: Pneumatophore and Crab Hole Status Inside the Plot at Akram Point**

### *Canopy Cover*

Canopy cover percentage was estimated by a spherical densitometer (i.e. densitometer a gridded convex mirror that provides a simple and inexpensive approach to measuring canopy cover). The densitometer was held at a distance of 30–40 cm from the body and at an elbow height so that head has not become visible in the mirror (**Figure 3.18**). After leveling the instrument using the level bubble, the dots which had not been occupied by the canopy were systematically counted. In each subplot, the meter readings have been taken at four points facing north, south, east, and west direction in each subplot. The canopy cover was calculated by taking the average of these readings.

### *Leaf Area Index*

Leaf Area Index (LAI) is a key structural characteristic of forest ecosystems because of the role of green leaves in controlling many biological and physical processes in plant canopies. LAI influences net canopy photosynthesis. Light absorption by the forest canopy can be used to estimate Leaf Area Index (LAI) (**Figure 3.18**). In this monitoring report, LAI was calculated as follows:

Leaf Area Index (LAI) =  $\log_e (I/I_0) / -K$  leaf area/area of ground (Where,  $I$  = Under Canopy Light Intensity,  $I_0$  = Open Canopy Light Intensity, and  $K$  is Canopy light extension coefficient i.e., 0.5). LAI is represented by values ranging from 0 to 10, where 0 is equivalent to an area without a canopy or bare soil and 10 represents a dense canopy (BioScience, 2016).





**Figure 3.18: Using a Densitometer and Lux Meter, the Team Member is Collecting Data on Canopy Cover and Light Intensity, Ensuring Accurate Documentation**

#### *Species Diversity and evenness*

Tree species data were collected from all the PSPs to identify diversity. Individual tree DBH  $\geq 5\text{cm}$  was considered.

The following two indices of the Shannon's index (MacArthur and MacArthur 1961)  $H'$  and Pielou's (1969) index  $J'$  was used to measure woody species diversity or equitability (evenness)

$$H' = \sum_{i=1}^s \frac{n_i}{N} \log_2 \frac{N}{n_i}$$

$$J' = \frac{H'}{H'_{\max}} \quad (H'_{\max} = \log_2 S)$$

Where N is the total number of individuals and the unit of  $H'$  is bit, or the unit of entropy (e.g. Goldman 2005)

#### Species richness $R'$

Species richness index was measured by Margalef (1958):  $R' = (S-1) / \ln(N)$

Where, S= total species found and N= total number of Individuals

#### Biomass and carbon stock estimation

Aboveground biomass of tree and sapling was estimated by using Chave, et al., (2005) allometric equation. Komiyama et al., (2008) equation was used to estimate belowground biomass.

- $\text{AGB (kg)} = \rho \times \exp(-1.349 + 1.980 \ln(\text{dbh}) + 0.207 \times (\ln(\text{dbh}))^2 - 0.0281(\ln(\text{dbh}))^3)$
- $\text{BGB (kg)} = 0.199 \times (\rho)^{0.899} \times (\text{dbh})^{2.22}$

Where, ABG = above ground biomass; BGD = belowground biomass; DBH = diameter at breast height.

After calculating biomass, carbon content was calculated based on the assumption that carbon content is 50 percent of the dry woody biomass (Brown 1997).

### Statistical analysis

Different statistical analyzes were performed for different indicators. A one-way ANOVA analysis was tested for pneumatophores, crab hole, canopy coverage, light intensity and seedling density in order to find out whether any difference was made.

### *Leaf phenology and phonological behaviour*

The phonological events such as leaf emergence, leaf shedding, flowering and fruiting and fruit/ propagule dropping time may have affected by Air pollution. Hence, Phonological behavior can be used as bio-indicator of forest health. During field visit leaf emergence, leaf shedding, flowering and fruiting and fruit/ propagule dropping time was investigated through visual observation and recorded for each plot.

### *Pest and diseases identification*

Tree diseases play a pivotal role as bio-indicators, offering valuable insights into the overall health of a forest ecosystem. In the context of the Sundarbans mangroves, researchers, as highlighted by Rahman et al. in 2010, have identified key factors contributing to the population reduction of various tree species, including *Avicennia* spp., *Rhizophora* spp., *Heritiera* spp., *Pandanus* spp., *Phoenix* spp., and *Acanthus* spp. The spectrum of diseases affecting these species encompasses leaf blight, dieback, stump and collar rot, trunk gall, root rot, leaf necrosis, and powdery mildew.

Of particular concern is the prevalence of 'top dying' observed in Sundari trees across all Permanent Sample Plots (PSPs) in the current investigation. This disease has impacted a substantial portion, ranging between 30 and 40 percent, of Sundari trees. Understanding the specific diseases affecting mangrove species is crucial for effective forest management and conservation efforts. Pest and disease type of the Sundarbans mangrove forest was investigated through literature review, which was then verified in the field through visual observation.

### **3.3.4 Monitoring Result and Discussion of SRF Health**

#### *Plot description – 38<sup>th</sup> monitoring*

**Sutarkhali:** In the first subplot, high percentage of crab manure were observed in Sutarkhali, while the deer marks were noted to be low. The forest floor appeared predominantly dry, and surprisingly, tiger marks were found in close proximity to the working site (**Figure: 3.19**). Passur trees in this plot exhibited a higher amount of lichen (**Figure: 3.20**). The second subplot, elevated by sediment, displayed a significant presence of crab activity for bioturbation, along with a low deer mark. The third subplot faced sedimentation, and the soil composition was primarily clay, with the trees showing relatively good health.

**Koromjol:** The first subplot exhibited a dry environment with substantial crab activity, accompanied by observed litterfall and relatively healthy leaves. Gewa seedlings were noticed at the germination stage. Despite being denser than other subplots, the second subplot revealed a deer mark. The middle of the plot lacked trees or vegetation, with a noticeable gap surrounded by large Baen, kakra, and Passur trees.



**Figure 3.19: Tiger Pugmarks**



**Figure 3.20: Live Lichen  
In Passur Tree**



**Figure 3.21: Wild Boar  
Footprints**

**Harbaria:** In the first subplot, the forest floor was mostly dry with moderate crab activity. Gewa seedlings were found at the germination stage, and deer marks were observed within the plot. In the second subplot, in addition to deer marks, wild boar (**Figure: 3.21**) and tiger marks were noted. The forest floor in this subplot was semi-muddy, with moderate crab activity and a high density of saplings. The third subplot was predominantly semi-clay, featuring deer marks, wild boar marks, and low crab activity.

**Akram Point:** The forest floor at Akram Point was mostly dry, covered with abundant deer and boar marks, along with large crab granules. However, debris and humus were found to be in short supply.

**Hiron Point:** The first subplot was mostly dry, with a low litter fall and predominantly sandy soil. Gewa tree mortality was observed to be very high due to sedimentation. The second subplot featured predominantly clay soil with crab activity and deer marks. The lower canopy was covered with goran trees, while the upper canopy consisted of gewa trees. In the third subplot, the forest soil was mostly clay, displaying deer marks and large crab holes.

#### *Comparative Analysis of different indicators in Sundarbans Forest Plots*

The Sundarbans, a complex mangrove ecosystem, reveals intriguing variations in key ecological parameters across different subplots. This comparative analysis aims to elucidate the distinct characteristics of five specific locations: Sutar Khali, Karamjol, Harbaria, Akram Point, and Hiron Point.

**Pneumatophores:** Sutar Khali boasts the highest count at 391,308, indicating robust aerial root development. Akram Point exhibits the lowest count (81,487), suggesting a potentially different soil and water interaction.

**Crab Holes:** Akram Point stands out with an exceptionally high density/ha of crab holes (411,468), signifying intense crab activity in the soil. Karamjol, with 161,701 crab holes/ha, presents a notable contrast. Karamjol and Sutarkhali exhibit a similar abundance of crab activity, suggesting healthy sediment turnover and nutrient cycling.

**Seedlings and Saplings:** Harbaria showcases a flourishing environment with the highest count of seedlings (186,317) and saplings (14,383). Harbaria boasts the highest sapling count, indicative of successful regeneration and future canopy cover. Karamjol and Sutarkhali follow closely, while Hiron Point and Akram Point lag behind. Akram Point records the lowest counts, indicating potential challenges for plant regeneration. Seedling numbers are relatively consistent across most plots except Akram point.

**Canopy Coverage and light Intensity:** All subplots maintain a high canopy coverage of 99%, suggesting overall healthy forest canopies. Akram Point, with a slightly lower percentage (97%), may


have a nuanced forest structure. Karamjol stands out with the highest light intensity (8), potentially influencing plant growth and distribution. Akram Point records the lowest intensity (2), raising questions about light availability in the understory.

**Carbon Sequestration:** Sutar Khali and Harbaria exhibit high carbon sequestration rates (143 Mg C/ha and 135 Mg C/ha, respectively), indicating effective carbon storage. Akram Point records a lower rate (97 Mg C/ha), suggesting potential variations in carbon dynamics. Harbaria, with its high sapling count and dense canopy, stands out as the potential champion in carbon sequestration. Sutarkhali and Karamjol also show good potential, while Akram Point and Hiron Point have lower potential due to lower biomass.

**Diversity:** Karamjol leads in diversity with an index of 1.53, suggesting a rich species composition. Hiron Point records the lowest diversity index (0.38), indicating a less diverse ecological community. Karamjol and Akram Point exhibit the highest diversity scores, suggesting a wider range of plant and animal species. Harbaria and Sutarkhali follow closely, while Hiron Point, with its sandy soil and lower canopy cover, might have a slightly lower diversity.

**Wood Debris:** Harbaria shows the highest wood debris value (4.54 Mt c/a), suggesting substantial organic material accumulation while Sutar Khali records the lowest value (2.76 Mt C/ha), indicating potential differences in decomposition rates. Harbaria and Akram Point, with its significantly higher wood debris count, suggests past disturbances or natural mortality events. The other plots show similar and lower levels of debris, indicating a more stable forest structure.

**Lichen Abundance:** The study found that lichen abundance varied significantly between tree species and between plots. In general, lichen abundance was highest on Kakra and Passur trees, followed by Sundri, Gewa, Baen, and Goran trees (**Figure: 3.22**).




**Figure 3.22: Lichen Abundance among the Plots**

The highest lichen abundance was found in the Harbaria plot, where lichen coverage on Passur trees reached 35%. The Sutarkhali plot also have high lichen abundance, with lichen coverage on Passur trees reaching 22.9%. The lowest lichen abundance was found in the Hiron Point plot, where lichen coverage on dominated Gewa trees reached only 23.7%. The Akram Point plot also had low lichen abundance, with lichen coverage on dominated Gewa trees reaching only 9.6%. The study's findings suggest that lichen abundance can be used as a proxy for forest health. Lichens are sensitive to air pollution, and their presence can indicate that the air quality in a forest is good. The study's findings



also suggest that tree species can play a role in determining lichen abundance. Kakra and Passur trees are known to be good hosts for lichens, and they may provide the ideal conditions for lichen growth.

A comprehensive multi criteria analysis was conducted using the Arithmetic method (**Figure: 3.23**), evaluating 45 scores to assess the health of different forest plots. Harbaria emerged as the healthiest contender, scoring the highest. This dominance stems from exceptional seedling and sapling density per hectare, coupled with the highest carbon sequestration potential and good species diversity, emerged as the lichen king as well. Sutarkhali follows closely, securing the second-highest score. Its remarkable pneumatophore density and impressive seedling, sapling, and tree density per hectare, respectable lichen abundance contribute to its robust condition. Additionally, Sutarkhali boasts the highest carbon sequestration potential among all plots. Karomjol occupies the third position with a score indicating stability. While it exhibits remarkable species diversity, its species density per hectare falls considerably short compared to the other plots. Pneumatophore density, seedling density, and carbon sequestration potential remain average compared to the other plots. Akram Point scores poorly, primarily due to its exceptionally low pneumatophore and seedling density. Its carbon sequestration potential is also weak, and other parameters remain average. Karomjol and Akram point while exhibiting balance in other parameters, showed a slightly lower lichen percentage. This subtle dip might be attributed to localized air quality variations or specific microclimatic conditions within the plot. Hiron Point receives the lowest score, reflecting its critical state. This vulnerability arises from the exceedingly low density of pneumatophores, seedlings, crab holes, and saplings. Its carbon sequestration potential is minimal, and despite the surprisingly high species density, overall diversity suffers due to the plot's dominance by the Gewa tree. Its minimal lichen presence confirms the poor air quality within this struggling forest.




**Figure 3.23: Multi Criteria Analysis of Different Parameters in 38<sup>th</sup> Monitoring Period**


#### *Time series analysis*

**Figure 3.24** illustrates variations in seedling density across locations, peaking during the 5th and 6th years in all plots compared to the baseline. ANOVA analysis confirms significant variability ( $P < 0.05$ ) at 1000/ha throughout the year and across five Permanent Sample Plots (PSPs). Factors influencing seedling recruitment and survival include canopy cover, soil chemistry, pH, salinity, and organic matter. Akram point faces challenges with lower canopy coverage and leaf area index, making it less favorable for shade-tolerant trees. Hiron Point's forest floor is adversely affected by sand deposition from dredging activities, leading to decreased seedling density. ANOVA results reveal significant differences ( $P < 0.05$ ) in pneumatophore density among plots, highlighting the intricate interplay of

intrinsic and extrinsic factors in mangrove ecosystems. Plot-specific variations and the influence of environmental conditions and potential anthropogenic impacts contribute to fluctuations in pneumatophore density. Elevation from mean sea level, tidal inundation, weather conditions, and tide variations also impact observed density. Crab hole density varies significantly among monitoring plots, emphasizing the location-dependent nature of crab activity. Akram point records the highest density due to its sandy clay loam forest floor, favored by crabs for burrow construction. Hiron point exhibits the lowest density, influenced by soil coverage disrupting crab activity. Seasonal variation, especially during the monsoon, affects crab hole density across monitoring locations. Spatial variability in canopy coverage percentage among monitoring plots is influenced by climatic and edaphic factors, natural stresses, and pest and disease attacks. Despite fluctuations, all monitoring sites maintain greater than 60% canopy coverage, indicating positive signs for the overall health of the forest. ANOVA results show consistent light intensity values across monitoring plots over the years. Significant divergence in LAI values ( $P < 0.05$ ) exists between plots, with Karamjol having the highest LAI due to high species diversity and a multi-layered stand structure. Akram point, dominated by Gewa with low diversity, exhibits the lowest LAI. Differences in species composition and forest structure influence these LAI variations.







**Figure 3.24: Time Series Analysis of Pneumetaphore, Seedling, Sapling Density, Light Intensity and Canopy Coverage among 5 Monitoring Plots**

#### *Floral diversity, species richness and species evenness*

Floral diversity and species richness play pivotal roles in shaping the functionality and resilience of ecosystems, influencing factors such as productivity, stability, nutrient dynamics, and community structure. Additionally, the concept of species evenness provides valuable insights into the homogeneity within a community. **Table 3.18** illustrates a comparative analysis, showcasing Karamjol's noteworthy higher floral diversity and species richness in contrast to Harbaria, Akram Point, and Sutar Khali. Interestingly, the diversity index unveils a declining trend in species diversity and richness across all plots from their baseline conditions. This decline may be attributed to a combination of natural processes and human activities, including tree logging and increased tree mortality. Particularly noteworthy is the observation that Hiron Point exhibits lower species richness, indicating its ecological instability relative to other sites. The environmental stressors faced by Hiron Point, such as salinity, sedimentation, and high tidal forces due to its proximity to the sea, contribute significantly to this reduced species richness.

A deeper understanding emerges when considering local insights. Recent field visit at Karamjol, it observed that the construction of structural RCC walking traits and the dumping of construction materials may have led to reduce in vegetation at PSP, impacting species density per hectare. These local observations highlight the intricate interplay between environmental factors, human activities, and the resulting effects on floral diversity and species richness.

**Table 3.18: Species Diversity Index, Evenness Index and Richness Index of the Monitoring Site in SRF**

#### **Baseline status**

Monitoring site	H'	J'	R'
Sutar Khali	1.02	0.32	1.24
Karamjol	1.57	0.40	2.11
Harbaria	1.41	0.41	1.50
Akram Point	1.03	0.65	0.34

**Present status**

Monitoring site	H'	J'	R'
Sutar Khali	0.56	0.40	0.50
Karamjol	1.53	0.79	1.19
Harbaria	0.93	0.52	0.89
Akram Point	0.74	0.67	0.36
Hiron Point	0.38	0.28	0.48

*Carbon density*

**Table 3.19** provides a comprehensive snapshot of the baseline and current carbon storage status in five diverse locations: Sutar Khali, Karamjol, Harbaria, Akram Point, and Hiron Point. Notably, the data reveals a consistent and positive trend, indicating a noteworthy increase in carbon storage across all locations in the present status as compared to the baseline. Taking a closer look at Sutar Khali, the baseline carbon content of 111.72 Mg/ha per plot has significantly risen to 142.7 Mg/ha per plot in the present status, reflecting a substantial boost in carbon sequestration. Similar encouraging trends are observed in Karamjol, where the baseline carbon content of 118.09 Mg/ha per plot has transformed into 115.4 Mg/ha per plot in the present status. Beyond the overall carbon storage figures, the data delves into the distinct categories of Active Carbon (ABC) and Slow-Decomposing Carbon (BGC). In the majority of locations, both ABC and BGC exhibit an increase in the present status compared to the baseline. For instance, in Sutar Khali, baseline ABC registers at 70.51 Mg/ha per plot, escalating to 90.4 Mg/ha per plot in the present status. Similarly, baseline BGC of 41.21 Mg/ha per plot sees an uptick to 52.2 Mg/ha per plot in the present status. This positive shift in carbon storage is vital for ecosystem health and can be attributed to various factors. Sediment deposition, a critical aspect in coastal environments, contributes to the enrichment of organic matter in the soil, fostering optimal conditions for mangrove growth. This, in turn, leads to a substantial increase in carbon storage within the soil matrix.

**Table 3.19: Mean Carbon Density in Baseline and Present Condition of the Four Monitoring Sites**

Baseline Status	Locations			
	Sutar Khali	Karamjol	Harbaria	Akram Piont
ABC Mg/ha per plot	70.51	79.47	45.95	82.10
BGC Mg/ha per plot	41.21	38.62	25.49	41.26
Total carbon	111.72	118.09	71.44	123.36

Present Status	Locations				
	Sutar Khali	Karamjol	Harbaria	Akram Piont	Hiron point
ABC Mg/ha per plot	90.4	75.5	86.8	61.6	58.3
BGC Mg/ha per plot	52.2	39.9	47.8	35.7	33.4
Total carbon	142.7	115.4	134.6	97.3	91.7

*Phenological Behavior*

From the last visit, Phenological behavior of major mangrove species was summarized in **Table 3.20**.

**Table 3.20: Phenological Behavior of Major Mangrove Species in the PSPs**

Species	Months											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b>Leafing</b>												
Sundari												
Gewa												
Amor												
Goran												
Kakra												
Passur												
<b>Leaf Shedding</b>												
Sundari												
Gewa												
Amor												
Goran												
Kakra												
Hental												
Passur												
<b>Flowering</b>												
Sundari												
Gewa												
Baen												
Amor												
Hetal												
Goran												
Kakra												
Passur												
<b>Fruiting</b>												
Sundari												
Gewa												
Goran												
Kakra												
Amor												
Urmui												
Sanagarjon												
Passur												
<b>Seed/Popagule dropping time</b>												
Sundari												
Gewa												
Goran												
Kakra												
Passur												
Golpata												

Source: CEGIS field visit, Nov 2023

During a field visit, leaf emergence, leaf shedding, flowering and fruiting, and fruit/propagule dropping were recorded for each plot. Flowering and fruiting behaviors revealing intriguing variations among the species. Notably, Amor, Kakra, and Passur trees initiated their flowering activities during the monitoring period, while Sundri, Kakra, Goran, and Urmui trees exhibited fruit development. Interestingly, although flowering commenced in most mangrove species during the dry season, fruit maturation and ripening predominantly occurred just before or during the early monsoon or within the full monsoon season, aligning with previous observations by Bhat et al. (2001). Leafing and leaf shedding, integral processes for mangrove survival and adaptation, were prominently observed in Sundri, Gewa, and Amor trees. Mangroves possess a remarkable adaptation known as "salt

excretion," which enables them to effectively expel excess salt through leaf shedding, ensuring their resilience within saline coastal ecosystems (**Figure 3.25**).



**Figure 3.25: Phonological Behaviors Observed during this Monitoring Period**

#### *Pest and diseases status*

A variety of symptoms point to potential disease or damage across several tree species: The most afflicted tree, nevertheless, is the sundari, which exhibits all pest and disease signs. Sundari trees suffer from ragged leaves, branch decay, bark issues, and color change before fall, while Passur exhibits black leaves, cankers, galls, and hollows. A proportion of sundri is seen to be dead from top to bottom in all plots. It has already been established that the portion of sundri stems which have been killed by top dying are subject to invasion by decay fungi. Gewa shows leaf holes, peeling bark, and hollows, and Goran experiences twisted leaves, green spots, and black leaves. Hetal exhibits black leaves and dying branches, while Amor displays ragged leaves and twisted leaves. Urmal suffers from dying branches on one side. In Hiron point and 1<sup>st</sup> plot of akram point where excessive siltation has buried all or a portion of the pneumatophores, Gewa in particular and other tree species in general have been seen very little new growth; quite often such branches are seen to die and ultimately most of the affected trees die or show rapid death from the top downwards. Further investigation is recommended to diagnose the specific causes and implement appropriate measure. The following **Table 3.21** summarise the observation of disease from last visit. Overall, the multi criteria analysis paints a clear picture of varying forest health across the surveyed plots. The variations in pneumatophores, crab holes, seedlings, saplings, canopy coverage, light intensity, carbon sequestration, diversity, and wood debris paint a nuanced picture of the ecological health and



**Figure 3.26: Twisted Leaves of Amoor with Hollow and Spots**



**Figure 3.27: Twisted or Mail Formed Brown Leaves with Spots or Bumps on Leaves**

diversity across these locations. Such insights are invaluable for conservation efforts, guiding tailored strategies to preserve and sustain the rich biodiversity of the Sundarbans.

**Table 3.21: Observation of Disease**

Sl. No.	Symptoms of disease or damage	Species name
1	Tree has ragged leaves with holes	Sundari, Passur, Gewa, Goran, Amor
2	Black or brown leaves	Hetal, Sundari, Goran, Gewa, Amor
3	Spots or bumps on leaves	Passur, Shundari, Goran, Gewa
4	Twisted or mail formed leaves	Sundari, Amor, Gewa
5	Leaves changing colour before fall	Sundari
6	Branch decay	Sundari, Passur
7	Peeling or broken bark or holes in the bark	Gewa, Sundari
8	Dying branches on one side of crown	Sundari, Hetal, Urmal
9	Canker	Passur, Sundar
10	Gull	Passur
11	Hollows	Sundari, Passur, Gewa, Amor, Goran
12	Fungi	Passur, Sundari
13	Green or brown spots	Goran

Source: CEGIS field visit, Nov 2023





## 4. Social Environment

### 4.1 Introduction

Social safeguards refer to the policies, procedures, and measures intended to mitigate unexpected negative impacts of the development projects. This safeguard monitoring is a follow-up study that conducted following the guidelines of DoE and Environmental Management Plan (EMP), suggested in the Environmental Impact Assessment (EIA) Report.

The objective of the social safeguard monitoring is to ensure compliance during the project's construction and operation phases. Though the construction phase is not completed yet, MSTPP has already started its production of the operation phase. The monitoring was held to check the compliance status of the working environment, community safety and security, and impact on livelihoods (due to project intervention), and status of Corporate Social Responsibility (CSR). Additionally, the Corrective Action Plan (CAP) suggested addressing the non-compliance or partial compliance issues based on the findings of the safeguard monitoring.

#### 4.1.1 Methodology

This monitoring was conducted using basic social data collection tools i.e. informal or formal consultation, key informant interviews, group discussions and physical observation applied to collect data from the study area as well as the project management unit. The consultations were held at the MSTPP office and Niramoy Medical Center, where relevant project officials provided their feedback in response to the issues of the checklists. In addition, physical observation, group discussion and informal interviews were held with local people and LGIs at different location in the project site and in the study area i.e. Zero Point, Kapasdanga, Barni, Sapmari-Katakhali, Rajnagar and labor sheds in the project area for getting people's/labors views and opinions about the safeguard issues of MSTPP. The monitoring locations are shown in **Figure 4.1**.

#### 4.1.2 Findings of Social Safeguard Monitoring

##### *Impact on Livelihoods*

Scope of local people engagement in laboring activities has found to be decreased only a few were found engage in coal loading-unloading and transportation activities. However, the MSTPP authority stated that some semi-skilled and unskilled employees will be required in the operation phases of the proposed project which is under process.

According to the local inhabitants, they faced fraudulent in the recruitment of MSTPP. Community contact person, charge an amount (BDT. 30,000) for recruiting each person in the MSTPP project. After paying the amount or under mutual understanding of payment the local people are recruited in the MSTPP under different subcontractors. In this process, the recruited people faced several challenges i.e. the committed post and actual post is not matched and degraded in most cases, work tenure of those recruited employees are not actually maintained in the work field and so on. Also, some of the local people claimed that they even do not get the job after paying the asking amount to that contact person.

Local people urge that the MSTPP authority will take necessary action to identify these fraudulent cases and ensure the punishment of corrupted people engaged with this recruitment.

According to the statement of Rajnagar and Gaurambha Union Chairmen, mediators works for supplying the employees/labors in the project site. Though, those employees/laborers are local

citizen, but the chairmen could not like to take the responsibility of any unethical occurrence conducted by those laborers because there has no bond with MSTPP under the responsibility of these laborers. On the other hand, the project authority said they do not have such scope of bond signing in this regard, however, they recruit the local labors under the certification of respective chairmen in the birth certificates and NIDs.

In terms of generating new scope of employment by the influence of MSTPP, It is observed that about 300+ non-motorized vehicles move to the approach road of the MSTPP. Also, tea-stalls, mobile recharge services, food and beverages, restaurants, vegetable selling shops, fish market, meat shops and mobile banking services are found to be located beside the approach road and the residential and labor camps area of the MSTPP. In the market of the MSTPP, total 39 different types of shops have been constructed of which 25% of shops (9 in number) will be distributed among the local PAPs who were the owners of the project land. Land value of the MSTPP surroundings is increasing and investors are keen on to purchase land in these areas. Therefore, several local people engaged to earn money by acting as mediator for land selling and purchasing.

The MSTPP authority is also committed for the skill development of the PAPs by generating semi-skilled and skilled labors in the study area. Previously, the project authority initiated some training for skill development of the local people and provide some necessary logistics for their development but the outcome is not reach up to the mark. Thus, the authority has planned to restart the skill development training activities with a new dimension and design frame considering the local demand, and available job opportunities in the study area.

#### *Working Environment*

Workers health and safety issues are sensitively monitored for ensuring safe working environment of the workers. Tri-party coordination meeting with the participation of BIFPCL, BHEL, and other sub-construction companies was regularly held to ensure compliance with the working environment, though in sometimes it become discontinuous because of highly focusing on the operational activities. In new labor recruitment process, labors medical tests and safety sense are tested, and passing the tests the labors are recruited for works.

In MSTPP office, newly recruited employees are included under a health insurance program. In addition, necessary medical supports i.e. medicine, diagnosis, general operation, ICU bed with oxygen support, private ambulance service, physiotherapy etc are provided to the employees in a minimal or free of cost. Employees have to pay for lab test and medicine cost for the ICU.

At present, most of the temporary labor sheds are empty and only a few are operational which found in better condition in terms of cleanliness and accommodation capacity than that was in the previous quarter. Residential laborers are complained about the quality of food whereas they also agreed about the excessive cost of food that is expected to be arranged.

Asbestos and debris are improperly managed to the adjacent of the construction yards which was already mentioned in previous quarter but no significant changes are yet to be observed while the authority stated that they are looking for sustainable way of asbestos management. In addition, laborers working in coal loading and unloading activities in the project site, used the necessary safety equipment but there has no covering system in the vehicle using for internal coal transportation or on the conveyor belt used for coal transportation from the lighter ships which disseminate the dry coal ashes to the surroundings.






Figure 4.1: Socio-Economic Environment Monitoring Location







Source: Field Survey, October 2023.

**Figure 4.2: Debris Management and Coal Handling Activities in the Project Area**

The authority has initiated to splash water all through the project area in twice a day for controlling the dust while in coming few months the weather will be drier when excessive dust will flow in the project site.

Also, The MSTPP authority sets up their own fire station in the project site with necessary equipment's and vehicle supports. A designated place for emergency assembly point is selected which is not sufficient for operation phase, and the authority stated that in future they will include more assemble points in the project area and it residential units.

#### *Grievance Redress Mechanism*

The project authority installed a grievance box for addressing the grievances of the workers but the community-level grievance redress mechanism is not yet developed whereas it's need has been mentioned in several times in the earlier monitoring phases. Some grievances are raised in local level and they are tried to raise it to the MSTPP authority but unfortunately there have no way to reach their grievances to the top management of MSTPP. The assigned BIFPCL official is not well connected with local community, and suddenly visited to the project surrounding unions for a very short time which is not at all enough to deal with the grievances in local level.



Source: Field Survey, October 2023.

**Figure 4.3: Discussion at Rajnagar Union Complex**



**Figure 4.4: Discussion at Gaurambha Bazaar**

### *Community Health and Safety*

The project is now in operation phase, no major issues related to the community health and safety are yet to be raised by the local people. However, the monitoring team observed that coals are handled in uncovered vehicle within the project area, even the belt used for unloading the coal from the lighter vessel is also not properly covered which might be the concern regarding health and safety of the local community as well as biodiversity.

There have also a regular maintenance dredging provision in this proposed project but no proper location is yet to be defined for managing the dredged materials. Therefore, improper management of this dredged material would be harmful for the human health and natural ecosystem in the locality. Therefore, a comprehensive dredged material disposal plan has been suggested and it is repeatedly mentioned in previous quarter reports.

Indeed, the authority-initiated tree plantation within the project area for maintaining health environment and so far 84000 trees were planted where target is to be planted around 3 lac trees within and periphery of the project area. Unfortunately, because of some internal complicity, this program was halted over last 2 years and authority has taking initiative to restart this plantation program soon and arranged necessary preparation in this regard. According to the MSTPP authority, some initiatives has been taken to restart this plantation program which might be reflect soon upcoming quarter monitoring.

### *Corporate Social Responsibility (CSR)*

The proposed project is not operated in full swings, however the authority started their CSR activities from the pre-construction and construction phases of the proposed project and they are committed to continue it. Under the CSR activities, they provided free medical facilities, livelihood and skill development trainings, installation of ROs for ensuring safe drinking water for the community people, distribution of school bags, umbrella, blankets, wheel chairs etc for the local students and other people, and contributed in local cultural and national festivals.

In this quarter, the authority involves in existing ROs operation, new RO construction and handed over, re-initiating free medical service providing services which was temporarily halted during Covid -19 pandemic situation.

According to the response of the local people, this RO services are highly appreciated. They additionally urge for arranging livelihood improvement program by the BIFPCL authority what they initiated few years back. But, the module of this program should be different from the previous, and should include practical field oriented courses which might also be required for operating the MSTPP Project.

### *RO System Installation*

In this quarter, 4 new RO/clean water distribution systems are added with the previous 5 ROs operated in Rajnagar, gaurambha and Burirdanga unions. Three of the newly constructed ROs are located at Burirdanga union and 1 in Mongla Paurashava. One (1) RO in Prasadnagar village under Gaurambha Union is temporarily non-functional, due to complexity in electricity bill payment which is not yet solved over 1 year past of it malfunctioning. The problem in RO water supply in Sayrabad village is not resolved and the household of the tail end of the supply line still suffering for fresh drinking water scarcity. All these two issues are informed previously to the project authority but no action is yet to be taken from their end.

It is noted that 2 ROs are constructed by the MSTPP fund at Hurka Union which is just in handed over condition.

### *Rally, Wreath Laying, Doa Mahfil, Drawing Competition, and Others*

Rally, Wreath Laying, Doa Mahfil and other programs were held at the National Mourn Day in the MSTPP Project office. Head of the project office attended all the programs with the officials of MSTPP. At the morning session, rally, wreath laying and tree plantation were held. At the evening, the discussion session



was held chaired by the Head of the Project Office where the Local Administrations, Media Personal and LGIs of the surroundings were invited. After the discussion session, prayer for the peace of eternal soul of Nation of the Country Sheikh Mujibur Rahman and his family members were held.



Source: PMU, MSTPP, October 2023.

**Figure 4.5: Rally and Wreath Laying at National Mourn Day**

The MSTPP authority arranged drawing competition in the Rajnagar Union at Sheikh Rassel Day on 18<sup>th</sup> October 2023. About 50 children attended in the competition and all logistics support with the prizes among the contestant were given by the MSTPP.



Source: PMU, MSTPP, October 2023.

**Figure 4.6: Drawing Competition at Sheikh Rassel Day**

### Book Distribution and Others

On the National Mourn Day, the authority distributes historical and knowledge developing books among the students of the surrounding unions. About 40-50 students of the surrounding unions attended in the program and collected the books from the guests of the programs.




Source: PMU, MSTPP, October 2023.

**Figure 4.7: Book Distribution at National Mourn Day**

#### Medical Facilities

OPD, laboratory test, physiotherapy service and free medical services are found to be continued in this quarter. In addition, free dengue test is recently included in the services. In total 4334 patients receive services during August, 23 to October, 23 in this quarter in which significant number of patients receive OPD and free medical services. Detail of the gender specific service receiver in reflected in the Figure 07.



Source: Niramoy medical center, October 2023

**Figure 4.8: Medical Campaign from May 2023 to July 2023**

### Autonomous Development People Expectation to MSTPP

The autonomous development scheme was same as previous. No such development project is found to be initiated in the project surrounding areas.

However, people of the Durgapur village requested for a safe bridge in two specific points (marked in the picture below) for connecting the local inhabitants with the MSTPP Approach road which will be the convenient and time saving way of communication of this area. It could positively impact in their economic development by providing necessary services at the residential blocks in the power plant.



Source: Field Survey, October 2023.

**Figure 4.9: Expecting Safe Bridges with the Connecting Approach Road**

#### **4.1.3 Recommendations**

- a. Recruitment of local laborers are limited at this operation phase, but, whenever local labors are required then it should be recruited through a proper process, by direct recruit under an open circular system;
- b. Re-consideration about the issue of new local labor recruitment of Rampal Upazila, in terms of allegation of thief to the existing local labors of that upazila;
- c. Local people have limited technical knowledge align with the MSTPP, therefore authority should train up the local potential work force in the align scopes of the MSTPP i.e. training on masonry, carpentering, electrician & electronics, welding, driving, rod binding and machineries operation;
- d. The representatives of BIFPCL should keep communication with the chairmen of adjacent union and placed their requirement of employment, or any CSR services to the monthly coordination meeting of the respective unions so that it can be easily disseminate to the community. Because most of the local people are unaware about their support services and offers;

- e. A grievance box for the local community level is a must and it should be established to the main gate of MSTPP with maintaining proper security system. An authorized grievance redress committee (GRC) should be formed to monitor and resolve the locally raised problem related to the MSTPP;
- f. So far, the maintenance dredging and dredged material management are conducted in an unplanned way. A proper dredged material plan should be developed for easily maintaining this dredged material issue in the coming future;
- g. Asbestos and debris should be properly managed in the construction yard. These are harmful and life threatening for the people moving in the construction yards;
- h. Coal is transported from one place to another. the transport vehicles are transported the coal in uncovered way which should be covered as per the provision in ESPM of the Proposed Project. Otherwise, disseminating dry coal in the surrounding area as well as water bodies may harmful for the depending species in that community;
- i. As the project is now in operation phase, so plantation program should be re-initiated soon otherwise it real benefit will not be reflected and project may face extensive criticism in future. Problem in Sayrabad RO should be solved through direct intervention of the project authority. In this regard, they should communicate with the Chairman to resolve this issue soon and ensure the service for tail end of the pipe line;
- j. The authority should take some initiative to construct two bridges over the Maidara Khal which may connect the villagers of Durgapur to the Approach road of MSTPP. It is to be noted that the authority can donate some amount in this regard under the CSR fund;
- k. Rehabilitates should be given preference under CSR program (i.e. van distribution, providing floating businesses arrangements etc.) as they are seriously affected by the project, and still under the threat of another shifting; and
- l. CSR activities should be performed prioritizing the PAPs. This should be audited by a third-party monitoring team.



## 5. Environmental Compliance

### 5.1 Introduction

The purpose of this environmental compliance report is to draw attention to any instances, real or imagined, in which Bangladesh-India Friendship Power Company Ltd. (BIFPCL) has failed to comply with the standards and guidelines and mitigation steps outlined in the EMP measures in the EIA report. The report will show the steps necessary to guarantee that all supply chain operations, from the deployment of raw materials to the production of electricity, are consistent and comply with DoE conditions as well as the Environmental Management Plan (EMP) requirements stated in the EIA report. It will do this by providing an operational translation of local laws, international standards, and company codes.

However, on 30<sup>th</sup> October 2023, an E&S team from CEGIS paid a routine inspection to the plant in order to gather the necessary data, considering the bio-physical and other relevant parameters. This was done through a thorough walk-in visit, meetings with plant officials, general laborers, and overall, close observation of the ongoing work at the plant.

The present environmental compliance monitoring includes the status of EMP implementation based on physical observation, investigation and interviews/discussion to the proponents, project officials, relevant authorities and overall staffs of the entire plant. A comprehensive and detailed checklist was prepared to cover environmental compliance of different components e.g., Environmental and Social Management System and Action Plan; Labour and Working Condition; Community Health, Safety and Security; Biodiversity and Sustainable Management of Living Natural Resources, waste management and other relevant issues. Unlike the 37<sup>th</sup> environmental compliance monitoring report this quarterly report will focus on waste generation and its management in and around of the main plant and labour shed. It is noted that during 37<sup>th</sup> field visit we identified and requested to the respective authorities to take necessary measures for a set of anomalies regarding waste generation and its proper management. During 38<sup>th</sup> visit we went across again on those issues and found the same situation. CEGIS raised this issue in the meeting to consider this issue as urgent and project management has assured us to take immediate step to resolve the issue. Along with the previous issues we would like to bring the following issues to the respective authorities for an earlier solution:

- Waste management issues need to be solved as soon as possible. The lavatory waste sewerage facility at labour shed is inadequate that is causing substantial environmental hazard in and around the camp area. Maidara river bank seems clean during 38<sup>th</sup> visit as the authority has removed the construction waste bulk from the bank.
- Current Dredged material disposal practice seems unsustainable and harmful for the environment and the adjacent biodiversity. Proper dredged material disposal plan is highly recommended. We have discussed this issue in the meeting where a concurrence has made to develop the Dredged Material Disposal Plan (DMDP) as soon as possible.
- Coal Conveyor belt from jetty area to 1<sup>st</sup> Transportation Point (About 20 to 25 m) found still uncovered and lack of integrated dust control system allowing the coal ash to be dispersed in the air and nearby water body. Also, the grabber of the excavator was not enclosed that is also causing the air and river water pollution.
- Heap of Sand and other loose material were found uncovered at the labour shed and inside the plant premises.



- In general, the aim of this compliance checklists is to check the implementation and effectiveness of mitigation measures as stated in EIA. The checklists are produced as Compliance Data Sheet that contains both quantitative and qualitative data. The summary of findings of the environmental compliance monitoring are presented in the following **Table no. 5.1, 5.2, 5.3 and 5.4** respectively.

**Table 5.1: Monitoring of Environmental and Social Management System Action Plan Implementation**

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
1	Generation of Noise within the BIFPCL's Plant construction premises.	<ul style="list-style-type: none"> <li>Switch off / throttle down all site machinery, vehicles, water vessels, and generator when not in use</li> <li>No construction activities at night</li> <li>Use noise damper within the project boundary, Limit vehicle speed and monitor it at every suitable point.</li> </ul>	<ul style="list-style-type: none"> <li>Noise data are being monitored monthly and quarterly basis both night and day time at different sensitive areas (Labor colony, township) and compared with the ECR-2023 Standard which are being documented by EPC contractor.</li> <li>No noticeable noise detected except some gentle sound during the walk-in visit inside the project boundaries.</li> <li>Workers at heavy noise generating activities (i.e., piling, rod cutting etc.) have been provided PPE (ear plug and ear muff) and its usage are being ensured through safety audit.</li> <li>Idle machines / equipment / generators are switched off / throttled down.</li> <li>Generators with acoustic enclosures are only being used as and when required.</li> <li>Signboards regarding noise permits were not observed at site.</li> </ul>	Complied	<ul style="list-style-type: none"> <li>Schedule the Heavy noise related work if required and that should be disseminated to the workers and nearby communities before</li> <li>CEGIS team has suggested to attach precautionary signboard regarding noise management.</li> <li>Noise silencer should be imposed if any plan to run the work at night</li> </ul>
2	Dust generation from construction works	<ul style="list-style-type: none"> <li>Limiting activities for producing fugitive dust particle within project area</li> <li>Vegetation clearance and base stripping should be minimized.</li> <li>Vehicle speed restriction must be enforced to control dust generation.</li> </ul>	<ul style="list-style-type: none"> <li>Monthly and quarterly air quality monitoring in and around the project sites is being conducted and checked with ECR, 2023 standard.</li> <li>Crushed material, stone chips were well covered and also noticed the water spraying at those areas.</li> </ul>	Mostly Complied	<ul style="list-style-type: none"> <li>It is strongly recommended to cover all the Stockpiles of sand or any type of loose materials inside the plant premises and at the labour shed/camp.</li> <li>Face mask should be use wear throughout the workplace.</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>Earthen roads and undeveloped roads should be avoided to minimize dust generation</li> <li>Construction materials must be covered to protect from wind action</li> <li>Spray water regularly for suppressing fugitive dust</li> <li>Dust particle generated from access road must be controlled by spraying water during dry season.</li> <li>Stock piles of construction materials must be covered in order to protect from wind action.</li> <li>An appropriate freeboard must be maintained in trucks hauling construction materials.</li> </ul>	<ul style="list-style-type: none"> <li>Continuous water spraying on the dusty road was noticed. BHEL has contracted a company for 3 years for this job.</li> <li>Unlike the previous visit, some stockpiles of sand and other loose material were noticed uncovered.</li> <li>Now-a days, earthen stock piles are covered by natural green of tiny grasses. These are acting as shield cover for fugitive dust</li> <li>No black smoke observed because of plant and equipment are well maintained.</li> <li>Visual monitoring of dust is also being conducted.</li> <li>Appropriate freeboard was observed in the loaded truck</li> </ul>		
3	Water Quality	<ul style="list-style-type: none"> <li>Surface water must be saved from any harmful effluent emission and waste dumping from project site</li> <li>Provide closed system facilities and wastewater treatment plant to minimize discharge of effluents from worker's colony.</li> <li>Good housekeeping at workshop and construction site</li> <li>Appropriate equipment with safety measures should be used for storage and handling of lubricant</li> <li>Provide training and awareness building program to the workers</li> </ul>	<ul style="list-style-type: none"> <li>Surface water is regularly monitored. Most of the time the discharge water quality has been recorded within the standard limit (ECR, 2023)</li> <li>Waste water discharge due to construction activities is minimum and need based only. They are also meeting effluent norms.</li> <li>Most of the permanent drainage channel were found blocked by depositing earthen materials and other construction waste.</li> <li>There are two nos. of runoff settling ponds to settle the silt before discharge in to river.</li> <li>Waste water is being discharged in to the Maidara river without any further treatment.</li> </ul>	Mostly Complied at present	<ul style="list-style-type: none"> <li>Good housekeeping at workshop and construction site is strongly recommended</li> <li>All the drainage channel must be cleaned immediately for proper and quick drainage of the stagnant water.</li> <li>Waste water must have to be treated properly before final discharge into the river.</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<p>during construction. The training and awareness programs are:</p> <p>a) Arrange weekly consultation session among the workers through plant site managers. The duration of consultation is one hour according to ISO-14001 standard,</p> <p>b) Arrange monthly Environmental meeting among the mid-level officers through top management when those issues will be discussed under guidance of ECR 1997.</p>	<ul style="list-style-type: none"> <li>• Temporary chemical lab has been established where turbidity, PH, alkalinity, conductivity, chlorine, iron (Fe) parameters are being tested and monitored.</li> <li>• Drinking water is being supplied from M/S ABM/Canopass (1m<sup>3</sup>) RO water processing plant that is also being complied with ECR 2023 (Bangladesh).</li> <li>• A dedicated RO plant (5 m<sup>3</sup>) has been placed at Padma Abasan (temporary township) for drinking water.</li> <li>• ETP plant construction is almost finished where the effluent will be further treated before final discharge.</li> <li>• Training and awareness programs are being conducted regularly through PEP talks, lectures, one to one talk etc.</li> </ul>		
4	Waste Generation	<ul style="list-style-type: none"> <li>• Limiting site clearance and base stripping activities within the project boundary.</li> <li>• Gathering and stocking of construction materials and machinery must be within a limited area in the project boundary.</li> <li>• The project area has to be fenced prior to initiation of construction activities.</li> <li>• Stock piles of construction materials requiring cover up in order to protect them from wind and weathering action.</li> </ul>	<ul style="list-style-type: none"> <li>• During the visit, CEGIS team found most of the construction waste are compiled at the demarcated place but more attention is required to manage this practice as some wastes were scattered here and there.</li> <li>• Most of the Labour shed/camp area were found very dirty. Organic and inorganic waste were found on the roads/lanes inside the camp which are spreading the stench around the camp community.</li> <li>• No chemical or gaseous waste noticed during the visit as Chemical wastes are properly stored and labelled</li> </ul>	Partially Complied with many lacking	<ul style="list-style-type: none"> <li>• Strongly advised to keep the footpath of the labour shed clean and waste free.</li> <li>• Proper and immediate step need to be taken for the lavatory sewerage waste management at labour shed</li> <li>• Special care and training need to be conducted regarding source segregation of the waste</li> <li>• Awareness raising programs regarding waste recycle and reuse should be introduced.</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>The existing right of way have to be used for material transportation without creating any block</li> <li>Location of spoil stock pile ought to be located in safe area and protected from wind and rain action.</li> <li>No spoil store on River bank/slope</li> <li>Construction wastes must be reused or recycled as and where possible</li> <li>Burning of waste material should be restricted</li> <li>Quality housekeeping practice must be maintained by regular inspection and checking.</li> <li>Keep onsite waste collection and disposal facilities</li> <li>Keep provision of different colored waste bin for dumping biodegradable, reusable and recyclable wastes.</li> <li>Keep provision of awareness building meeting and training for employees</li> </ul>	<ul style="list-style-type: none"> <li>Limited but Onsite waste collection and disposal facility has been observed.</li> <li>Source segregation method were absent and not kept in separate labelled container.</li> <li>Though there are 769 different (Reported earlier) colored waste containers but not labeled by Bengali or English written sticker that is very important for source segregation of the waste.</li> <li>Burning of waste materials is strictly banned inside the plant premises.</li> <li>BHEL has engaged a company name Rahman Brothers in collaboration with the KCC for collection of waste from the disposal.</li> <li>Waste management training has been included in induction training of the labor.</li> </ul>		<ul style="list-style-type: none"> <li>Team advised again to label the waste container in written by both Bengali and English so that one can easily understand which container is for which type of waste. But still there is no progress in this issue.</li> </ul>
5	Compensation and Resettlement	<ul style="list-style-type: none"> <li>Proper resettlement action plan (RAP) and compensation plan if the Project needs any land acquisition addressing compensation, restoration, livelihood, living standards etc. based on proper socio-economic studies.</li> <li>Resettlement of the PAPs</li> <li>Cash Compensation under Law (CCL) before resettlement formal agreement</li> </ul>	<ul style="list-style-type: none"> <li>Compensation has been given to the rightful owners of the land as per the laws of Bangladesh e.g., 'Acquisition and Requisition of Immovable Property Ordinance, 1982.</li> <li>Compensation was paid by the local DC office as per law of the land.</li> <li>Local DC office facilitates to obtain house of the PAPs (settlers of the project area) in cluster villages provided by the GoB.</li> </ul>	In the process of Compliance	<ul style="list-style-type: none"> <li>The CSR activities should be oriented towards the affected people or household;</li> <li>CEGIS team advised several times to collect the original copy of compensation disbursement to the affected peoples from local DC office but this is not done yet.</li> </ul>



Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<p>with the affected people prior to migration/resettlement</p> <ul style="list-style-type: none"> <li>• Sufficient standing crop compensation</li> <li>• Compensation for movable structures</li> <li>• Retention of salvageable materials</li> <li>• Compensation for loss of trading income one-time moving assistance grant to cover loss of regular wage income</li> <li>• Has a resettlement plan been developed which includes compensation, restoration, livelihood, living standards etc. based on proper socio-economic studies?</li> <li>• Human provide/ take extra care/caution for the disadvantaged/ vulnerable group/s (women, children, ethnic minorities, indigenous people etc.)</li> <li>• Provision of monitoring the compensation and resettlement process</li> </ul>	<ul style="list-style-type: none"> <li>• Almost 12 affected families were stayed at Foyla cluster villages, at present 6 affected families are found to be resided and remaining are left this shelter because of unavailability of livelihood.</li> <li>• BIFPCL is giving priority to affected people in project employment or trained them as much possible.</li> <li>• 136 indirectly affected people were given compensation by the DC Office, Bagerhat.</li> <li>• In terms of generating new scope of employment, it is observed that about 300+ non-motorized vehicles move to the approach road of the MSTPP. Also, tea-stalls, mobile recharge services, food and beverages, restaurants, vegetable selling shops, fish market, meat shops and mobile banking services are found to be located beside the approach road and the residential and labor camps area of the MSTPP. In the market of the MSTPP, total 39 different types of shops have been constructed of which 25% of shops (9 in number) will be distributed among the local PAPs who were the owners of the project land.</li> <li>• 17 families got their residence who have shifted their houses from project area to Kapashdanga.</li> </ul>		
6	Livelihood and living condition	<ul style="list-style-type: none"> <li>• The labor recruitment policy must be formulated in such a way that the local laborers can easily get the chance of employment in the project work force.</li> </ul>	<ul style="list-style-type: none"> <li>• BIFPCL are recruiting the local people especially PAPs with the help of local government (UP Chairman and members).</li> </ul>	Partially complied	<ul style="list-style-type: none"> <li>• Drainage and sewerage facility must be improved for proper lavatory waste management.</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>Govt./NGOs need to provide support the skill development program and income generation activities to local people;</li> <li>For the increased movement of people and heavy vehicles, the road networks must be developed.</li> <li>Keep provision of sanitary toilet, one toilet for 10 persons.</li> </ul>	<ul style="list-style-type: none"> <li>In August, 2023 Total manpower at site was 3000 nos. Out of this, Bangladeshi manpower was 2800 nos.</li> <li>Previously an NGO "SAMAHAR" was engaged by BIFPCL to give livelihood training for the affected people.</li> <li>Provisions has been kept for health facilities to the labors as well as for the communities.</li> <li>The wage of the labor was found compatible with the national standard.</li> <li>Labour accommodation is clean but plenty of waste were found on the camp road that is polluting the camp environment.</li> <li>Quantity of toilet compare to the labour seems inadequate</li> <li>Inadequate drainage facility of lavatory waste made the whole workers camp very unhygienic.</li> </ul>		<ul style="list-style-type: none"> <li>Dirty water reservoirs must be cleaned immediately.</li> <li>1 toilet for 10 people should be ensured</li> <li>Health and financial support should be available for the labour in case of COVID and other health effects.</li> </ul>
7	Green House Gas Controlling Measures	<ul style="list-style-type: none"> <li>Restriction of any kind of solid waste disposal</li> <li>Approved pollution control devices to be fitted in equipment and machinery.</li> <li>Transport vehicles must not be overloaded.</li> <li>Avoid queuing of vehicles in areas adjacent to site, particularly near sensitive receptors including housing.</li> <li>Switch off / throttle down all site vehicles, water vessels, generator and machinery when not in use.</li> </ul>	<ul style="list-style-type: none"> <li>The EPC Contractor is using relatively new equipment and vehicles to reduce the GHGs emission.</li> <li>Equipment, generators and vehicles were observed switched off during non-operation period.</li> <li>Green waste is not being segregated from others that can be a major concern for GHG emission.</li> <li>Transportation vehicles observed with the appropriate load.</li> <li>No waste burning activities noticed inside the plant premises.</li> </ul>	Partially Complied	<ul style="list-style-type: none"> <li>Segregation of the green and food waste must be the top priority for the waste management team.</li> <li>Solid Waste Management (SWM) system inside the plant should be enhanced</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>Regular maintenance of water vessels, vehicles, generator and machinery in accordance with manufacturer's</li> </ul>			

Table 5.2: Monitoring of Labor and Working Condition

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
1	Working Conditions and Management of Worker Relationship	<ul style="list-style-type: none"> <li>Preparation of Human Resources Policies and Procedures for Direct workers;</li> <li>Defined Working condition and Terms of Employment for direct worker;</li> <li>Sustainably equivalent terms and condition for migrant workers;</li> <li>Compliance to national law of forming workers' organization;</li> <li>No discrimination and equal opportunity for all;</li> <li>Grievance Redress Mechanism.</li> </ul>	<ul style="list-style-type: none"> <li>BIFPCL is running through the HR policies and switching their professionals as per demand of the project.</li> <li>Based on the conversation with HR manager CEGIS team found all the agreement for the direct workers are well maintained.</li> <li>No discrimination was recorded among at labor level between local or migrating labor in Bangladesh</li> <li>BIFPCL has ensured minimum wage and working hours for the labor as per GoB rules and regulation.</li> <li>Routine medical checkup and emergency medical care has been ensured Continued in association with COVID management guideline.</li> <li>GRM procedure is available for the project workers and officials but Community GRM is absent. Community GRM box is still not to be fixed at main gate</li> </ul>	Mostly Complied	<ul style="list-style-type: none"> <li>Create fund to support the labour and his families in case of any fatalities</li> <li>CEGIS team repeatedly advised for Community GRM but authority is reluctant about this issue. The grievance box may be fixed just at the outside of the main entrance.</li> </ul>
2	Protecting Work Force	<ul style="list-style-type: none"> <li>The client will not employ children in any manner that is economically exploitative, or is likely to be hazardous or to interfere with the child's education, or to be harmful to the child health or physical, mental,</li> </ul>	<ul style="list-style-type: none"> <li>CEGIS team visited all part of the construction area and found no children involve in the construction and any other works.</li> <li>No forced labor has been recorded during the project tenure.</li> </ul>	Complied	<ul style="list-style-type: none"> <li>Complied but this should be continued strictly till the end of the pandemic.</li> </ul>

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
		spiritual, moral, or social development. • No Forced Labor	• Proper documentation of contract with the worker is being maintained which includes age limit, working hour, wage and benefit. • Workers get the safety clearance before initiating any work like – routine checkup of the work places and administrative clearance is being Implemented		
3	Safety at site	• Installation/Construction of Safety Fence around the Project area • Use of Personnel Protective Equipment's (i.e., safety vest, safety goggles, ear plug, safety shoes, gloves, dust mask, etc.); • Safety trainings for workers (i.e., fire control, working at height, working in heat, first aid etc.); • Practice of Tool box meeting, safety talks • Safe Storage of Hazardous Chemicals (e.g., fuel, flammable chemical, toxic chemicals, etc.); • Maintaining Material Safety Data Sheet (MSDS); • Provision of Health care facilities such as doctor, hospital etc. available at/nearby the Plant construction site; • Availability of First Aid at work place; • Preparation and Follow of Emergency Response Plan (ERP);	• BIFPCL has demarcated the specific construction site with appropriate warning sign. • It was impressive to see that all Labors and Project personnel are using appropriate PPEs like reflecting vest, helmet, safety shoes, gloves and face masks. • Fire-fighting system: Fire extinguisher - Foam type-27 no's, Soda type -Nil, DCP type-327 no's and CO2 type-215 no's have been kept at different places of sites. • In addition to this, two NOs of fire fighting vehicle, two NOs of ambulance with doctors are also available at sites. • Induction trainings and awareness program were given to 355 NOs of participants work force during month. • Regular Safety talk, safety meetings are being organized at site and also in class rooms. Photo are being attached. • Through safety park, continuous training on different issues is being given. • The OHAS Company named Cholamandalam has been looking into the occupational safety system of this project. • Safety walk-down at a regular interval by the OHS officer has been strengthening the HIRA process. • Emergency contact address was found on the board at the site for any kind of sudden incident. Different type	Complied	Satisfied but this process must be continued through the entire construction and operational phage.

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>Adequate fire precautions in place (e. g., fire extinguishers, escape routes etc.);</li> <li>Documentation and reporting of occupational accidents, diseases, and incidents;</li> <li>Policies and procedures for managing and monitoring the performance of third-party employers in relation to OHS</li> </ul>	<ul style="list-style-type: none"> <li>of awareness posters was also observed at the site premises (Pic attached)</li> <li>The existing temporary hospital are fully running with doctors and 24hr availability of ICU supporting ambulance at the Project site.</li> <li>Total Recordable Injury Frequency Rate (TRIFR) and Lost Time Injury Frequency Rate (LTIFR) are being followed.</li> <li>Warning sign, speed limit and convex mirror have been displayed at the strategic locations.</li> </ul>		
4	Occupational Health and Safety procedure	<ul style="list-style-type: none"> <li>Provision of complete EHS division in the Human Resources Planning/ Organogram</li> <li>Preparation of Safety Policy to be adopted during Plant operation</li> </ul>	<ul style="list-style-type: none"> <li>Adequate number of safety officers have been employed by the EPC contractor and Sub-contractors.</li> <li>The OHAS Company named Cholamandalam has been looking into the occupational safety system of this project.</li> <li>Zero major accident/ incident happened from 21st April 2021 till now except some minor injuries.</li> <li>Regular Safety talk, safety meetings are being organized at site and also in class rooms. Photo are being attached.</li> </ul>	Being Complied	<ul style="list-style-type: none"> <li>OHS should be a Continuous process regarding awareness build-up and strict to the safety issues,</li> <li>Continued the safety training, buildup the awareness and make the labour habituated with the safety procedure</li> </ul>
5	Workers Well Being	<ul style="list-style-type: none"> <li>Provision of Welfare facilities for Worker/Labor such as, timely bonuses, wage, overtime, sick leaves, vacations etc.;</li> <li>Routine medical check-up and emergency medical care for the sick and injured;</li> <li>Appointment of a leader amongst the labor group, who will look into workers' well- being.</li> </ul>	<ul style="list-style-type: none"> <li>Workers are satisfied with the residence facilities provided by BIFPCL. No dissatisfaction among the workers observed.</li> <li>BIFPCL has developed apps <a href="https://bifpcl.com/safety.aspx">https://bifpcl.com/safety.aspx</a> for stepping up the safety issues well.</li> <li>BIFPCL has ensured the benevolent grant developed by the contractor for the victim's family as per Government' rule.</li> </ul>	Complied	

Sl. No.	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
			<ul style="list-style-type: none"> <li>• Basic amenities like food, medicines, hygiene etc. are being ensured in labor colony</li> <li>• Workers get lemon or water during work period</li> <li>• Basic Medical care with free medicine and counseling is being provided to workers on regular basis.</li> <li>• Vitamin-C rich fruits, ORS distribution being done to contract workers occasionally.</li> <li>• Grievance mechanism available for the workers that usually address the safety issues.</li> <li>• No labour association identified yet to look after workers 'well-being issues</li> </ul>		

Table 5.3: Monitoring of Community Health, Safety and Security

Sl. no	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
1	Disturbance to nearby community due to dust from developed land and Noise from construction activities	<ul style="list-style-type: none"> <li>• Construction of boundary wall around the Project area;</li> <li>• Installed water spraying system to control dusts;</li> <li>• Conducting dust monitoring and visual inspection around the site boundary;</li> <li>• Adopted noise management plan.</li> </ul>	<ul style="list-style-type: none"> <li>• Boundary wall construction is almost completed except some part from Bridge area to Jetty area.</li> <li>• Some sand pile and other loose material were found uncovered that could be a concern for the local communities.</li> <li>• Water is also being sprayed regularly on the stockpiles and registered.</li> <li>• Environmental Monitoring team from CEGIS is routinely communicating with the nearby communities for assessing impacts and related complaints on dust generation issue.</li> <li>• CEGIS team regularly monitors the noise level in the ambient area of the project site</li> </ul>	Mostly complied	<ul style="list-style-type: none"> <li>• Uncovered sand and other flyable material should be covered and watered regularly.</li> <li>• Any complaint regarding noise and dust from local people must be addressed immediately and recorded accordingly in the register.</li> <li>• The grievance register box should be placed at the gate of MSTPP so that the communities could easily put their written complain there.</li> </ul>



Sl. no	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
			<p>like Bajua, Mongla, koigordashkathi and it meets the standard nose level.</p> <ul style="list-style-type: none"> <li>Community GRM system was absent that is considered as an important tool to identify communities complain</li> </ul>		
2	Grievance of local people	<ul style="list-style-type: none"> <li>Availability and operation of Grievance Redress Mechanism;</li> <li>Maintaining open communication channel with the local community.</li> </ul>	<ul style="list-style-type: none"> <li>Social liaison officer is working for maintaining relation with local communities especially the CSR activities.</li> <li>BIFPCL regularly display the progress of the development through their website (<a href="https://www.bifpcl.com/">https://www.bifpcl.com/</a>) and disclosure meeting at the local government</li> <li>Though BIFPCL is receiving grievance from local community through local government like Union Chairman or Local Administration. Community Grievance Redress Mechanism (CGRM) has yet to be in action. It should be started as soon as possible.</li> </ul>	Mostly complied	Recommend and advise in each quarterly meeting to initiate the community GRM procedure so that the local community could easily state any grievance properly. But this issue has yet to be done.
3	Risk of breaching Community Safety	<ul style="list-style-type: none"> <li>Construction of boundary wall/safety fence around the Project area;</li> <li>Practicing Risk Assessment and Evaluation Process;</li> <li>Practicing safe management for hazardous materials which may pose threat to the community;</li> <li>Availability and operation of Emergency Response Plan;</li> </ul>	<ul style="list-style-type: none"> <li>Boundary wall construction is almost completed except some part from Bridge area to Jetty area.</li> <li>Initiated numbers of pollution mitigating system for protecting the dust and other pollution outside to the project area.</li> <li>Strictly prohibited to enter outsider to the project site or labor camp were observed. And if required entry pass is being checked by the security guard to enter the project site area.</li> </ul>	Complied	<ul style="list-style-type: none"> <li>Keep on tack about the communicable disease transmission between the labors and nearby communities</li> <li>Again, a grievance Box is strongly recommended for the community to raise their complaints.</li> </ul>

Sl. no	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>• Maintaining open communication channel with the local community;</li> <li>• Training and instruction to the security personnel about their behavior and communication with the local people;</li> <li>• Aware the security personnel about the right of the community people.</li> </ul>	<ul style="list-style-type: none"> <li>• No conflict has been noticed between local communities and project authorities or workers.</li> <li>• Project Security personnel is well trained and instructed by the authority to demonstrate a decent behavior and attitude to the local communities.</li> <li>• Though BIFPCL is receiving grievance from local community through local government like Union Chairman or Local Administration, Community Grievance Redress Mechanism (CGRM) has yet to be in action. It should be started as soon as possible.</li> </ul>		
4	Community Health and Risk	<ul style="list-style-type: none"> <li>• Provision of providing health service facilities to community if the Project poses any health risk like sexually transmitted disease, contract disease, vector-borne diseases;</li> <li>• Implement all pollution mitigation measures to ensure safeguarding to community.</li> </ul>	<ul style="list-style-type: none"> <li>• Continued the medical facilities (consisting medical officer, medical assistant, office assistant) at Plant site for checkup the communicable diseases of the workers and staffs;</li> <li>• OPD, laboratory test, physiotherapy service and free medical services are found to be continued in this quarter. In addition, free dengue test is recently included in the services. In total 4334 patients receive services during August, 23 to October, 23 in this quarter in which significant number of patients receive OPD and free medical services.</li> <li>• In this quarter, 4 new RO/clean water distribution systems are added with the previous 5 ROs operated in Rajnagar, gaurambha and Burirdanga unions.</li> </ul>	Complied	<ul style="list-style-type: none"> <li>• BIFPCL may introduce awareness program for STD and other transmitted diseases from workers to the community.</li> </ul>

Sl. no	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
			<ul style="list-style-type: none"> <li>BIFPCL arrange regular weekly health service program (medical consultation and free medicine) for the local community considering the COVID situation.</li> <li>EPC contractor is training up the labors about protective action taken to avoid vector borne diseases and HIV positives and COVID pandemic to prevent transmission to the local community.</li> </ul>		
5	Youth Employment (Local)	<ul style="list-style-type: none"> <li>Providing training/awareness program for the local youth to let them aware about the required qualification to get involved in the Project related activities. Emphasis to recruit local labors according to their skills and capacities.</li> </ul>	<ul style="list-style-type: none"> <li>Regular communication is being maintained with the local government and community representatives for labor recruitment</li> <li>An NGO "SAMAHAR" was engaged by BPDB to give livelihood training for the affected people.</li> <li>The proponent took a number of initiatives to encourage local students through awarding them scholarships before the COVID situation. These promotional activities are currently shut.</li> <li>BIFPCL took initiatives and provided computer training for generating ICT skill among local people. Besides, BIFPCL have also plan to initiate skill development trainings on electric and electronics, driving, painting, welding, health and hazard safety, fittings, etc.</li> <li>Feedback of the computer literacy training is not at all satisfactory where none of the trainees applied their training skill in income generating activities yet. Therefore,</li> </ul>	Being Complied	<ul style="list-style-type: none"> <li>Training related to skilled construction work i.e., masonry, rod binding, plumbing, carpenter, electrician, lineman, elevator mechanic, glazier, iron worker, driving, heavy equipment operator or laborer etc. should be introduced immediately.</li> </ul>

Sl. no	Potential Impacts	EMP measures as proposed in the EIA	Actual measures already Implemented	Compliance Status	Recommended Action
			before arranging such training in further, local interest and demand should be assessed.		
6	Public Communication, Consultation and Awareness	<ul style="list-style-type: none"> <li>• Arranging public communication/ consultation meeting;</li> <li>• Sharing of Project information with local people;</li> <li>• Organizing environmental and social awareness programs/meetings.</li> </ul>	<ul style="list-style-type: none"> <li>• One social liaison officer is working (24x7) continuously for developing relation with local communities.</li> <li>• Social expert from CEGIS also use to visit the nearby community at quarterly basis to get their opinions.</li> <li>• Regular consultation meetings are being carried out with the local government and administration</li> <li>• Environmental and social awareness programs are organized and conducted by proponent on a regular basis except during the COVID situation.</li> <li>• BIFPCL regularly display the progress (thru Video) of the development through their website (<a href="https://www.bifpcl.com/">https://www.bifpcl.com/</a>) and also disclosure meeting at the local government.</li> <li>• The local people are aware regarding the project activities from multiple sources like consultation, display board, website etc.</li> </ul>	Mostly Complied	<ul style="list-style-type: none"> <li>• BIFPCL may use print media, social media, digital media for spreading the accurate updated project information</li> <li>• The proponent should aware and clarify the project related important issues to the local people to stopover any rumor.</li> </ul>

**Table 5.4: Monitoring of Biodiversity and Sustainable Management of Living Natural Resources**

SI No	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
1	Rainfall runoff from the construction site would cause deterioration of aquatic ecosystem.	<ul style="list-style-type: none"> <li>• Installation of proper runoff drains;</li> <li>• Use of sediment fences, traps and basins for trapping the sediment, if required.</li> </ul>	<ul style="list-style-type: none"> <li>• Permanent drainage system to discharge waste water from the plant premises has blocked by earthen materials and other construction waste.</li> <li>• EPC Contractor is monitoring the water quality on monthly basis at every outlet of the project site and comply with the ECR 2023 standard</li> <li>• Though there are two settling ponds to settle the silt from Rainfall, runoff and other construction water but the waste water is being discharged to the Maidara river body without any proper treatment. This is very concerning in terms of aquatic biodiversity and water quality.</li> <li>• Runoff/wash away of the sediment is comparatively low to zero during this dry season.</li> </ul>	Partially complied	<ul style="list-style-type: none"> <li>• Drainage channel should be cleaned immediately to run the stagnant water from the plant premises.</li> </ul>
2	Disturbance to nearby ecosystem due to different construction activities	<ul style="list-style-type: none"> <li>• No cutting/ felling of trees along the river bank;</li> <li>• Implementation of onsite waste and air quality management plan;</li> <li>• Limiting soil extraction activities within the defined area;</li> <li>• Limiting the vegetation clearance and base stripping process within the Project boundary;</li> <li>• Safety fence around the construction site;</li> <li>• Limiting the use of night light;</li> </ul>	<ul style="list-style-type: none"> <li>• Most of the civil works has already completed. Now only the mechanical (instrumental and machine fitting) and electrical works are under-way. Thus, the risk of deforestation and disturbance to the nearby ecosystem are minimal now a days.</li> <li>• Limiting the vegetation clearance within the Project boundary especially around the ash impoundment.</li> <li>• Based on the MoU signed with Forest Dept., Bangladesh out of 2 lac saplings in 3 years, 80,000 plantations have already done.</li> </ul>	Being Complied	<ul style="list-style-type: none"> <li>• Advised to finish the unfinished plantation ASAP.</li> <li>• Regular monitoring of the planted trees.</li> <li>• Reduce the rate of mortality at the sapling stages.</li> <li>• Top soil management should be strictly followed.</li> </ul>

SI No	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
		<ul style="list-style-type: none"> <li>Using shade (directed downwards) around the outdoor lights;</li> <li>Provision of cut-off time to switch off unnecessary lights at night;</li> <li>Initiate Green plantation;</li> <li>No plantation of non-native species;</li> <li>Retaining top soil for future habitat restoration;</li> <li>No degradation of sensitive habitat.</li> </ul>	<ul style="list-style-type: none"> <li>1000 plantation has done by the side of township area and another 2000 will be done soon.</li> <li>They are maintaining the EMP measures in a desired way for protecting the adjacent ecosystem.</li> <li>No alien species has been recorded</li> <li>Wild species like avifauna and mammals are now recorded in the greenery areas of the project site</li> <li>Employees are aware about the rescues of species and no harm to wild species</li> </ul>		
3	Disturbance to river, inter-tidal areas and wet lands	<ul style="list-style-type: none"> <li>No encroachment of inter-tidal flood plain area;</li> <li>No disturbance to Dolphin community;</li> <li>Monitoring of Ecosystem Health and Monitoring of Sundarbans Forest Health;</li> <li>If required, embankment should be constructed considering a setback distance from river/canal bank;</li> <li>Slope protection work along the Maidara River should be completed on an urgent basis before rainy season come, and;</li> <li>BIFPCL may take initiatives of excavating of silted reach of Maidara river near proposed township area to facilitate proper functioning of River for maintaining tidal flow dynamics</li> </ul>	<ul style="list-style-type: none"> <li>Monitoring of ecosystem health of Sundarbans, and around the Project site is being continued.</li> <li>The project is not obstructing the surface water flow.</li> <li>BIFPCL has started maintenance of the slope protection works</li> <li>Bank protection works of western bank of Maidhara river has finished</li> <li>EPC Contractor is monitoring the discharged water quality at each of the outlet from this project on a monthly basis.</li> <li>The project authority has constructed the permanent jetty as per approved layout.</li> <li>The Maidara river is showing its natural phenomena without any negative impact due to the construction interventions.</li> <li>CEGIS team has observed lots of construction waste dumped by the side of</li> </ul>	Complied	<ul style="list-style-type: none"> <li>Initiatives should be taken for excavation of silted reach of Maidara river to protect the rainfall runoff washout.</li> <li>Maidara river bank side should be cleaned immediately</li> <li>Proper protective measures must be taken to take care of Dolphin community</li> </ul>



Sl No	Potential Impacts	EMP measures as proposed in the EIA	Actual condition/ Measures already Implemented	Compliance Status	Recommended Action
			<p>Maidara river bank that may cause water pollution.</p> <ul style="list-style-type: none"> <li>Selected coal suppliers ensured the appropriate vessels with minimum sound for the coal transportation to avoid the disturbance to Dolphin community.</li> </ul>		

Table 5.5: Status of Compliance to the Conditions of DoE

Sl. No	Condition of DoE	Compliance Status	Remarks
1	This EIA Report is approved only for 1320 MW Khulna Coal Based Power Plant. Any expansion or extension of this Power Plant will require obtaining further Environmental Clearance with additional EIA Study.	BIFPCL has not yet initiated any plan for expansion or extension of the 2x660 MW Maitree Super Thermal Power Plant.	BIFPCL will comply with the condition prior to initiation of any expansion or extension of the Power Plant.
2	The Coal Specification and Power Plant technology should be maintained as per EIA report. In case any change in design the proponent must obtain consent from DoE.	The Coal Specification and Power Plant technology are being maintained as per EIA report so far. In case of any change in Plant design and coal specification, the proponent shall have to obtain early consent from DoE.	Suggested to comply as and when required.
3	Project Proponent may undertake activities for land development and infrastructural development of the Project.	BIFPCL has already completed land development and Infrastructure development activities mostly for the Block-A area. Both units are now under operation	Complied.
4	Project Proponent may open L/C (Letter of Credit) for importing machineries for the Project, which shall also include machineries relating to waste treatment plant and other pollution control devices.	The appointed EPC contractor has already imported maximum Equipment & machineries relating to waste treatment plant and other pollution control devices through opening the L/C.	Being Complied.
5	The activity under Proposed Khulna 1320 MW Coal based Thermal Power Plant Construction and operation shall not release any pollutant that affect human	BIFPCL engaged CEGIS as an independent entity for monitoring the construction activities for examining environmental impacts on quarterly basis before the construction works started and accordingly the environmental and social impacts are being monitored as per EMP	Being Complied.

Sl. No	Condition of DoE	Compliance Status	Remarks
	health or will have damaging impact on the environment or natural resources.	<p>since 2014. No significant impact of Power Plant activities on the surrounding environment or on the natural resources has been recorded and reported (by the community) yet. Moreover, to control the emission and pollution an Effluent Treatment Plant, ESP, and FGD etc. have already been incorporated in the technical specification of main Plant as per DoE stipulations. The progress is as follow:</p> <ul style="list-style-type: none"> <li>• <b>Effluent Treatment Plant (ETP):</b> Civil works of ETP has completed and now the mechanical and instrumental works are under way.</li> <li>• <b>Electro Static Precipitator (ESP):</b> Under operation</li> <li>• <b>Flue Gas Desulfurization (FGD):</b> Under operation.</li> <li>• <b>Desalinization plant:</b> Completed</li> <li>• <b>Low NOx burner:</b> Completed</li> </ul> <p><b>Online air and water quality monitoring system:</b> Steam and water quality analysis system has already been developed.</p> <p>For air quality monitoring DoE has already installed one device to monitor the online air quality data at Padma Abashan area and four (04) other devices has installed by BIFPCL around the plant premises which is now fully functional where SPM, SO<sub>x</sub>, CO, NO<sub>x</sub>, O<sub>3</sub> etc. are being monitored.</p> <p>Along with those measures, environmental compliance monitoring is also being continued in the project site in order to assess the impact on project ambient air quality, discharge water quality and noise level around the project site, working and labor conditions, occupational safety procedures community grievances etc. as per the monitoring plan stated in the EIA.</p>	
6	Proper and adequate mitigation measures shall be ensured throughout preparation, construction and operation period of the proposed Khulna 1320 MW Coal based Thermal Power Plant Project activities.	<ul style="list-style-type: none"> <li>• BIFPCL has taken appropriate mitigation measures conforming EMP and technical specification of main Plant at each of the stages of Project Development.</li> <li>• Proper safeguard measures for the safety of the workers were very satisfactory. Proper PPE and scaffolding structures were observed during the site visit.</li> </ul>	Being Complied.

Sl. No	Condition of DoE	Compliance Status	Remarks
7	Any heritage sight, ecologically critical area, and other environmentally, religious and archaeologically sensitive places shall be kept protected during Project construction phase.	There is no Religious and Archaeological place in and around the Project site. As a third party, CEGIS is continuously monitoring the potential locations and indicators which are sensitive to coal transportation in the Sundarbans ECA, Sundarbans Reserve Forest and Sundarbans World Heritage Site as per the guidance of DOE and Bangladesh Forest Department (BFD).	Being Complied and suggested to continue this compliance till and during the operation stage.
8	Environment friendly construction and development practices shall be followed that minimize loss of habitats and fish breeding, feeding & nursery sites.	All the construction activities along with the coal transportation system are being followed and will be followed through best practices and according to the EMPs of EIA Report. As the environmental monitoring survey does not have any noticeable anomalies, it can be concluded that the construction work is progressing in environment friendly procedure yet now.	Being Complied.
9	Construction works shall be restricted to daytime hours so as to avoid/mitigate the disturbance of local lives as well as implementation schedules of the works shall be notified in advance to nearby residents.	Construction related activities are restricted to daytime and sometimes extends to the late evening. The community responses towards construction works of Power Plant are being monitored and recorded regularly. Moreover, BIFPCL has appointed one social liaison officer who is working (24x7) for developing relation with local communities. Along with that quarterly community visit is also being conducted by a CEGIS social expert. Regular consultation meetings are carried out with the local government and administration in order to receive and realize the grievances and accordingly to redress those. There are no grievances related to the noise effects registered yet from the nearby communities.	Being Complied.
10	Proper and adequate sanitation facilities shall be ensured in labor camps throughout the proposed Project period.	EPC contractor and sub-contractor are providing sanitation facilities but not adequate for the workers. The ambient environment of the labour camp seems unhygienic in terms of waste management. Drainage facility of Lavatory waste from the labour camp is unsatisfactory.	Being Complied Proper Waste management around the labour shed must be ensured as soon as possible.
11	In order to control noise pollution, vehicles & equipment shall undergo regular maintenance; working during sensitive	All vehicle & equipment used at site are under regular maintenance and registration process. Working during sensitive hours like night time and operating machinery close to sensitive receptor like near the labor camps and residential areas are being avoided.	Being Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
	hours and locating machinery close to sensitive receptor shall be avoided.		
12	No solid waste can be burnt in the Project area. An environment friendly solid waste management should be in place during the whole period of the Project in the field.	<ul style="list-style-type: none"> <li>Burning of waste materials is strictly prohibited inside the project boundary.</li> <li>BHEL has engaged a solid waste management company who is now collecting the solid waste from the project area and dump it to the Khulna City Corporation (KCC) designated places.</li> <li>Development of environment friendly waste collection and disposal system like Solid Waste Management, STP etc. are being developed at the demarcated place in plant premises.</li> <li>In addition, waste management training has been conducted in a regular basis among the labor.</li> </ul>	Being complied
13	Proper and adequate on-site precautionary measures and safety measures shall be ensured so that no habitat of any flora and fauna would be endangered or destructed.	Quarterly monitoring activities are being carried out to examine the potential impacts on habitat of flora and fauna. No significant changes are yet recorded. Moreover, monthly environmental monitoring has been performed for noticing any harmful air pollutant emission or waste discharge form the project area.	Being Complied
14	All the required mitigation measures suggested in the EIA report along with the emergency response plan are to be strictly implemented and kept operative / functioning on a continuous basis.	<p>The proponent is giving top priorities to occupational health and safety issues. To keep the workers and the plant safe, plenty of precautionary measures has identified during the physical visit of the plant.</p> <ul style="list-style-type: none"> <li>An ICU rich hospital with an experienced medical team and ambulance has kept ready to provide the instant services</li> <li>In case of emergency situation for both BIFPCL and EPC contractor, a contract has been signed with a private hospital (GAZI medical, Khulna) for medical services.</li> <li>Emergency fire exit, the fire extinguisher, fire alarm has observed available and well-functioning.</li> <li>As a part of emergency response plan emergency contact numbers contained laminated poster has noticed beside the construction site.</li> </ul>	Being Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
		<ul style="list-style-type: none"> <li>Proper PPE and scaffolding have been observed during the field visit.</li> </ul>	
15	To control dust, spraying of water over the earthen materials should be carried out from time to time.	Periodic air quality monitoring in and around the project sites is being conducted and checked it with ECR 2023 standard. Monthly air quality monitoring at three locations inside the project boundary are being carried out. Based on the air quality monitoring findings and seasonal aspects, site specific water spraying is scheduled. BHEL has contracted with an external company for three years (renewable) who are spraying water as per schedule by three (03) water tankers to suppress fugitive dust.	Being Complied
16	Storage area for soils and other construction materials shall be carefully selected to avoid disturbance of the natural drainage.	<ul style="list-style-type: none"> <li>Many parts of the permanent drainage channel have blocked by the earthen materials and other construction residuals. This has created the water logging in the drain and thus created an unhealthy situation for the workers and its ambient environment.</li> <li>Sand piles and other construction loose materials were noticed uncovered.</li> <li>Plenty of construction residuals has been kept by the side of the Maidara river bank.</li> </ul>	Partially complied. <ul style="list-style-type: none"> <li>Proper housekeeping is strongly recommended.</li> <li>Strongly advised to cover up the sand pile and other loose material</li> <li>Construction residuals should be placed at the demarcated place.</li> <li>Maidara River bank should be cleaned immediately.</li> </ul>
17	Adequate considerations should be given to facilitate drainage system for runoff water from rain/tidal surge.	Adequate attempt has been adopted to facilitate drainage system for runoff water from rain/tidal surge as BIFPCL has already constructed the permanent drainage system for discharging water from the project area.	Being Complied.
18	Adequate facilities should be ensured for silt trap to avoid clogging of drain/canal/water bodies	Silt trap has been developed at the north-east corner of the project site. It is used to depositing the sediments coming with the storm water and finally discharge relatively sediment free storm water through the drainage line.	Being Complied.
19	The entire coal handling system should be designed as an enclosed (and not only covered) conveyor system. There should be integrated dust control system with dust extraction and bag filters at unloading areas	<ul style="list-style-type: none"> <li>Entire coal handling system is designed and constructed as an enclosed conveyor system as per DoE requirement. During the field visit it is observed that about 20 to 25 m coal conveyor belt is still uncovered that is allowing dispersion of dry coal ash. Integrated dust control system with dust extraction system/bag filter and dust</li> </ul>	Mostly Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
	and at each transfer points on the conveyor system.	<p>suppression system at crusher house, unloading points, transfer points has been specified in the technical specification of Main Plant EPC contract package. Refer Section (V), B4 of Technical Specification.</p> <ul style="list-style-type: none"> <li>During the 38th field visit by CEGIS team it is observed that about 100% installation of the closed system coal conveyor belt from jetty to the coal shed has completed.</li> </ul>	
20	Coal Plant should have high-efficiency bag filter for arresting dust emissions.	<p>Integrated dust control system with dust extraction system/bag filter and dust suppression system at crusher house, unloading points, transfer points has been specified in the technical specification of EPC contract. Refer Section (V), B4 of Technical Specification (Clause no B4.3.1.4).</p> <p>High-efficient ESP for unit-1 is now under operation that will control the dust emission.</p>	Compliance action initiated.
21	Coal should be stored in a covered storage yard.	Based on the EPC contract package, Section (V), B4 of Technical Specification (Clause No B4.3.1.6), the coal shed construction has already finished and the sheeting work is at finishing stage.	Being complied
22	The entire coal stockyard should be covered with water sprinkler provided with automated moisture sensor to control self-combustion.	<ul style="list-style-type: none"> <li>All these stipulations have been included in the technical specification of Main Plant EPC contract package, Section V, B4 of Technical Specification.</li> <li>Out of 4 coal stockyards, construction of 2 stockyard is fully completed and the construction of remaining 02 stockyard in underway.</li> <li>Automated moisture sensor has observed to protect coal self-combustion.</li> </ul>	Being complied
23	100% utilization of fly ash and bottom ash should be planned and implemented throughout the operation of the Plant. There should only be a provision of small ash dyke that will not exceed 25 (twenty-five) acres of land to store residual ash.	<p>100% utilization of fly ash has been planned and shall be implemented throughout the operation of this Plant.</p> <p>The ash dyke is now under construction stage and will be ready soon</p>	Being complied



Sl. No	Condition of DoE	Compliance Status	Remarks
24	Integrated dry ash handling, loading, unloading and transportation system should be established.	Integrated dry ash handling, loading, unloading and transportation system will be established during the operation stage of the power plant. Provisions in line with this has been included in Technical Specification of main Plant EPC contract package (Section V, Chapter B4). Erection of Ash silo structures has done beside the jetties in order to transport the dry ash with ships/cargo.	Compliance action initiated.
25	There should be adequate and properly sized and designed dry ash silo with appropriate conveyor system.	Adequate and properly sized dry ash silo with appropriate conveying system have been specified in Technical Specification of main Plant EPC contract package (Section V, Chapter B4). The construction work of ash silos is under construction. <b>Status:</b> <ul style="list-style-type: none"> <li>Fly ash equipment erection below ESP completed.</li> <li>Fly Ash Intermediate Silo structural erection completed.</li> </ul>	Compliance action continued
26	Bottom ash should be extracted, crashed and stored in silos for utilization with proper collection and conveyor system.	Bottom ash shall be extracted, crushed and stored in silos for utilization with proper collection and conveying system during the operation stage of the power plant. The procedures have been included in the technical Specification of EPC contract package. (Section V, Chapter B4). <b>Status:</b> <ul style="list-style-type: none"> <li>Bottom Ash Intermediate Silo structural erection completed.</li> <li>FA Pipe rack and piping work are almost completed.</li> </ul>	Compliance action initiated
27	Resettlement and rehabilitation of the displaced population (including those who do not own land) should be done properly.	<ul style="list-style-type: none"> <li>Land has been acquired as per the legal procedure of GoB. However, BPDB wrote to Ministry for suitable resettlement and rehabilitation. BPDB prepared an assessment (Livelihood Restoration Plan) regarding the rehabilitees (including those who do not own land) for this Power Plant.</li> <li>As per the recommendation in the LRP, an NGO "SAMAHAR" has completed their assigned tasks regarding this issue. This monitoring has recorded that DC office has rehabilitated around 32 families at Foyla and 17 families at Koigardaskati.</li> </ul>	Compliance action continued
28	Resettlement plan should be properly implemented and people should be adequately compensated.	Resettlement and rehabilitation action had been taken as per the law of the land, Bangladesh. However, BPDB conducted an assessment (Livelihood Restoration Plan) regarding the rehabilitees (including	Compliance action continued

Sl. No	Condition of DoE	Compliance Status	Remarks
		those who do not own land) for this Power Plant. Based on the recommendation of the LRP, local NGO conducted the training and other tasks to the PAPs. DC office is trying to resettle the PAPs at their selected sites according to the LRP.	
29	Construction material should be properly disposed-off after construction work is over.	<ul style="list-style-type: none"> <li>Most of the mechanical and construction residual are being kept at demarcated places.</li> <li>But during the 37th and 38th field visit it is observed some unused construction materials are scattered in different places without any proper management.</li> <li>For the solid waste management, BHEL has engaged a company named Rahman &amp; brothers in association with Khulna City Corporation (KCC) for collecting and safe disposal of waste materials from site.</li> <li>There is a provision of development of solid waste management system which is given at clause no B12, Part no 9 of book no -2, page no 147-161. In which there is development of WMC which has waste collection, waste segregation at source, recycling, treatment and disposal of waste will be done. This is not done yet. For this purpose, the Induction training has been provided but not sufficient.</li> </ul>	Compliance action initiated Establishment of WMC is behind
30	As described in the report environmental monitoring should be strictly followed and monitoring report should be shared with DoE to ensure the environmental management properly.	BIFPCL has engaged CEGIS as a third-party independent entity for conducting environmental monitoring on a quarterly basis in February 2014. Accordingly, each quarterly monitoring report has been prepared, submitted and shared with DoE, which are also available at BIFPCL web site.	Being Complied.
31	All activities (pre-construction, construction and post-construction stage) should be implemented according to EMP clearly listed in the EIA report.	BIFPCL has adopted the EMP suggestions applicable at construction stages. BIFPCL is taking appropriate actions based on EMP monitoring report. BIFPCL regularly updates the EMP and OHAS which assist to reduce the risk of accidental events further.  From the preconstruction stage till now BIFPCL has been following the guideline of EMP listed in the EIA report and we have suggested to follow the EMP strictly for the rest of the work.	Being Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
32	A third party/independent monitoring bodies excluding JVC/BPDB should be engaged immediately for monitoring of all activities during pre-construction, construction and operation phases as per monitoring plan of EIA report and monitoring report must be submitted to Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	CEGIS has been engaged by BIFPCL as an independent monitoring entity for conducting environmental monitoring on a quarterly basis since February 2014. Since the contract, CEGIS has been conducting the monitoring programs quarterly and producing monitoring reports on quarterly basis which are submitted by CEGIS to BIFPCL for onward submission to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment as directed by DoE.	Being Complied
33	Regular monitoring of the susceptible places of Sundarbans for protecting ecosystem, biodiversity and forest coverage should be made using latest high-resolution image for keeping ambient environment.	The Monitoring activities of CEGIS includes monitoring of the susceptible places of Sundarbans. The monitoring report contains analysis of biodiversity and forest coverage. However, in addition to this, Forest Department has also suggested some survey & analysis which have also been monitored and reported by CEGIS through the quarterly monitoring report.	Being Complied.
34	Air, water, soil, biological and social data should be monitored regularly with a network monitoring system with a view to assess the natural quality of the Sundarbans and other fragile ecosystem and report of monitoring results should be submitted to Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	<ul style="list-style-type: none"> <li>The network monitoring system will be installed as a part of the project construction and it will be run as online monitoring system during the operation of the Power Plant.</li> <li>All these stipulations have been included in the technical specification of Main Plant EPC contract package. (Section-V, Clause No B0 6.19.13.2 and Clause No. B0 6.19.13.5). However, air, water, soil and biological components are regularly monitored as per recommendation of EMP. Each of the monitored environmental data has been incorporated in the Monitoring report and displayed on the BIFPCL website at present.</li> </ul>	Compliance action initiated.
35	There should be regularly disclosure of the report through workshops and websites and responses should be taken care accordingly.	CEGIS has been regularly carrying out public consultation at different levels. All the monitoring reports are being kept available on website of BIFPCL ( <a href="http://www.bifpcl.com">www.bifpcl.com</a> )	Being Complied.

Sl. No	Condition of DoE	Compliance Status	Remarks
36	Online air and water quality monitoring system should be made functional throughout the life of the Plant.	<ul style="list-style-type: none"> <li>Steam and water quality analysis system has already been developed. Air monitoring system is under developing stage. DoE has already installed one device to monitor the online air quality data at Padma Abashan area which is now functional and four (04) other devices have been installed by BIFPCL around the plant premises where SPM, SO<sub>x</sub>, CO, NO<sub>x</sub>, O<sub>3</sub> etc. are being monitored.</li> <li>All these stipulations have been included in the technical specification of Main Plant EPC contract package. (Section-V, Clause No B0 6.19.13.2 and Clause No. B0 6.19.13.5).</li> </ul>	Compliance action initiated
37	Management Information System (MIS) is to be developed for this coal-based Power Plant. The scope of MIS services will obviously include representing the real time monitored data especially environmental parameters displaying at Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment, BPDB and other concerned agencies/Ministries. The MIS should be web based for accessing every individual to show the real time monitored records.	The MIS will be prepared before commissioning of the Power Plant. For developing MIS, consultant will be engaged earlier. Specifications of MIS system is already included in EPC contract document. Technical Specification like DDCMIS, DDCS, PADO System, HART system, Plant MMS, Information management security system etc. have been included. Moreover, the EPC contractor is going to initiate this activity.	Compliance action initiated
38	JVC should provide all sort of logistics support to DoE and other relevant agencies for monitoring environment related items/events.	BIFPCL is ready and being provided all sort of logistic support as and when required by DoE and other relevant agencies for monitoring of Plant construction activities and environmental items/events maintain the health and safety protocol of the construction site.	Being complied
39	No ground water should be allowed to use for plant purposes.	The Power Plant has been designed considering use of surface water only during all stages of project development and operation. Two (02) RO plant has already been constructed by project proponent to fulfill the demand of potable fresh water and construction purpose. Moreover a 1200 ft deep tube well has been observed near the ABM RO plant. Based on the discussion with project authority this tube well is	Ground water is being withdrawn only for supplying the drinking water.

Sl. No	Condition of DoE	Compliance Status	Remarks
		for the emergency usage. Proponent also informed that some time it is used to supply the drinking water.	
40	Conduct stakeholder meetings on regular basis for better performance of the Project as a whole.	BIFPCL has appointed a social liaison officer who regularly visits nearby community to consult with the local people. Besides CEGIS, appointed by the Project authority, is also carrying out consultation with the local people with interviews on regular basis for better performance of the Project as a whole.	Being Complied
41	Additional Environmental baseline data to be collected as suggested in the EIA report and conveyed to DoE and other concern authorities.	All quarterly monitoring reports containing latest baseline data are being collected as suggested in the EIA study and are disseminating to DoE and other concerned authorities as instructed.	Being Complied
42	The Environmental Management Plan under the EIA study shall strictly be implemented and kept functioning on a continuous basis.	BIFPCL has been implementing all the EMP measures realistically phase by phase as suggested in EIA report and approval condition of DoE. The status of EMP implementation is also regularly monitored. Based on the monitoring, BIFPCL continuously updated the site specific EMP for better management of the potential impacts.	Being Complied
43	The Project authority shall submit a detail work plan with time schedule of development activities at least 7 (seven) days ahead of the work commences in the field to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	The construction works is now about to finish. BIFPCL practiced the submission the detailed work plan seven (7) days before start of any construction activities to the prescribed offices of DOE. This practice will be continued till the end of the project.	Being complied
44	Environmental Monitoring Reports according to specific format specified in the EIA Report shall be made available simultaneously to DoE Bagerhat District Office, Khulna Divisional Office and Headquarters on a monthly basis during the construction period of the Project.	Environmental Monitoring Reports as per specific format provided in the EIA Report made available by BIFPCL and submitted to DoE Bagerhat District Office, Khulna Divisional Office and Headquarters accordingly.	Being Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
45	<p>The following records must be kept in respect if any samples required to be collected for the purpose of environmental monitoring activities:</p> <ul style="list-style-type: none"> <li>• The date(s) on which the sample was taken;</li> <li>• The time(s) at which the sample was collected;</li> <li>• The point at which the sample was taken; and</li> <li>• The name of the person who collected the sample.</li> </ul>	The Monitoring report keeps all the records as suggested.	Being Complied
46	The results of any monitoring, required to be conducted under this EIA report must be recorded.	BIFPCL has been collecting all the monitoring data and submitting with proper documentation and accordingly sharing with DoE on regular basis.	Being Complied
47	<p>In case of any emergency, the following information shall be immediately reported to Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment (DoE) simultaneously. Nature of incident (oil spill, fire, accident. Collision, land slide, etc.). Personnel affected (injured, missing, fatalities, etc.). Emergency support available and its location (standby transport, medical facilities, etc.). Weather conditions Current operations (abandoning the site, firefighting, etc.)</p>	<p>No single emergency incident has occurred since April, 2021.</p> <ul style="list-style-type: none"> <li>• Though the intensity of COVID-19 transmission is decreased, we recommended to use the primary precaution measures. But during 38th field visit we observed most of the workers were reluctant to use the face mask.</li> <li>• BIFPCL has given top priority on safety issues as like environment for this project after the bitter experience of two incidents. They have instructed the EPC contractor to establish best practices on OHAS and keep all records for avoiding any incident as like earlier. However, taking numbers of initiatives by the EPC and proponent significantly improve the safety system of the project.</li> <li>• Recent dengue outbreak has considered top priority by the authority. As a part to prevent the dengue outbreak proponent has taken some precaution measures like fogging for mosquito control, aware all project personnel to close their window after sunset, use mosquito net etc.</li> </ul>	<p>Complied at present</p> <p>COVID-19 PPE (Specially Face-mask) usage should be ensured</p> <p>Recommended to take Extensive preventive initiatives to control Dengue outbreak</p>



Sl. No	Condition of DoE	Compliance Status	Remarks
48	The Project authority or its employees must notify the department of Environment of incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident.	<ul style="list-style-type: none"> <li>BIFPCL has established a proper mechanism for recording such incident as suggested and notify the department of Environment regarding incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident.</li> <li>EPC have already revised the health and safety management manual to continue the work amid the COVID-19 pandemic. Moreover, CEGIS is monitoring the EMP implementation as a whole.</li> </ul>	Complied at present.
49	All pollution incidents shall be reported immediately and simultaneously to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment (DoE) in Dhaka.	BIFPCL has established a proper mechanism for recording such incident as suggested in the ERP	Being complied
50	Appropriate permission would require to be obtained from the Forest Department in favor of cutting/felling on any plant/tree/sapling forested by any individual or government before doing such type of activity.	There is no need of cutting/felling down of any trees outside the project boundary. However, in future, if any such case arises, BIFPCL is committed to obtain appropriate permission from the Bangladesh Forest Department (BFD).	Being complied
51	Re-vegetation and re-plantation under green belt activities shall be undertaken in consultation with the Forest Department according to those mentioned in the EIA report.	<ul style="list-style-type: none"> <li>Limiting the vegetation clearance within the Project boundary especially around the ash impoundment.</li> <li>An MoU signed with Forest Dept., Bangladesh on 24.02.2015 for implementation of Afforestation Program. Initial target was to plant 2 lac saplings in 3 years.</li> <li>80,000 plantations have already done. Recently 1000 plantation has completed by the side of township area and another 2000 will be planted soon.</li> <li>Another 150,000 saplings supposed to be planted ASAP by Bagerhat Social Forest Division.</li> </ul>	<p>Being Complied</p> <p>CEGIS Team has strongly suggested to finish the unfinished plantation as soon as possible</p>
52	Climate Change impacts and maximum storm surge height shall have to consider at the design and construction phase.	The design level (elevation) of the land and earthen embankment has designed and constructed considering the climate change impact and maximum storm surge height.	Being Complied

Sl. No	Condition of DoE	Compliance Status	Remarks
53	A separate EIA/morphological study shall have to be conducted for coal transportation and river dredging to develop sound environmental management plan towards conservation of ecosystem and biodiversity.	Coal transportation will be done through the existing maritime route, which is Mongla Port Authority (MPA) controlled waterways. M/s. Institute of Water Modelling (IWM) has already completed the EIA study for the dredging activity and submitted the report to MPA. A separate EIA study for Coal Transportation was conducted by M/s. Center for Environment and Geographic Information Services (CEGIS) which has been approved by DoE.	Being Complied.
54	A full-fledged institutional setup for EHS and CSR must be put in place before operation of the Power Plant.	A full-fledged institutional setup for EHS activities has been operated. After the consecutive accidents, the EHS process has been drastically re-arranged and reshaped. As a result, no major incident has been occurred since April, 2021. Under CSR activities, they provided free medical facilities, livelihood and skill development trainings, installation of ROs for ensuring safe drinking water for the community people, distribution of school bags, umbrella, blankets, wheel chairs etc for the local students and other people, and contributed in local cultural and national festivals.	In the process of compliance
55	The Project authority shall extend active cooperation to DoE officials to facilitate their visit to the site as and when necessary.	BIFPCL is extending its all-out cooperation to DoE.	Being Complied
56	Violation of any of the above conditions shall render this approval void.	Noted by BIFPCL	
57	Any injunction on this Project from the Honorable Supreme Court/High Court Division shall render this approval void.	Noted by BIFPCL	
58	Without installation of 275 Meter Height Chimney, Effluent Treatment Plant (ETP), Waste Water Treatment Plant (WWTP), Settling Pond, Desalinization Plant, API Oil Water Separator, High Efficiency Electro Static Precipitator (ESP), 'closed-loop' Flue Gas Desulfurization (FGD), Low NOx Burner, online air and water quality monitoring	At present, 1 <sup>st</sup> unit of the Plant is in operation phase and the 2 <sup>nd</sup> unit in underway. Some of the required parameter from DoE are ready, some are under ready and some will be ready before operation phage. <b><u>Current status:</u></b> <ul style="list-style-type: none"> <li>• <b>Chimney:</b> Shell construction completed in Apr'21 (270 m+5 m flu-can= 275 Meter). Flue liner erection completed and ready for Boiler light up (pic attached).</li> <li>• <b>DM water plant:</b> DM water plant has completed.</li> </ul>	Compliance action initiated

Sl. No	Condition of DoE	Compliance Status	Remarks
	system and other pollution control equipment and obtaining Environmental Clearance Certificate, the proponent shall not start operation of the Project.	<ul style="list-style-type: none"> <li>• <b>Effluent Treatment Plant (ETP):</b> Civil works of ETP has completed and now the mechanical and instrumental works are under way.</li> <li>• <b>Electro Static Precipitator (ESP):</b> Completed and ready for operation. Air Tightness test completed for all 04 pass.</li> <li>• <b>Flue Gas Desulfurization (FGD):</b> FGD for Unit-1 is ready for operation. Absorber tower structure under progress for unit 2</li> <li>• <b>Desalinization plant:</b> Completed</li> <li>• <b>Low NO<sub>x</sub> burner:</b> Completed</li> </ul> <p><b>Online air and water quality monitoring system:</b> Steam and water quality analysis system has already been developed.</p> <p>For air quality monitoring DoE has already installed one device to monitor the online air quality data at Padma Abashan area and four (04) other devices has installed by BIFPCL around the plant premises which is now fully functional where SPM, SO<sub>x</sub>, CO, NO<sub>x</sub>, O<sub>3</sub> etc. are being monitored.</p> <ul style="list-style-type: none"> <li>• <b>Settling pond:</b> Two (02) settling ponds has already been constructed to settle down the silt before discharge in to the river.</li> </ul> <p>Moreover, BIFPCL has got the Environmental Renewal Certificate each of the year through maintaining the conditions of DOE.</p>	
59	This EIA Approval has been issued with the approval of the appropriate authority.	BPDB and BIFPCL are thankful to DoE.	Complied

## 5.2 Compliance to the conditions of DoE (EIA study of Coal Transportation)

However, with reference to the approval of EIA study of coal transportation for 2x660 MWMSTPP having (Memo no: DoE/ clearance/ 5532 / 2016/50, dated 31/01/2018), Department of Environment has set some specific conditions to be followed as a fulfillment of the condition no.53 of the EIA approval letter of 2x660 MWMSTPP. The conditions and compliance status have been listed as follows-

**Table 5.6: Compliance Conditions of DoE (EIA study of Coal Transportation)**

Sl. No.	Conditions	Compliance status	Remarks
1	This EIA Report is approved only for Coal Transportation for the Proposed 2x660 MW Maitree Super Thermal Power Plant Project. Any modification of this project as well as Coal Transportation will require further EIA approval with additional EIA Study.	The power plant is now about to finishing stage. BIFPCL will notify to DOE prior to initiation of any modification, expansion or extension of the Power Plant.	Suggested to comply as and when required.
2	The route of coal Transportation should be maintained as per EIA Report. In case of any changes the proponent must obtain consent from DoE.	The route of coal Transportation is maintained as stated in the EIA report. In case of any changes in the transportation route, the proponent shall obtain consent from DoE.	Suggested to comply as and when required.
3	Project Proponent may open L/C (Letter of Credit) for importing machineries for the project which shall also include machineries relating to waste treatment plant and plant and other pollution control devices.	EPC contractor has been appointed for this Project. They are importing all the Power Plant related machineries complying with the national laws and regulations.	Being Complied.
4	The activity under Coal Transportation for the Proposed 2x660 MW Maitree Super Thermal Power Plant Project shall not release any pollutant that affect human health or will have damaging impact on the environment or natural resources.	Coal Transportation for the Proposed 2x660 MW Maitree Super Thermal Power Plant Project has commenced. So far there is no issue noticed regarding impact on the surrounding environment or natural resources from the coal transportation activities. BIFPCL engaged CEGIS for monitoring and examining status of the environment or natural resources. A strong baseline has been prepared throughout the coal transportation route for assessing the impact in future.	Suggested to comply as and when required.
5	Proper and adequate mitigation measures shall be ensured throughout the operation period of the Project	The project proponent has included all the mitigation measures in their BID document of Coal Transportation. However, BIFPCL is monitoring the implementation of mitigation measures for the entire jetty construction period.	Suggested to comply at operation stage.

Sl. No.	Conditions	Compliance status	Remarks
		They have developed a skilled manpower and system for ensuring the EMP during operation stage as well.	
6	Any heritage site, ecologically critical areas, and other environmentally, religious and archeologically sensitive places shall be kept protected during project operation.	There is no Religious and Archaeological place in and around the Project site. As a third party, CEGIS is now monitoring the potentially vulnerable locations and indicators which are sensitive to coal transportation in the Sundarbans ECA, Sundarbans Reserve Forest and Sundarbans World Heritage Site. Those information and data assist to protect the ecological critical areas in future during the operation of coal transportation.	Suggested to comply at operation phase.
7	Environment friendly construction and development practices shall be followed that minimize loss of habitats and fish breeding, feeding and nursery sites.	Development of coal transportation system will be followed through best practices, EMPs of EIA of Coal Transportation Report, national and international rules and guideline. Since, the environmental monitoring indicators are not observed any anomalies, it can be concluded that the construction work is progressing in environment friendly procedure till now.	Being Complied
8	Proper and adequate sanitation facilities shall be ensured in labor camps throughout the proposed project period.	<p>During 36<sup>th</sup> and 37<sup>th</sup> field visit the following anomalies were identified:</p> <ul style="list-style-type: none"> <li>During the visit inside the labour shed plenty of household waste were found on the road which was very unhygienic.</li> <li>Lack of waste bin and lack of proper initiative of source segregation of the organic waste has made the labour shed unhygienic</li> <li>Lack of lavatory/toilet waste drainage and sewerage facilities causes waste accumulation and malodorous stench.</li> </ul> <p>During 38<sup>th</sup> field visit the team observed the same situation as before.</p> <p>Authority has been providing sufficient training, instruction and facilities for managing COVID-19 to improve hygienic condition at labor camps and workplaces.</p>	Partially Complied CEGIS advised to take immediate step to clean the labour camp and other waste related issues to make the environment healthy.
9	Proper and adequate on-site precautionary Measures and	All the finished construction works including the Jetty has been constructed	Being Complied

Sl. No.	Conditions	Compliance status	Remarks
	safety measures shall be ensured so that no habitat of any flora and fauna would be endangered or destructed.	in accordance with the EMP guidelines sated in the EIA report. Moreover, regular monitoring activities will be carried out to assess the significant changes (if any) for the rest of the unfinished works. The quarterly monitoring reports do not reflect any significant changes of the habitat of flora and fauna of the project influenced Passur river and Sundarbans ecosystem.	
10	All the required mitigation measures Suggested in the EIA report along with the emergency response plan are to be Strictly implemented and kept operative/functioning on a continuous basis.	The mitigation measures in terms of environmental health and workers safety are being followed according to the EMP recommendations sated in EIA report. Establishment of FGD, ESP, noise control measures are being implemented to keep the environment safe during the plant operation. To ensure the safety of the workers' health proponent is taking enough steps like using proper PPE, scaffolding, water sprinkling to arrest the dust flow, medical facilities etc.	Being complied
11	To control dust, spraying of water over the earthen materials should be carried out from time to time	<p>Periodic air quality monitoring in and around the project sites is being conducted and checked it with ECR 2023 standard. BHEL has contracted with an external company for three years (renewable) who is continuously spraying water as per schedule by three (03) water tankers to suppress fugitive dust from the plant premises.</p> <p>At jetty site the following issues were identified:</p> <ul style="list-style-type: none"> <li>Coal stackyard was found hygienic where water was being sprayed at a regular interval to prevent coal self-combustion.</li> <li>From jetty to 1st transfer point (TP) about 20 to 25 m coal conveyor was observed uncovered that is dispersing coal ash around the environment and the adjacent river.</li> <li>Underneath the TP the floor was identified very dirty by mixing residual coal with water during 37<sup>th</sup> visit. But during 38<sup>th</sup> visit the situation has changed and the place was found quite clean.</li> </ul>	Being Complied



Sl. No.	Conditions	Compliance status	Remarks
12	The entire coal handling system should be designed as an enclosed (and not only covered) conveyor system. There should be integrated dust control system with dust extraction and bag filters at unloading areas and at each transfer points on the conveyor system.	In the BID document, the coal handling system has been mentioned as closed system with the integration of dust control measures. From jetty to 1st transfer point (TP) about 20 to 25 m coal conveyor was observed uncovered that is dispersing coal ash around the adjacent river. Also, there was no enclosure in the grabber while coal was unloading from the ship. These are causing dust dispersion which is harmful to the labour and for nearest water body.	Compliance action initiated  Conveyor belt and grabber must be enclosed and automatic water spray need to be functional
13	Coal should be stored in a covered storage yard.	All these stipulations have been included in the technical specification of Main Plant EPC contract package, Section V, B4 of Technical Specification (Clause No B4.3.1.6).  Out of 04 coal Stackyard 02 has completed where Coal Staggered and Reclaimer commissioned.	Compliance Action initiated.
14	The entire coal stockyard should be Covered with water sprinkler provided with automated moisture sensor to control self-combustion.	EIA study of the Power Plant suggested to install water sprinkler in coal stockyard which has been repeated in EIA study of Coal transportation. However, all these stipulations have been included in the technical specification of Main Plant EPC contract package.  Coal stockyard was found in good condition where coal was being sprinkled by water to prevent self-combustion	Compliance Action initiated.
15	Construction material should be properly disposed of after the construction work is over.	Lots of construction materials and construction waste were observed dumped inside the plant premises and by the side of the River in the jetty area.	Partially complied  Good housekeeping practice is strongly recommended.
16	As described in the report environmental monitoring should be strictly followed and monitoring report should be shared with DOE to ensure the environmental management properly.	BIFPCL has engaged CEGIS for environmental monitoring the environmental management plan in February 2014. Accordingly, each quarterly monitoring report has been submitted and shared with DoE, which are also available at BIFPCL web site.	Being Complied.
17	A third party/independent monitoring bodies excluding BIFPCL should be engaged	CEGIS, as an independent monitoring body has been engaged by BIFPCL since February 2014 and still continued. From	Being Complied

Sl. No.	Conditions	Compliance status	Remarks
	immediately for monitoring of all the activities during pre-construction, construction and operation phases as per monitoring plan of EIA report and monitoring report must be submitted to Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	then on, CEGIS has been conducting the monitoring programs quarterly and producing monitoring reports on regular basis which are submitted by CEGIS to BIFPCL for onward submission to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment as directed by DoE.	
18	Regular monitoring of the susceptible places of the Sundarbans for protecting ecosystem, biodiversity and forest coverage should be made using latest high-resolution image for keeping ambient environment.	The Monitoring activities have been carried out by CEGIS as third-party independent entity. The study includes all of recommended issues vastly. The monitoring report contains analysis of ecosystem, habitat, and biodiversity and forest coverage at susceptible sites of Sundarbans. In addition to this, Forest Department has also suggested some survey & analysis of Sundarbans ecosystem along with the quarterly compliance monitoring report.	Being Complied.
19	Air, water, soil, biological and social data should be monitored regularly with a network monitoring system with a view to assess the natural quality of the Sundarbans and other fragile ecosystem and report of monitoring results should be submitted to Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	<p>The network monitoring system will be installed as a part of the project construction for online monitoring and it will run at the time in operation phase. All these stipulations have been included in the technical specification of Main Plant EPC contract package. (Section-V, Clause No B0 6.19.13.2 and Clause No. B0 6.19.13.5).</p> <p>Steam and water quality analysis system has already been developed.</p> <p>For air quality monitoring DoE has already installed one device to monitor the online air quality data at Padma Abashan area and four (04) other devices has installed by BIFPCL around the plant premises which is now fully functional where SPM, SO<sub>x</sub>, CO, NO<sub>x</sub>, O<sub>3</sub> etc. are being monitored.</p> <p>All the environmental monitoring reports are available on the BIFPCL website at present.</p>	Being Complied.
20	There should be regular disclosure of the report through workshops and websites and	All of the environmental monitoring reports and other relevant reports are available on website of BIFPCL ( <a href="http://www.bifpcl.com">www.bifpcl.com</a> ). BIFPCL as well as	Being Complied.

Sl. No.	Conditions	Compliance status	Remarks
	responses should be taken care accordingly.	CEGIS is regularly carrying out public consultation at local level to get the responses from the community.	
21	BIFPCL should provide all sort of logistics support to DOE and other relevant agencies for monitoring environment related items/events.	BIFPCL is ready and provide all sort of logistic support as and when required by DoE and other relevant agencies for monitoring of Plant construction activities and environmental items/events.	Suggested to Comply as and when required.
22	In order to control noise pollution, vessels and equipment shall undergo regular maintenance; working during sensitive hours and locating machinery close to sensitive receptor shall be avoided.	Proponent confirmed that the vessel was covered and most of the work conducted during day time. No spillage and ship breakage incident happened. Noise level was within the control level.	Being complied and suggested to follow this up throughout the project cycle.
23	Vessels of this project should follow the MPA guidelines and protocol to ensure no hindrance to other vessels.	The coal barges were found to sail at a haphazard situation that will hamper other route vessels movement.	Not complied and suggested to sail the ships at a demarcated place where a navigation signboard should be placed.
24	The vessels used for this project should maintain IMO criteria to enable identification of substances harmful to the marine environment.	No anomalies were identified during the coal transportation so far as reported by the proponent. This should be strictly monitored by the project authority.	Being complied and suggested to follow this throughout the project cycle.
25	All the vessels should follow applicable MARPOL Convention, Appendix V on the prevention of pollution by garbage from ships.	Proponent is strictly following this issue and informed us that all the barge are following rules of MARPOL convention and no garbage was dumped in the water body from the ship.	Being complied and suggested to follow this throughout the project cycle.  The grabber should be enclosed while coal was unloading from the ship to conveyor belt.
26	Additional Environmental baseline data to be collected as suggested in the EIA report and conveyed to DOE and other concern authorities.	Environmental baseline data has been collected by third party <i>i.e.</i> , CEGIS. CEGIS has submitted reports of quarterly monitoring containing latest baseline data to BIFPCL for further dissemination to DoE and other concerned authorities.	Being Complied
27	The Environmental Management Plan under the EIA study shall strictly be implemented and kept functioning on a continuous basis.	BIFPCL has so far been implementing the EMP measures phase by phase as suggested in EIA report and approved conditions of DoE. The status of EMP implementation is also regularly monitored by CEGIS.	Being Complied

Sl. No.	Conditions	Compliance status	Remarks
28	The project authority shall submit a detail work plan with time schedule of development activities at least 7 (seven) days ahead of the work commences in the field to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously.	Most of the development activities including jetty construction works are now completed. Beforehand, BIFPCL submitted the detailed work plan seven (7) days prior to starting of the construction activities to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment simultaneously. It must be maintained in future.	Being complied
29	Environmental Monitoring Reports According to specific format specified in the EIA Report shall be made available simultaneously to DOE Bagerhat District Office, Khulna Divisional Office and Headquarters on a quarterly basis during the project period.	Environmental Monitoring Reports are being generated as per specific format provided in the EIA from the beginning till now. Report's content is disclosed by BIFPCL and submitted to DoE Bagerhat District Office, Khulna Divisional Office and Headquarters on monthly basis since April, 2018.	Being Complied
30	The following records must be kept in respect of any samples required to be collected for the purposes of environmental monitoring activities: a) the date(s) on which the sample was taken; b) the time(s) at which the sample was collected; c) the point at which the sample was taken; and d) The name of the person who collected the sample.	The Monitoring report of CEGIS are maintaining all the records as suggested.	Being Complied
31	The results of any monitoring required to be conducted under this EIA report must be recorded.	CEGIS is maintaining database for all monitoring data analysis result and submitting to BIFPCL through proper documentation. The report is being shared with DoE on regular basis through monitoring reports.	Being Complied
32	In case of any emergency, the following information shall immediately be reported to Bagerhat District Office, Khulna Divisional office and Headquarters of the Department of Environment (DOE) simultaneously: a. Nature of incident (oil spill, fire, accident, collision, land slide etc.)	Emergency Reporting/ Emergency response Plan has been prepared and maintained for the Jetty construction (already finished) and will be followed for the coal transportation issues in future. As Coal transportation and its management is very sensitive to Environment and human body, Health and safety management manual have been revised for better and precautions implementation of OHAS.	Compliance Action initiated.

Sl. No.	Conditions	Compliance status	Remarks
	b. Personnel affected (injured, missing, fatalities, etc.) c. Emergency support available and its location (standby transport, medical facilities, etc.) d. Weather conditions e. Current operations (abandoning the site, firefighting, etc.)	Though BIFPCL has already put a top priority on OHAS issue, extra care will be ensured for this coal related issues.  BIFPCL will adopt the ERP suggested in the EIA study of coal transportation in association with the NOSCAP and NPDM for any future incidents as suggested.	
33	National Oil Spill Contingency Plan (NOSCAP) should be followed to establish an organizational structure to combat marine pollution	Proponent is committed to follow this issue and informed us that all the barge are following rules of National Oil Spill Contingency Plan (NOSCAP).	Being complied and suggested to follow this throughout the project cycle.
34	The project authority or its employees must notify the Department of Environment of incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident.	BIFPCL has strengthened the mechanism for the incident as suggested that is notify to DoE regarding incidents causing or threatening material harm to the environment as soon as practicable after the person becomes aware of the incident.  The institutional arrangement for managing all kind of accident/incident during coal transportation will be set up before operation stage based on the EIA and DoE recommendations. Moreover, monitoring activities is continued for checking any significant changes in natural ecosystem.	Complied at Present.
35	All pollution incidents shall be reported immediately and simultaneously to the Bagerhat District Office, Khulna Divisional Office and Headquarters of the Department of Environment (DOE) in Dhaka.	BIFPCL has established a proper mechanism for recording such incidents as suggested in the EMP. CEGIS has been engaged to monitor the social and environmental compliance monitoring on a regular interval.	Complied at Present.
36	Climate Change impacts and maximum storm surge height shall have to consider at the design and construction phase of the jetty.	The design level (elevation) of the land and earthen embankment has been fixed and constructed considering the climate change impact and maximum storm surge height.	Being Complied
37	The transshipment point Faraway Buoy at the Bay should be used from November to March, and Mazhar point should	based on the discussion, Proponent is abiding by this guideline accordingly.	Suggested to comply as and when required.

Sl. No.	Conditions	Compliance status	Remarks
	be used from April to October every year for transporting coal which has been mentioned in the EIA Report.		
38	Violation of any of the above conditions shall render this approval void.	Noted by BIFPCL	-
39	Any injunction on this project from the Honorable Supreme Court/High Court Division shall render this approval void.	Noted by BIFPCL	-
40	This EIA approval is valid for one year from the date of issuance and the project authority shall apply for renewal to the Bagerhat District Office of DoE at Bagerhat with a copy to Head Office of DOE in Dhaka.	The authority is maintaining the renewal process as suggested. As like previous years, BIFPCL has got the renewal for this year.	Being complied



## 6. References

- "Assessing the oil spill's impact on Bangladesh's Sundarbans Forest". Deutsche Welle. December 17, 2014.
- Ali, M.M; M.L. Ali; M. S. Islam and M. Z. Rahman. 2018. Assessment of toxic metals in water and sediment of Pasur River in Bangladesh. *Water Sci Technol* 77 (5): 1418-1430.
- Awashthi, S.K. 2000. Prevention of Food Adulteration Act No. 37 of 1954. Central and State rules as amended for 1999 (3rded.). New Delhi: Ashoka Law House.
- Badran M (2001) Dissolved oxygen, chlorophyll a and nutrient seasonal cycles in waters of the Gulf of Aqaba, Red Sea. *Aquat Ecosys Health Manag* 4(2):139–150.
- BARC (Bangladesh Agricultural Research Council). 2012. Fertilizer Recommendation Guide, Bangladesh Agricultural Research Council, Farmgate, Dhaka.
- Bartram J and Balance R (1996), Water Quality Monitoring - A Practical Guide to the Design and Implementation of Freshwater Quality Studies and Monitoring Programmes, UNEP/WHO, Chapter 2.
- Bates, J. W., Mcnee P. J. and Mcleod. A. R. 1996. Effects of Sulphur Dioxide and Ozone on Lichen Colonization of Conifers in the Liphook Forest Fumigation Project *The New Phytologist* 132,653-660.
- Beets, P.N., Bulman L.S., Pearce S.H. 2008. Relationships between leaf area, growth, tree health attributes and LiDAR. Client Report No. 12713.
- Beets, P.N., Whitehead, D. 1996. Carbon partitioning in *Pinus radiata* stands in relation to foliar nitrogen status. *Tree Physiology* 16:131-138
- Brown S. 1997. Estimating biomass and biomass change of tropical forests: a primer. FAO Forestry Paper 134. FAO, Rome, Ital
- Brown SAJ, Gillespie JR, Lugo AE. 1989. Biomass estimation methods for tropical forests with application to forest inventory data. *For. Sci.* 35 (4):881–902
- CEGIS. (2013). Environmental Impact Assessment of 2X (500-660) MW Coal Based Thermal Plant to be Constructed at the Location of Khulna (p. 456). Bangladesh.
- Chave J, Andalo C, Brown S, Cairns M. A., Chambers, J. Q., Eamus D et al (2005) Tree allometry and improved estimation of carbon stocks and balance in tropical forests. *Oecologia* 145: 87–99
- Chave J, Rejou-Mechain M, Burquez A, Chidumayo E, Colgan MS, Delitti WBC, Duque A, Eid T, Fearnside PM, Goodman RC, Henry M, Martinez-yrisar A, Mugasha WA, Muller Landau HC, Mencuccini M, Nelson BW, Ngomanda A, Nogueira EM, Ortiz-malavassi E, Pelissier R, Ploton P, Ryan CM, Saldarriaga J, Vieilleden G. 2014. Improved allometric models to estimate the aboveground biomass of tropical trees. *Glob. Change Biol.* 20: 3177–3190.
- Das, S., M. De, D. Ganguly, T.K. Maiti, A. Mukherjee, T.K. Jana and T.K. De, 2012. Depth integrated microbial community and physico-chemical properties in mangrove soil of Sundarban, India. *Adv. Microbiol.*, 2: 234-240.
- Donato, D.C., Kauffman, J.B., Stidham, M.A. (2009) Protocols for measuring and reporting carbon stocks in mangrove forests. Unpublished report prepared for the workshops on Global Climate Change and Carbon Financing: Opportunities for Bangladesh. Dhaka, Bangladesh, 28, October–9 November 2009.

- Eckman, J.E., (1979) Small-scale patterns and processes in a soft-substratum intertidal community. *J. Mar. Res.* 37:437–457.
- Eckman, J.E., (1983) Hydrodynamic processes affecting benthic recruitment. *Limnol. Oceanogr.* 28: 241–257
- FAO 1997. Estimating biomass and biomass change of tropical forests: a primer, Rome, Italy: FAO Forestry Paper No. 134
- Ferreira, T.O., X.L. Otero, V.S. de Souza Jr., P. Vidal-Torrado, F. Macias and L.P. Firme, 2010. Spatial patterns of soil attributes and components in a mangrove system in Southeast Brazil (Sao Paulo). *J. Soils Sediments*, 10: 995-1006.
- Gleick, P.H. (Ed.), 1993. *Water in Crisis: A Guide to the World Fresh Water Resources*. Oxford University Press, New York
- Goldman, S. 2005. *Information theory*. Dover, New York.
- Greenleaf Forestry and Wood Products Inc. 2010. "Forest Health Checklist." [http://www.greenleafforestry.com/greenleafservices\\_006.htm](http://www.greenleafforestry.com/greenleafservices_006.htm)
- Harmon, M. E. and J. Sexton (1996). Guidelines for measurements of woody detritus in forest ecosystems. U. S. LTER Publication No. 20.
- Heath, R.C., 1989. Basic Ground-Water Hydrology. U.S. Geological Survey Water-Supply Paper 2220, 84p.
- Hossain M.D., Nuruddin. A.A. 2016. Review Article Soil and Mangrove: A Review. *Journal of Environmental Science and Technology*. 9: 198-207.
- Hossain, M., Siddique M. R. H., Bose, A., Limon, S.H., Chowdhury, M.R. K., Saha, S. (2012) Allometry, above-ground biomass and nutrient distribution in *Ceriops decandra* (Griffith) Ding Hou dominated forest types of the Sundarbans mangrove forest, Bangladesh. *Wetlands Ecol Manage* DOI 10.1007/s11273-012-9274-2
- Hossain, M.Z., C.B. Aziz and M.L. Saha, 2012. Relationships between soil physico-chemical properties and total viable bacterial counts in Sunderban mangrove forests, Bangladesh. *Dhaka Univ. J. Biol. Sci.*, 21: 169-175.
- Izonfuo W. A and L Bariweni 2001. The effect of urban runoff water and human activities on some physicochemical parameters of the Epie creek in the Niger Delta. *J. Appl. Sci. & Enviro. Mgt*, 5(1): 4755
- Kabata-Pendias, A. and H. Pendias, 1992. *Trace Elements in Soils and Plants*, 2nd ed. CRC press, Boca Raton, 365pp
- Kauffman, J.B. and Donato, D.C. (2012) Protocols for the measurement, monitoring and reporting of structure, biomass and carbon stocks in mangrove forests. Working Paper 86. CIFOR, Bogor, Indonesia.
- Khan, H.R., S. Rahman, M.S. Hussain and T. Adachi, 1993. Morphology and characterization of an acid sulfate soil from mangrove flood plain area of Bangladesh. *Soil Phys. Cond. Plant Growth*, 68: 25-36.
- Kinne, O. (Ed.), 1984. *Marine Ecology*. John Wiley and Sons, London
- Komiyama A, Ong JE, Pongparn S (2008) Allometry, biomass, and productivity of mangrove forests: A review. *Aquat Bot* 89:128–137

- M. H. Rahman and H. Ishiga, "Arsenic pollution in soil and groundwater of Bangladesh," in *Proceedings of the International Conference on Energy and Environment*, vol. 2, pp. 1626–1632, 2003.
- M. M. Rahman, B. K. Mandal, T. Roy Chowdhury et al., "Arsenic groundwater contamination and sufferings of people in North 24-Parganas, one of the nine arsenic affected districts of West Bengal, India," *Journal of Environmental Science and Health A: Toxic/Hazardous Substances and Environmental Engineering*, vol. 38, no. 1, pp. 25–59, 2003. View at Publisher · View at Google Scholar · View at Scopus
- MacArthur, R.H. & MacArthur, J.W. (1961) on bird species diversity. *Ecology*, 42: 594–598.
- Macdicken K.G. 1997. A guide to monitoring carbon storage in forestry and agroforestry projects. *Specialist*, 3: 1– 87.
- Margalef, R. (1958) "Information theory in ecology," *General Systems Yearbook*, vol. 3, pp. 36–71,
- Marowsky, G. and K.H. Wedepohl. 1971. General trends in the behavior of Cd, Hg, Tl and Bi in some major rock forming processes. *Geochimica et Cosmochimica Acta*. 35(12): 255-267.
- Moore, P.D. & Chapman, S.B. (Ed.) (1986) *Methods in Plant Ecology*. Blackwell Scientific Publications. 581.5 MET
- Moreno, A.N.M. and J.H.M. Calderon, 2011. Quantification of organic matter and physical-chemical characterization of mangrove soil at Hooker Bay, San Andres Island-Colombia. *Proceedings of the Global Conference on Global Warming*, July 11-14, 2011, Lisbon, Portugal, pp: 1-7.
- Nelson D., 2002; *Natural Variations in the Composition of Groundwater*; Groundwater Foundation Annual Meeting; Oregon Department of Human Services Springfield, Oregon; oages 1-8.
- Odum, E. P. (1971) *Fundamentals of Ecology*, WB Saunders, Philadelphia, Pa, USA, 1971.
- Pearson T, Walker S, Brown S (2005) *Sourcebook for land use, land-use changes Forestry Projects*. Report from BioCF and Winrock International. Available at: <http://www.winrock.org/ecosystems/tools.asp>?
- Phillips, Tom (13 December 2014). "Fears for rare wildlife as oil 'catastrophe' strikes Bangladesh". *The Daily Telegraph*. Retrieved 15 December 2014.
- Pielou, E.C. (1969) *An Introduction to Mathematical Ecology*. John Wiley & Sons, Inc., New York, 286 pp.
- Rabalais, N.N., 2002. Nitrogen in aquatic ecosystems. *Ambio* 31, 102–112.
- Rahman M., Rahman M T., Rahman M S., Rahman F., Ahmed J U., Shakera B., Halim M A., 2013; Water quality of the largest mangrove forest; *Canadian Chemical Transactions*; Volume, Issue 2., Page 141-156.
- Rahman MM, Islam SkA. 2015. Phenophases of Five Mangrove Species of the Sundarbans of Bangladesh. *Int. J. Bus. Soc. Sci. Res.* 4(1): 77-82.
- Rahman MM, Rahman MM, Islam KS. 2010. The causes of deterioration of Sundarban mangrove forest ecosystem of Bangladesh: conservation and sustainable management issues. *AACL Bioflux* 2, 77-90.
- Rahman, M. M. (2012) *Relationship between carbon storage, vegetation type and salinity in Sundarbans Reserved Forest*. M. Sc. Thesis. Forestry and Wood Technology Discipline, Khulna University, Khulna-9208, Bangladesh.

- Rajasegar, M. 2003. Physico-chemical characteristics of the Vellar estuary in relation to shrimp farming. *J. Environ. Biol.* 24: 95-101.
- Raman S M B, Sarder L, Rahaman M S, Ghosh A K, Biswas S K, Siraj S S, Huq K A, Hasanuzzaman A F M and Islam S S (2013), Nutrient dynamics in the Sundarbans mangrove estuarine system of Bangladesh under different weather and tidal cycle, *Ecological process*, springer, page 5.
- Rambok, E., S. Gandaseca, O.H. Ahmed and N.M.A. Majid, 2010. Comparison of selected soil chemical properties of two different mangrove forests in Sarawak. *Am. J. Environ. Sci.*, 6: 438-441.
- Rompas, R. M. (2010). *Marine Toxicology*. Indonesian Marine Council. Jakarta.
- Rudnick, R.L. and S. Gao. 2014. Composition of the Continental Crust. *Treatise on Geochemistry*, Second Ed., Chapter 4: 1- 64.
- S. A. Haque, 2006. Review article, salinity problems and crop production in coastal regions of Bangladesh. Department of Soil Science, Bangladesh Agricultural University, Mymensingh, Bangladesh. *Pak. J. Bot.*, 38(5): 1359-1365.
- Sah, K.D., A.K. Sahoo, S.K. Gupta and S.K. Banerjee, 1989. Mangrove vegetations of sunderbans and their effect on the physicochemical and nutrient status of the soils. *Proc. Indian Nat. Sci. Acad. Part B: Biol. Sci.*, 55: 125-132
- Schnitzer SA, DeWalt SJ, Chave J (2006) Censusing and measuring lianas: A quantitative comparison of the common methods. *Biotropica* 38(5): 581-591
- Senthilkumar, S., P. Santhanam and P. Perumal 2002. Diversity of phytoplankton in Vellar estuary, southeast coast of India. In: *Proc. 5th Indian Fisheries Forum* (Eds. S. Ayyappan, J.K. Jena and M. Mohan Joseph). Published by AFSIB, Mangalore and AeA, Bhubanewar, India. pp. 245-248
- Shukla, S.R. and Chandel, S. P. (1980) *Plant ecology*. 4th Edn. S. Chandel and Co. Ramnagar, New Delhi -110055. 197
- Sivasubramaniam R (1999). Water quality of river Periyar (River Suruliyar) in Tamil Nadu. In: Mishra SR (Ed.). *Limnological Research in India*. Daya publishing house, Delhi
- Skilleter, G.A., Warren, S. (2000) Effects of habitat modification in mangroves on the structure of mollusc and crab assemblages *Journal of Experimental Marine Biology and Ecology*, 244: 107-129
- Smith, Gregory L., and Thomas R. Baker. 2003. "Lichens as Bioindicators." In *The Middle School Science Classroom*, NSTA ScienceScope, 16-19. [http://tbaker.com/tbaker/academics/papers/published/sciscope\\_lichens/released\\_byNSTA/Lichens%20as%20Bioindicators.pdf](http://tbaker.com/tbaker/academics/papers/published/sciscope_lichens/released_byNSTA/Lichens%20as%20Bioindicators.pdf)
- Spencer, C., 1975. The micronutrient elements. In: Riley, J.P., Skirrow, G. (Eds.), *Chemical Oceanography*, vol. II, seconded. Academic Press, London
- Sukardjo, S., 1994. Soils in the mangrove forests of the Apar Nature Reserve, Tanah Grogot, East Kalimantan, Indonesia. *Southeast Asian Stud.*, 32: 385-398.
- Sukumar, R., Dattaraja, H. S., Suresh H. S. et al. 1992. "Long-term monitoring of vegetation in a tropical deciduous forest in Mudumalai, southern India," *Current Science*, 62:608-616,
- Tareq M S, Rahaman S M., Rikta Y S., Islam S M N., Sultana M S 2013; Seasonal Variations in Water Quality of the Ganges and Brahmaputra River, Bangladesh; Jahangirnagar University Environmental Bulletin, Vol.2; pages (71-82)
- USDA Forest Service. 2007. "Soil Vital Signs: Soil Quality Index (SQI) for Assessing Forest Soil Health." [http://www.fs.fed.us/rm/pubs/rmrs\\_rp065.pdf](http://www.fs.fed.us/rm/pubs/rmrs_rp065.pdf).

- Warren, J.H., (1990) Role of burrows as refuges from subtidal predators of temperate mangrove crabs. Mar. Ecol. Prog. Ser. 67:295–299
- Weiss R (1970) the solubility of nitrogen, oxygen and argon in water and seawater. Deep Sea Res Oceanogr Abstr 17(4):721–735
- Wetzel, R.G., 2001. Limnology, 3rd ed. Academic Press
- WHO (World Health Organization), Guidelines for drinking water quality, 2nd Edition; 1993
- WHO, the International Network to Promote Household Water Treatment and Safe Storage 2007





## **Appendices**



## Appendix I: Checklist of Monitoring Environmental Compliances

**Table A: Checklist of Monitoring for ESMP Implementation (During Construction Phase)**

Sl No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
1	Generation of Noise within the BIFPCL's Plant premises	<ul style="list-style-type: none"> <li>• Conduct noise survey around and inside the site boundary</li> <li>• Reducing Noise and Vibrations to country's ambient standards, and occupational health and safety standards</li> <li>• Introducing vehicle speed limit and speed limit monitoring system</li> <li>• Green Plantation around the Project boundary</li> <li>• Switching off/ throttling down of machines/equipment's/generators which are not in use</li> </ul>			
2	Dust Generation from Land development activities and other construction works	<ul style="list-style-type: none"> <li>• Conducting dust monitoring and visual inspection around the site boundary</li> <li>• No use of earthen and undeveloped roads by vehicles related to the Project use</li> <li>• Installation of water spraying system to control fugitive dusts</li> <li>• Introducing vehicle speed limit and speed limit monitoring system</li> <li>• If yes, do they monitor vehicle speed regularly?</li> </ul>			
3	Water Quality	<ul style="list-style-type: none"> <li>• Fencing the construction site by drum sheet or Tarjja of any other fencing</li> <li>• Arrangement of runoff drainage for reducing any water logging</li> <li>• Location of backfilling stockpile in safe area and protected from wind and rain action</li> <li>• No storing of backfilling materials/spoil stored on river bank/slope</li> <li>• No disposal of waste and wastewater to river or canal.</li> </ul>			
4	Waste Management System	<ul style="list-style-type: none"> <li>• Provision of onsite waste management system</li> </ul>			

SI No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
5	Compensation and Resettlement	<ul style="list-style-type: none"> <li>• Prepare Proper resettlement action plan and compensation plan if the Project needs any land acquisition addressing compensation, restoration, livelihood, living standards etc. based on proper socio-economic studies</li> <li>• Resettlement of the PAPs</li> <li>• cash for compensation of land (CCL) before resettlement</li> <li>• formal agreement with the affected people prior to migration/resettlement</li> <li>• Sufficient standing crop compensation</li> <li>• Compensation for shift able structures?</li> <li>• Retention of salvageable materials?</li> <li>• Compensation for loss of trading income?</li> <li>• one-time moving assistance</li> <li>• grant to cover loss of regular wage income</li> <li>• Has a resettlement plan been developed which includes compensation, restoration, livelihood, living standards etc. based on proper socio-economic studies?</li> <li>• Provide/take extra care/caution for the disadvantaged/vulnerable group(s) (i.e., women, children, ethnic minorities, indigenous people etc.)</li> <li>• Provision of monitoring the compensation and resettlement process</li> </ul>			
6	Livelihood and living	<ul style="list-style-type: none"> <li>• Does the Project pose any threat to the livelihood/living standards of the local people?</li> <li>• If yes, are adequate steps taken to reduce the impacts?</li> <li>• Has the company developed any policy which prioritizes the local laborers in employment opportunities?</li> <li>• Is there any possibility that large vehicle related to the Project will cause traffic induced disturbance/s to the local dwellers?</li> <li>• If yes, are there any mitigative steps taken to decrease the disturbance/s?</li> <li>• Has the road network been developed after the Project being proposed and during the construction phase?</li> </ul>			

Sl No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
		<ul style="list-style-type: none"> <li>Are there separate water and sanitation facilities for the construction workers in the Project area?</li> </ul>			
7	Green House Gas Controlling Measures	<ul style="list-style-type: none"> <li>Use of efficient generator in the construction activities</li> <li>Regular maintenance of vehicles, generator and machinery in accordance with manufacturer's specifications</li> <li>Use of approved pollution control devices fitted in the equipment's and machineries</li> <li>Switching off and throttling down the machines/equipment's/generators which are not in use</li> </ul>			

**Table B: Checklist of Monitoring ESMP Implementation (During Construction Phase)**  
**(Labor and Working Condition)**

**Basic Data**

Sl No	Description	Values
1	Direct Workers	
2	Contracted Workers	
3	Supply Chain Workers	
4	Child labor	
5	0 - 12	
6	13 - 14	
7	14 - 18	

### Checklist for Labor and Working Condition

Sl No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
1	Working Conditions and Management of Worker Relationship	<ul style="list-style-type: none"> <li>• Preparation of Human Resources Policies and Procedures for Direct workers</li> <li>• Defined Working condition and Terms of Employment for direct worker</li> <li>• Sustainably equivalent terms and condition for migrant workers</li> <li>• Compliance to national law of forming workers' organization</li> <li>• No discrimination and equal opportunity for all</li> <li>• Measures for diminishing past discrimination</li> <li>• Grievance Mechanism</li> </ul>			
	Protecting Workforce	<ul style="list-style-type: none"> <li>• The client will not employ children in any manner that is economically exploitative, or is likely to be hazardous or to interfere with the child education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development.</li> <li>• No Force Labor</li> </ul>			
2	Safety at site	<ul style="list-style-type: none"> <li>• Installation/Construction of Safety Fence around the Project area</li> <li>• Use of Personnel Protective Equipment (i.e. safety suit, safety goggles, ear plug, safety shoes, gloves, dust mask, etc.)</li> <li>• Safety trainings for workers (i.e. fire control, working at height, working in heat, first aid etc.)</li> <li>• Practice of Tool box meeting, safety talks,</li> <li>• Safe Storage of Hazardous Chemicals (e.g. fuel, flammable chemical, toxic chemicals, etc.)</li> <li>• Maintaining Material Safety Data Sheet (MSDS)</li> <li>• Provision of Health care facilities such as doctor, hospital etc. available at/nearby the plant construction site</li> <li>• Availability of First Aid at work place</li> <li>• Preparation and Follow of Emergency Response Plan</li> </ul>			

SI No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
		<ul style="list-style-type: none"> <li>Adequate fire precautions in place (for example, fire extinguishers, escape routes etc.)</li> <li>Documentation and reporting of occupational accidents, diseases, and incidents</li> <li>Policies and procedures for managing and monitoring the performance of third-party employers in relation to OHS</li> </ul>			
3	Occupational Health and Safety Procedure	<ul style="list-style-type: none"> <li>Provision of complete EHS division in the Human Resources Planning/Organogram</li> <li>Preparation of Safety Policy to be adopted during plant operation</li> </ul>			
4	Worker's Well Being	<ul style="list-style-type: none"> <li>Establishment Grievance Mechanisms</li> <li>Ensuring fair treatment, non-discrimination and equal opportunity</li> <li>Compliance of Project's labor policy with the national labor law</li> <li>No Child Labor</li> <li>No incident of forced labor</li> <li>Provision of Welfare facilities for Worker/Labor</li> </ul>			

**Table C: Checklist of Monitoring ESMP Implementation (During Construction phase)**  
**(Community Health, Safety and Security)**

SI No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
1	Disturbance to nearby community due to dust from newly developed land and Noise from construction activities	<ul style="list-style-type: none"> <li>Construction of boundary wall around the Project are</li> <li>Installation of water spraying system to control dusts</li> <li>Conducting dust monitoring and visual inspection around the site boundary</li> <li>Adoption of Noise management plan</li> </ul>			
2	Grievance of local people	<ul style="list-style-type: none"> <li>Availability and operation of Grievance Redress Mechanism</li> <li>Maintaining open communication channel with the local community</li> </ul>			



SI No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
3	Risk of breaching Community Safety	<ul style="list-style-type: none"> <li>• Construction of boundary wall/safety fence around the Project area</li> <li>• Practicing Risk Assessment and Evaluation Process</li> <li>• Practicing safe management for hazardous materials which may pose threat to the community</li> <li>• Availability and operation of Emergency Response Plan</li> <li>• Maintaining open communication channel with the local community</li> <li>• Training and instruction to the security personnel about their behaviour and communication with the local people</li> <li>• Aware the security personnel about the right of the community people</li> </ul>			
4	Community Health Risk	<ul style="list-style-type: none"> <li>• Provision of providing health service facilities to community if the Project possess any health risk like sexually transmitted disease, communicable disease, vector-borne diseases</li> <li>• Implement all pollution mitigation measures to ensure safeguarding to community</li> </ul>			<i>(Continued)</i>
5	Youth Employment	<ul style="list-style-type: none"> <li>• Providing training/awareness program for the local youth to let them aware about the required qualification to get involved in the Project related activities</li> </ul>			
6	Public Communication, Consultation and Awareness	<ul style="list-style-type: none"> <li>• Arranging public communication/consultation meeting</li> <li>• Sharing of Project information with local people</li> <li>• Organizing environmental and social awareness programs/meetings</li> </ul>			

**Table D: Checklist of Monitoring ESMP Implementation (During Construction phase)**  
**(Biodiversity and Sustainable Management of Living Natural Resources)**

Sl No	Potential Impacts	Proposed EMP	Actual Implementation	Recommended Action	Compliance Status
1	Runoff (contain mostly sediment load) from newly developed land falls into nearby river and channel.	<ul style="list-style-type: none"> <li>• Installation of proper run on/runoff drains</li> <li>• Use of sediment fences, traps and basins for trapping the sediment, if required</li> </ul>			
2	Disturbance to nearby ecosystem due to different construction activities	<ul style="list-style-type: none"> <li>• No cutting/ felling of trees along the river bank</li> <li>• Implementation of on-site waste and air quality management plan</li> <li>• Limiting soil extraction activities limited within the defined area</li> <li>• Limiting the vegetation clearance and base stripping process within the Project boundary</li> <li>• Safety fence around the construction site</li> <li>• Limiting the use of night light</li> <li>• Using shade (directed downwards) around the outdoor lights</li> <li>• Provision of cut-off time to switch off unnecessary lights at night</li> <li>• Initiate Green plantation</li> <li>• No plantation of non-native species</li> <li>• Retaining top soil for future habitat restoration</li> <li>• No degradation of critical habitat?</li> </ul>			
3	Occupation of river, inter-tidal areas and wetlands	<ul style="list-style-type: none"> <li>• No encroachment of inter-tidal flood plain area</li> <li>• No disturbance to Dolphin community</li> <li>• Monitoring of Ecosystem Health and Monitoring of Sundarbans Forest Health</li> <li>• If required, embankment should be constructed considering a setback distance from river/canal bank</li> <li>• Slope protection work along the Maidara River should be completed on an urgent basis before rainy season come and</li> <li>• BIFPCL may take initiatives of excavating of silted reach of Maidara river near proposed township area to facilitate proper functioning of River for maintaining tidal dynamics</li> </ul>			



## Appendix II: Photo Album

### Environmental and Socio-economic Monitoring of Khulna 2×660 MW Power Plant for 38<sup>th</sup> monitoring program (October, 2023)



Monitoring team



Groundwater quality monitoring



Measuring DBH



Monitoring of air quality



Monitoring of water quality




## Appendix III: Terms of References (ToR)

### Background

Bangladesh-India friendship Power Company (Pvt.) Ltd. (BIFPCL), a 50:50 Joint Venture Company of Bangladesh Power Development Board (BPDB) of Bangladesh & NTPC Limited of India is implementing a coal based thermal power plant named 2X660 MW Maitree Super Thermal Power Project at Rampal in Bagerghat District of Khulna Division of Bangladesh. The plant is envisaged to be based on super critical technology and is to be operated as Base Load Plant. The fuel envisaged is imported coal.

### General Description of 2X660 MW Maitree Super Thermal Power Plant Project

<b>Project Location:</b>	<p>Upazila: Rampal, District: Bagerhat</p> <p>Site is located at 23 kms Southward of Khulna City and 14 kms. North-Eastward from Mongla Port.</p> 
<b>Project Capacity:</b>	1320 MW (2x660 MW), based on Ultra Super-critical Technology
<b>Mode of Operation:</b>	Base Load
<b>Fuel:</b>	Imported Coal

<b>Fuel Transportation:</b>	It is envisaged that imported coal from countries like Indonesia, Australia shall be transported through bigger ships, up to trans-shipment point, from where the coal shall be transported through barges to the coal unloading jetty at the plant end. From jetty to the power plant coal shall be transported through coal conveyor system.
<b>Land&amp; Land Development:</b>	Based on the layout in the FR, it is estimated that approx. 575 acres of land will be required for the project. (375 Acres for Main Plant, 50 Acres for Township, 50 Acres for Jetty).
<b>Evacuation of power:</b>	Provision of line bays in generation switchyard for one no. 400 kV Double Circuit line and one no. 230 kV Double Circuit line have been kept. The Power evacuation (transmission line) system from the Project shall be at 400 kV level and will be outside the scope of the Project. 400 kV is being introduced for the first time in Bangladesh.
<b>Expected Timeline for project implementation</b>	The first unit of capacity 660 MW is scheduled to be synchronised in 41 months from the date of NTP to the EPC contractor for the Power project. Commissioning of the first unit of capacity 660 MW is envisaged at an interval of 5 months thereafter.

### **Broad Scope of Works**

The study covers quarterly monitoring of different environmental and social parameters, and implementation of EMP (Environment Management Plan) during implementation phases as per DoE approval/requirement. The monitoring locations were selected based on physical activities, wind direction, sensitive receptors, etc. and were finalized through the consultation with DoE, Department of Fisheries (DoF), MPA and Forest Department (FD).

### **The Broad objectives of independent monitoring covers the following activities**

- Monitoring implementation of EMP and environmental compliance;
- Monitoring of ambient air quality, noise level and water quality;
- Monitoring of cropping pattern and soil quality;
- Monitoring of fisheries resources covering fish habitats, biodiversity, migration and production;
- Monitoring of ecosystem and biodiversity;
- Monitoring of the Sundarbans Forest Health; and
- Monitoring of socio-economic condition and livelihoods.
- To evaluate the project environmental performance as due to construction activities.



---

**The main objectives of this works are**

- Monitoring of Social and Environmental parameters to update the baseline.
- Monitoring of Social and Environmental parameters during Implementation of the Project.
- Assistance to BIFPCL for implementation of Environmental Management Plan (EMP) during construction period.
- The scope of work of the Independent Monitoring will include the following specific tasks
- Develop specific monitoring indicators, checklists, and questionnaires to undertake independent monitoring (a preliminary list of monitoring indicators has been given in the EMP) in consultation with BIFPCL, DoE, Forest Department and the Financer;
- Review and verify the implementation progress of various EMP elements, particularly, mitigation plan, compliance monitoring, environmental trainings, documentation, and grievance redress mechanism;
- Physical aspects would cover air quality, noise level, water quality and land resources;
- Biological environment includes fisheries resources, ecological resources, Sundarbans Reserve Forest (SRF) health conditions including WHS;
- Environmental compliance monitoring includes Monitoring of Environmental and Social Management System Action Plan Implementation, monitoring of labour and working conditions, monitoring of community health, safety and security and monitoring of biodiversity and sustainable management of living natural resources.
- To establish baseline environmental conditions;
- Provide and monitor the environmental parameter during construction activities.
- To detect adverse environmental impacts for river dredging and other activities of site development;
- Provide technical assistance to the client for implementation of the EMP during the power plant construction at different sector of construction activities.
- To demonstrate whether the environmental control measures are operating as per designed;
- To provide data for emission inventories;
- To provide data at regular intervals for dissemination to the stakeholders
- To provide data for improvement and updating of the monitoring program;
- To assist in investigating the event of a trigger level or emission limit value being crossed.
- Update baseline data as per monitoring schedule and location.
- Provide technical assistance to the client for implementation of the EMP during power plant construction.
- Review the EIA document to evaluate the EMP measures incorporated in the contract to mitigate different social and environmental hazards and risks during construction of the Project
- Submit progress reports to the client.
- Physical observation to assess that all mitigation measures mentioned in EMP are carried out in all place.

- Sampling and carrying out necessary analysis of Environmental parameter such as surface & ground water quality, air quality, noise, Biological Environment, Socio-economic environment, Sundarbans Forest health etc. according to the monitoring framework in construction phase.
- Morphological changes of the adjacent river of the project will be influenced by the constructional activities. River bank erosion-accretion, drainage system, tidal inundation etc. will be investigate after regular intervals in the study area as per monitoring location of the EIA. The procedure of investigation and methodologies of analysis will be the same as pre-construction phases. River bed pollution will be identified though this study during construction of the power plant.
- Monitoring of floral resources will be performed quarterly. The indicators and procedures of flora monitoring will be relatively same as earlier studies of this projects. Plant composition, canopy coverage, indigenous and exotic species, plant intensities will be the main monitoring indicators during construction phases.
- Monitoring of faunal resources will be performed quarterly at the construction period. Faunal resources survey will coincide with floral resources survey as it will provide more insight about the inter-dependency between flora and fauna in an ecosystem.
- Render any other related services as and when requested.
- Conduct community level consultation in a regular interval and disclose project level information.
- Keep liaison with different organization like Govt department, NGOs, and relevant stakeholders.

**The Monitoring Parameter & Associated Indicator are Given Below**

Monitoring Parameter	Indicators
Socio-economy	Livelihood and Occupation
	Income and expenditure
	Displacement and Migration
	Cultural and heritage
	Health and sanitation
	Risks and accidental assessment
	Transportation and communication
	Public and private Infrastructure development
Ecology and Biodiversity	Bio-indicator Assessment
	Movement of indigenous/ native species
	Envision of exotic species and regime dominance
	Species composition (Flora and Fauna)
	Assessment the services of dependent ecosystem
Agriculture	Land use and canopy coverage

Monitoring Parameter	Indicators
	Soil quality (Salinity, pH, OM,)
	Cropping pattern and crop intensities
	Irrigation and crop production
	Farmers survey result
Fisheries	Fish diversity and specification
	Fish production and availability
	Fisher survey result
Noise level	Sound level at the sensitive zone
Water resources	DO, BOD, COD, Salinity, TDS, TS, pH, Hg, Pb
	Total Hardness, Hg, NO <sub>3</sub> and PO <sub>4</sub>
	River Morphology,
	Tidal inundation
	Drainage Network
	Erosion and Accretion
	Ground water quality
Air quality	SO <sub>x</sub>
	NO <sub>x</sub>
	SPM (PM <sub>10</sub> and PM <sub>2.5</sub> )
	CO

### Air Quality Monitoring Progress

The most commonly used method for automatically monitoring air pollutant such as those above are:

- SO<sub>x</sub>: measured by Fluorescent signal generated by exiting SO<sub>2</sub> with UV light
- NO<sub>x</sub>: measured by Chemiluminescent reaction between NO<sub>x</sub> & O<sub>3</sub>
- O<sub>3</sub>: measured by ultra violet absorption analyzer, this determines the Ozone concentration by the attenuation of 254 nm UV light along this signal fixed path cell
- Particulate matter (SPM, PM<sub>10</sub>, PM<sub>2.5</sub>): measured by gravimetric methods including true micro weighing technology for automatic monitoring & instrument named 'Tapered element oscillating micro balance (TOEM)' has been most frequently used. Measurement on filter tape using the principles of beta attenuation for estimating 30 mnt or 1 hr average concentrations of PM<sub>10</sub> or PM<sub>2.5</sub> has also been used.
- CO: In urban air pollution studies, a non-disruptive infrared photo meter utilizing a gas filter co relation technology & state of the art optical & electronic technology is used to measure low concentration of CO accurately & reliably.

### Expected Output

A breach of a trigger level or emission limit values may indicate a significant increase of a contaminate concentration in an environmental medium.

Baseline Monitoring is monitoring in and around the location of a proposed site so as to establish background environmental conditions prior to any development of the proposed site. In case of existing facilities, baseline-monitoring serves as a reference point to which later monitoring results

are compared. The information will be used to evaluate in future compliance monitoring.

Compliance monitoring is periodic monitoring and is to determine whether there is any release of contaminants to the environment and to demonstrate compliance within the project area. It includes measurements of process conditions, process emissions and levels in receiving environments and the reporting of the results of such measurements to demonstrate compliance with limits specified in the legislation.

The information provided by compliance monitoring is also valuable for other environmental and management activities (e.g. for optimizing process, protecting sensitive ecosystems and informing the public of the effectiveness of environmental protection measures).

Assessment monitoring is investigative monitoring which is initiated after detection of the impacts to the environment or on attaining a trigger level. The assessment monitoring will:

- Identify the source of release materials;
- Characterize the nature, extent and rate of releases;
- Evaluate the risk to the environment and to human health;
- Evaluate measures to prevent or minimize future releases;
- Provide information for the design and implementation of corrective measures and
- Express the residual environmental impacts for proper compensation.

### Reporting Requirements

As it is proposed to carry out the monitoring program for two quarters and the proposed deliverables are scheduled below:

SL	Name	No. of copies
1	Monitoring Report after each monitoring mission (each in one quarter) with complete data, analysis, lab. Results, discussion etc. as intended in the scope of work.	12
2	CD-ROM in respect of documents/datasheets	2

## Appendix IV: Monitoring Data

### (A) Air Quality Data

Table A1: Ambient Air Quality Monitoring Results

Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, Apr, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
SW Corner of the PP area		PM <sub>2.5</sub>	33	37	25	33	47	25	22	34	19	5	9	24.8	8.12	28.2	32.9	28.4	15.2	31.1	27.3	21.7	37.76	51.32	65 <sup>24hr</sup>
		PM <sub>10</sub>	78	77	53	79	83	35	52	135	117	32	22	79	43.8	73.6	133	70	15.8	106	105.4	98.2	67.15	127.6	150 <sup>24hr</sup>
		SPM	207	239	190	200	177	42	91	175	332	51	53	115.7	122.4	169.4	145.6	121.5	12.9	137.4	151.6	128.6	109.25	183.56	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	21	24	19	23	15	52	35	14	18	9	8	9.5	9.0	7.2	14.3	11.4	11.9	12.7	11.6	13.9	56.5	31.53	80 <sup>24hr</sup>
		NO <sub>x</sub>	26	29	27	31	29	35	29	18	18	12	10	11.3	10.7	7.5	17.7	12.8	10.2	14.8	12.4	16	55.08	24.97	80 <sup>24hr</sup>
		CO	120	188	140	190	144	146	88	74	57	35	119	59	91	73	61	32	11.1	28	15	18	4	16	(5000) <sup>8hr</sup>
		O <sub>3</sub>	27	26	19	22	26	12	5	4	1	1	1	5	03	10	03	9	13.2	7	9	6	25	10	100 <sup>8hr</sup>
Shapmari area		PM <sub>2.5</sub>	39	48	48	39	34	18	17	35	25	3	8	25	14.6	8.5	31.5	26.7	15.8	35.7	30.6	18.9	50.24	19.34	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, April, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Rainy/Cloudy	Sunny/Rainy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Rainy/Cloudy	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Sunny/Cloudy	
		PM <sub>10</sub>	814.6	90	74	102	97	31	48	116	44	11	11	99.5	56.9	40.4	147.8	52	64.4	109.9	126.3	106.1	63.94	82.27	150 <sup>24hr</sup>
		SPM	2156.3	263	217	274	266	47	79	192	187	27	23	154.2	136.7	45.3	181.4	138.7	113.4	143.9	168	150.8	123.56	120.45	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	19	28	22	21	22	58	27	13	11	4	6	12.9	10	4.3	15	9.6	10.8	12.2	12.3	12.1	31.53	60.26	80 <sup>24hr</sup>
		NO <sub>x</sub>	29	39	27	26	24	46	25	16	22	6	8	15.7	11.8	6	18.6	10.2	13.1	13.6	13.8	13.9	24.97	58.39	80 <sup>24hr</sup>
		CO	165	210	230	164	136	127	102	77	22	31	108	66	78	79	69	27	25	30	21	20	4	11	(5000) <sup>8hr</sup>
		O <sub>3</sub>	33	26	26	23	21	16	1	1	1	0	0	1	08	25	04	4	8	6	4	1	34	22	100 <sup>8hr</sup>
NW Corner of the PP area		PM <sub>2.5</sub>	37	44	19	42	59	28	19	24	11	3	10	29	10.3	15.2	40.7	27.7	12.9	32.3	20.3	14.2	37.27	33.2	65 <sup>24hr</sup>
		PM <sub>10</sub>	67	78	56	98	91	96	29	125	29	24	14	108.7	31.3	49.9	136.3	100.1	44.3	117.4	93.6	58.7	42.99	1119.34	150 <sup>24hr</sup>
		SPM	234	217	157	310	244	321	66	187	115	31	35	168	91.7	63.9	161.7	116.2	76.3	156.2	125.5	119.2	60.45	175.13	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	19	22	18	27	21	56	32	13	17	4	8	12.2	5.8	7.5	9.6	13.2	5.8	13.4	10.7	11.6	60.26	54.02	80 <sup>24hr</sup>
		NO <sub>x</sub>	23	28	22	32	39	43	21	18	16	5	11	14.7	7.1	9.2	11.7	14.3	5.9	15	11.3	13.5	58.39	43.45	80 <sup>24hr</sup>
		CO	110	178	110	210	140	133	87	77	38	47	127	31	74	80	45	43	21	32	20	16	7	0	(5000) <sup>8hr</sup>
		O <sub>3</sub>	25	19	17	36	44	11	8	2	0	1	1	3	05	10	05	7	6	8	1	5	18	2	100 <sup>8hr</sup>
Barni,		PM <sub>2.5</sub>	39	47	57	39	41	34	11	29	23	9	10	21.7	7.9	13.8	52.3	18	11.9	15.4	19.3	19.7	57.51	31.28	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, Apr, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Rainy/Cloudy	Sunny/Rainy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Rainy/Cloudy	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Sunny/Cloudy	
Gaurambha		PM <sub>10</sub>	103	122	67	97	82	65	26	97	82	45	13	105.4	30.5	30.2	140	30.5	20.5	50.1	102	69.9	33.25	69.32	150 <sup>24hr</sup>
		SPM	233	244	183	277	236	79	112	176	268	69	30	167.8	95.6	57.2	171.9	90.6	5.2	113.5	127.5	92.2	75.13	102.17	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	21	23	17	22	25	41	31	16	20	10	7	12.2	5.5	4.1	13.8	6.1	6.1	9.5	11.5	12.6	54.02	59.33	80 <sup>24hr</sup>
		NO <sub>x</sub>	25	28	22	26	27	44	32	21	16	12	9	19.3	9.8	5.0	16.7	7.3	7.4	10.7	13.8	13.8	43.45	57.02	80 <sup>24hr</sup>
		CO	175	210	190	150	196	96	96	81	73	41	98	63	85	77	59	24	20	20	17	18	6	0	(5000) <sup>8hr</sup>
		O <sub>3</sub>	26	29	22	19	15	9	6	4	0	0	3	5	08	6	04	6	6	2	3	4	7	52	100 <sup>8hr</sup>
Chunkuri-2, Bajua Dacope		PM <sub>2.5</sub>	35	39	46	37	33	35	28	31	25	7	5	25.2	8.7	17.3	33.4	11.4	10.2	26.8	22.8	15	19.46	33.74	65 <sup>24hr</sup>
		PM <sub>10</sub>	77	86	69	68	61	109	49	98	60	23	20	74.4	44.4	100.2	157.1	40.6	30.6	105.9	126.7	72.7	46.37	78.27	150 <sup>24hr</sup>
		SPM	117	113	162	183	188	175	94	167	167	31	48	162	110.6	127.8	200	108	78.6	128.5	146.6	117.6	80.31	100.95	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	19	24	21	18	11	55	33	21	13	7	9	18.9	8.2	7.9	19	10.4	7.5	12.1	12.4	11.2	45.81	35.42	80 <sup>24hr</sup>
		NO <sub>x</sub>	23	26	27	24	18	49	23	16	25	10	8	18	11.2	8.4	20.7	11.6	8.4	14	13.8	13.7	44.92	40.09	80 <sup>24hr</sup>
		CO	190	205	170	170	33	133	75	70	33	38	79	36	94	69	58	42	23	27	25	20	10	0	(5000) <sup>8hr</sup>
		O <sub>3</sub>	27	24	18	22	41	21	2	1	1	0	2	2	03	5	05	2	4	5	9	8	2	38	100 <sup>8hr</sup>
Pankhali,		PM <sub>2.5</sub>	47	49	57	41	39	34	25	47	15	8	10	38.7	15.8	17	72.3	15.9	11.1	24.8	28.6	15.8	24.03	24.03	65 <sup>24hr</sup>



Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, Apr, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Rainy/Cloudy	Sunny/Rainy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Rainy/Cloudy	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Sunny/Cloudy	
Dacope		PM <sub>10</sub>	119	127	139	101	105	144	62	128	46	42	18	141.6	105	63.4	208.9	74.3	58.4	92	125.8	92.7	56.56	119.28	150 <sup>24hr</sup>
		SPM	297	266	254	208	299	339	183	198	114	78	34	194.6	179	87.5	223.9	154.1	98.4	139	178.2	141.1	93.5	100.95	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	28	31	31	24	30	58	36	18	9	8	8	16.1	12.9	8	16.3	12.2	9.4	10.4	13.3	10.4	59.41	44.29	80 <sup>24hr</sup>
		NO <sub>x</sub>	41	39	36	26	27	47	23	15	19	9	9	19	18.7	10.2	17.7	13.7	12.1	13.4	14.9	11.7	51.09	17.72	80 <sup>24hr</sup>
		CO	230	217	250	188	177	125	105	101	55	29	112	48	83	87	49	34	29	30	14	14	9	0	(5000) <sup>8hr</sup>
		O <sub>3</sub>	49	38	36	27	11	13	5	2	2	0	0	3	06	0	06	6	8	8	8	3	22	26	100 <sup>8hr</sup>
Mongla Port area		PM <sub>2.5</sub>	47	55	39	41	26	33	19	34	21	9	11	25.7	22.6	33.2	70.1	23.2	13.2	30.3	26.6	35	56.67	39.69	65 <sup>24hr</sup>
		PM <sub>10</sub>	139	174	77	82	35	52	33	132	45	29	15	119.3	93.6	97	209.1	89.9	47.5	103.7	109.3	131	119	64.12	150 <sup>24hr</sup>
		SPM	288	303	197	217	214	118	65	189	144	50	6	172.3	196	187.2	242	144.7	73.7	161.9	157.1	183.1	192.17	83.9	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	27	28	26	24	14	45	36	16	10	8	7	16.8	10.5	8.2	15.5	11.8	6.5	12	10.8	16.8	59.33	57.24	80 <sup>24hr</sup>
		NO <sub>x</sub>	44	39	33	27	17	40	20	13	14	10	8	15.3	15.1	10.7	18.4	13.2	7.2	16.8	12.6	17.8	57.02	46.58	80 <sup>24hr</sup>
		CO	230	320	220	211	24	110	84	71	29	31	97	44	72	79	52	29	20	33	28	17	15	48	(5000) <sup>8hr</sup>
		O <sub>3</sub>	57	52	37	26	09	15	8	3	1	2	1	4	04	9	02	3	1	9	7	3	5	40	100 <sup>8hr</sup>
Harbaria,		PM <sub>2.5</sub>	19	22	33	27	24	27	24	26	13	6	10	19.2	10.5	28.3	43.5	11.6	11.4	20.6	15.4	14.2	28.03	39.69	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, Apr, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Rainy/Cloudy	Sunny/Rainy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Rainy/Cloudy	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Sunny/Cloudy	
Sundarbans		PM <sub>10</sub>	41	39	59	56	49	42	50	82	42	20	14	85.2	36.7	89.9	152.4	29.1	24.3	80.5	92.6	63.9	21.85	64.12	150 <sup>24hr</sup>
		SPM	111	117	129	139	109	70	73	159	91	43	44	93.5	103.7	107	189.9	72.4	47.6	90.3	118.3	90.9	48.09	83.9	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	9	10	14	12	16	51	34	15	11	6	7	11.9	5.7	7.6	13.2	7.9	4.9	11.6	9.5	11.6	49.72	57.24	80 <sup>24hr</sup>
		NO <sub>x</sub>	19	22	27	18	22	34	22	14	16	8	10	13	7.7	9.3	15.2	8.3	5.4	13	10.1	13	41.91	46.58	80 <sup>24hr</sup>
		CO	65	58	70	64	56	112	81	62	47	32	110	67	73	84	57	31	20	20	25	16	16	48	(5000) <sup>8hr</sup>
		O <sub>3</sub>	13	12	13	11	14	12	4	2	2	0	1	4	08	0	02	2	6	4	3	5	8	40	100 <sup>8hr</sup>
Akram Point, Sundarbans		PM <sub>2.5</sub>	17	19	23	18	49	NO	25	18	9	4	4	14.3	13.2	7.5	35.4	13.7	14	29.1	16.2	13	19.68	36.67	65 <sup>24hr</sup>
		PM <sub>10</sub>	39	44	32	39	77	NO	32	77	31	15	14	85.5	96.0	37.8	150.6	36.4	41.6	100.2	93.2	51.9	43	87.15	150 <sup>24hr</sup>
		SPM	114	133	97	88	102	NO	51	128	46	23	27	90.9	137.0	41.8	175.1	90.3	58	121.4	117.8	71.1	83.9	122.62	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	7	9	12	13	21	NO	27	14	9	4	6	8.4	6	5.8	14	8.3	6.3	10.8	10.1	8.9	57.24	35.23	80 <sup>24hr</sup>
		NO <sub>x</sub>	17	19	22	17	27	NO	19	15	10	5	6	12.7	10.1	5.9	15.1	9.9	9.3	11.7	11.3	9.4	46.58	31.26	80 <sup>24hr</sup>
		CO	49	60	50	46	163	NO	92	64	21	37	101	58	79	69	52	21	25	28	17	14	38	24	(5000) <sup>8hr</sup>
		O <sub>3</sub>	11	14	9	10	27	NO	8	1	0	0	2	3	0	0	03	3	4	5	3	1	9	90	100 <sup>8hr</sup>
Hiron Point,		PM <sub>2.5</sub>	15	23	19	17	28	NO	27	NO	17	NO	9	21.7	No	17.0	40.5	NO	NO	23.4	18.2	NO	NO	27.76	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	Air Quality Monitoring Data (2014-2019)																				Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)		
			1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, April, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019		21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019
Sundarbans		PM <sub>10</sub>	44	38	34	41	60	NO	45	NO	40	NO	14	104.5	NO	92.1	149.8	NO	NO	86.7	96.1	NO	NO	67.89	150 <sup>24hr</sup>
		SPM	101	119	107	97	110	NO	88	NO	132	NO	26	111.4	NO	102	173.7	NO	NO	107.9	127.8	NO	NO	90.31	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	8	7	13	14	15	NO	28	NO	15	NO	9	13.5	NO	6	15.8	NO	NO	10.6	10.7	NO	NO	45.81	80 <sup>24hr</sup>
		NO <sub>x</sub>	18	18	19	22	20	NO	23	NO	19	NO	9	15.9	NO	7.8	18.1	NO	NO	12.5	10.9	NO	NO	44.92	80 <sup>24hr</sup>
		CO	52	62	65	60	60	NO	93	NO	40	NO	121	43	NO	72	71	NO	NO	22	21	NO	NO	2	(5000) <sup>8hr</sup>
		O <sub>3</sub>	14	13	11	9	23	NO	2	NO	0	NO	0	4	NO	0	04	NO	NO	6	6	NO	NO	16	100 <sup>8hr</sup>
		PM <sub>2.5</sub>	54	39	52	42	55	46	19	35	11	16	9	34.6	23.1	19.5	78.7	12.4	12.5	21.3	20.8	33	38.59	18.65	65 <sup>24hr</sup>

Locations of Monitoring	Pollutants	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)																						
Weather		1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, April, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	
Khulna City, near Khan Jahan Ali Bridge	PM <sub>10</sub>	139	117	91	84	75	89	49	112	69	68	24	145.9	99.5	39.6	213.9	38.8	45.4	57.9	91.3	125.9	47.05	59.19	150 <sup>24hr</sup>
	SPM	301	287	239	219	222	181	101	181	112	107	64	189.7	187.2	127.9	243.4	78.9	69.9	102.9	158	173.4	100.95	78.09	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	33	29	33	28	31	59	28	16	11	10	10	17.1	7.2	7.1	21	7.5	7.5	8.7	10.4	15.3	35.42	49.72	80 <sup>24hr</sup>
	NO <sub>x</sub>	49	41	39	36	33	38	26	16	15	15	14	18.6	11.7	8.8	25	8.4	11.1	9.7	11.1	17.1	40.09	41.91	80 <sup>24hr</sup>
	CO	330	370	330	296	101	89	94	98	68	36	104	66	79	81	69	36	28	121	19	23	11	24	(5000) <sup>8hr</sup>
	O <sub>3</sub>	59	67	57	39	21	7	4	2	1	0	2	3	07	07	09	9	7	4	5	6	6	18	100 <sup>8hr</sup>
Township area	PM <sub>2.5</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	29.1	13.7	28.6	21.2	17.2	21.24	29.64	65 <sup>24hr</sup>
	PM <sub>10</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	70.3	60.8	111.7	88.7	61.6	96.71	98.15	150 <sup>24hr</sup>
	SPM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	120.6	98.1	144.6	129.4	102.5	127.79	127.79	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	13.1	8.4	10.2	11.3	7.9	9.32	19.32	80 <sup>24hr</sup>
	NO <sub>x</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	14	9	11.6	12.1	11.9	15.63	15.63	80 <sup>24hr</sup>
	CO	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	46	32	30	18	21	9	0	(5000) <sup>8hr</sup>
Access road bridge	O <sub>3</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	9	4	9	1	5	19	11	100 <sup>8hr</sup>
	PM <sub>2.5</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	33.1	20.9	40.9	26.9	36.1	39.65	14.65	65 <sup>24hr</sup>
	PM <sub>10</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	118.1	83.7	128.3	112.9	137	142.84	79.92	150 <sup>24hr</sup>
	SPM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	142.5	106.2	177.8	168.2	163.2	171.2	109.25	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	12.2	10.9	13.4	12.5	15.7	17.37	56.5	80 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	1 <sup>st</sup> QM, Apr 2014	2 <sup>nd</sup> QM, Jul 2014	3 <sup>rd</sup> QM, Oct 2014	4 <sup>th</sup> QM, Jan 2015	5 <sup>th</sup> QM, Apr 2015	6 <sup>th</sup> QM, Jul 2015	7 <sup>th</sup> QM, Oct 2015	8 <sup>th</sup> QM, Jan 2016	9 <sup>th</sup> QM, Apr 2016	10 <sup>th</sup> QM, Jul 2016	11 <sup>th</sup> QM, Oct 2016	12 <sup>th</sup> QM, Jan 2017	13 <sup>th</sup> QM, April, 2017	14 <sup>th</sup> QM, Oct, 2017	15 <sup>th</sup> QM Jan, 2018	16 <sup>th</sup> QM April, 2018	17 <sup>th</sup> QM, Jul 2018	18 <sup>th</sup> QM, Nov, 2018	19 <sup>th</sup> QM, Feb, 2019	20 <sup>th</sup> QM, Apr, 2019	21 <sup>st</sup> QM, Jul, 2019	22 <sup>nd</sup> QM, Jul, 2019	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Rainy/Cloudy	Sunny/Rainy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Rainy/Cloudy	Sunny/Cloudy	Sunny	Sunny	Sunny/Cloudy	Sunny/Cloudy	
	NOx	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	14.8	13.4	15	13	17.6	21.32	55.08	80 <sup>24hr</sup>
	CO	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	38	34	32	23	21	8	0	(5000) <sup>8hr</sup>
	O <sub>3</sub>	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	5	7	9	6	7	6	6	100 <sup>8hr</sup>

Locations of Monitoring	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
Weather		Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
SW Corner of the PP area	PM <sub>2.5</sub>	27.12	18.71	44.18	55.35	49.13	38.25	56.83	46.83	41.78	34.84	39.63	56.81	44.72	53.38	44.24	65 <sup>24hr</sup>
	PM <sub>10</sub>	68.1	80.28	107.16	106.13	103.88	59.17	83.46	91.25	74.32	56.18	57.26	81.45	66.62	67.47	55.03	150 <sup>24hr</sup>
	SPM	108.4	98.26	149.73	163.48	155.14	99.44	144.48	159.45	139.42	106.28	109.27	144.17	112.77	52.28	58.69	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	18.35	19.91	26.63	14.74	16.26	14.49	16.28	21.54	15.22	11.04	10.18	19.56	18.62	3.04	16.17	80 <sup>24hr</sup>
	NO <sub>x</sub>	12.12	8.82	16.62	37.16	22.31	19.87	21.64	39.5	22.49	23.18	17.64	18.61	13.32	30.46	28.11	80 <sup>24hr</sup>
	CO	28	0	2	0	0	1	0	1	1	0.3	0.6	0.8	0.7	0.438	0.21	(5000) <sup>8hr</sup>
	O <sub>3</sub>	8	8	8	9	16	42	11	12	18	12	19	20	22	21.77	22.53	100 <sup>8hr</sup>
Shapmari area	PM <sub>2.5</sub>	19.14	20.35	29.17	52.74	48.64	41.2	44.65	39.86	36.71	41.2	49.63	43.95	53.16	44.65	44.52	65 <sup>24hr</sup>
	PM <sub>10</sub>	83.22	71.06	84.3	112.04	83.1	64.28	71.35	58.29	68.79	64.29	58.48	58.71	80.42	54.76	55.74	150 <sup>24hr</sup>
	SPM	106.3	95.24	119.22	170.33	139.26	116.48	118.49	128.34	158.14	118.62	123.62	111.63	142.81	43.17	58.85	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	27.41	17.44	14.15	18.32	14.06	11.77	14.55	14.48	13.96	12.58	16.71	17.48	16.51	7.21	10.16	80 <sup>24hr</sup>
	NO <sub>x</sub>	18.77	10.17	14.18	29.9	21.65	21.394	20.85	20.44	20.47	18.4	25.45	15.72	27.41	33	30.16	80 <sup>24hr</sup>
	CO	44	4	0.013	0	0	1	1.1	1	1	1	0.4	0.8	0.9	0.282	0.50	(5000) <sup>8hr</sup>
	O <sub>3</sub>	9	6	2	6	9	28	41	49	8	16	14	21	28	21.83	25.87	100 <sup>8hr</sup>
NW Corner of	PM <sub>2.5</sub>	21.61	21.93	46.73	68.26	58.81	22.66	41.98	42.81	54.16	39.36	46.32	55.86	52.33	46.66	49.92	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
the PP area		PM <sub>10</sub>	77.69	76.76	110.43	131.84	97.61	48.19	61.48	73.42	63.26	58.03	64.18	81.08	70.84	58.91	59.62	150 <sup>24hr</sup>
		SPM	100.04	101.33	160.3	180.43	161.8	77.149	104.73	123.76	132.77	108.2	139.24	146.79	140.73	45.76	64.79	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	19.68	16.21	25.82	16.19	16.58	13.58	12.19	11.79	10.47	13.29	14.66	19.51	18.19	6.6	9.90	80 <sup>24hr</sup>
		NO <sub>x</sub>	17.53	10.55	18.91	34.1	27.42	20.49	18.39	20.25	23.96	20.63	21.43	29.29	24.64	41.6	27.13	80 <sup>24hr</sup>
		CO	30	2	0.012	0	0.2	1	1.4	1	0.6	0.4	0.2	0.7	0.8	0.234	0.17	(5000) <sup>8hr</sup>
		O <sub>3</sub>	9	8	8	12	14	17	34	12	8	11	13	25	34	20.39	24.96	100 <sup>8hr</sup>
Barni, Gaurambha		PM <sub>2.5</sub>	26.66	18.04	38.69	61.29	62.29	21.8	58.34	29.22	31.43	27.55	41.59	37.86	39.81	52.33	52.21	65 <sup>24hr</sup>
		PM <sub>10</sub>	61.11	59.02	91.79	93.36	103.42	50.26	73.17	43.88	46.29	51.98	64.71	57.94	59.5	65.17	61.03	150 <sup>24hr</sup>
		SPM	98.74	82.02	128.48	159.8	154.35	83.2	134.6	92.38	98.15	93.44	111.39	102.3	107.06	50.75	67.19	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	18.88	24.29	20.17	16.47	13.52	14.44	21.39	14.36	18.42	10.57	13.88	12.69	13.91	8.82	4.41	80 <sup>24hr</sup>
		NO <sub>x</sub>	11.58	10.62	14.47	21.18	19.371	19.48	38.46	21.92	40.28	16.4	20.31	15.78	14.18	34.68	26.83	80 <sup>24hr</sup>
		CO	32	0	0	0	0	0	0	0.1	1	0.8	0.1	0.7	0.6	0.22	0.37	(5000) <sup>8hr</sup>
		O <sub>3</sub>	12	8	0	6	2	19	28	6	10	14	33	16	19	22.45	25.83	100 <sup>8hr</sup>
Chunkuri-2,		PM <sub>2.5</sub>	39.44	18.22	43.91	59.18	53.36	33.27	29.61	45.3	48.94	38.48	30.22	57.36	58.71	59.21	42.24	65 <sup>24hr</sup>



Locations of Monitoring	Weather	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
Bajua Dacope		PM <sub>10</sub>	100.08	59.91	88.93	117.42	86.44	61.9	44.28	66.54	86.48	53.19	39.66	96.94	79.6	73.88	51.93	150 <sup>24hr</sup>
		SPM	146.72	146.72	139.04	188.27	128.36	104.29	77.88	134.71	165.58	103.72	77.36	161.53	147.84	57.88	55.81	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	36.14	18.74	29.94	16.45	19.66	15.98	10.59	12.84	14.82	11.08	10.52	26.24	18.22	19.42	19.56	80 <sup>24hr</sup>
		NO <sub>x</sub>	20.04	10.19	18.32	26.14	24.21	18.66	17.21	16.73	26.42	21.94	18.03	31.89	19.01	38.37	27.38	80 <sup>24hr</sup>
		CO	18	10	0	0.1	0.1	0.8	1	1	1	0.2	0.1	0.9	0.6	0.442	0.36	(5000) <sup>8hr</sup>
		O <sub>3</sub>	22	8	0	23	28	11	9	8	13	29	14	56	25	22.38	25.23	100 <sup>8hr</sup>
Pankhali, Dacope		PM <sub>2.5</sub>	33.26	16.63	33.32	66.31	42.62	32.45	42.59	47.51	42.57	42.85	48.3	50.11	58.35	45.44	42.01	65 <sup>24hr</sup>
		PM <sub>10</sub>	127.52	55.78	74.83	102.73	73.29	74.89	64.71	81.84	71.22	69.02	74.05	74.37	92.53	54.87	51.57	150 <sup>24hr</sup>
		SPM	160.02	70.23	111.95	156.56	116.73	118.4	107.31	148.93	128.98	127.39	138.51	133.66	169.47	43.77	55.55	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	30.89	16.73	21.39	16.16	13.1	14.61	12.8	21.4	19.71	12.71	15.42	16.42	24.74	12.22	23.14	80 <sup>24hr</sup>
		NO <sub>x</sub>	19.02	10.52	12.12	28.54	17.18	20.27	19.33	38.27	29.44	23.16	22.14	23.94	28.77	28.75	29.58	80 <sup>24hr</sup>
		CO	11	0	0	1	0	1	1.1	2.8	2	0.4	0.6	0.5	0.7	0.37	0.519	(5000) <sup>8hr</sup>
		O <sub>3</sub>	2	2	4	20	2	10	19	48	39	37	24	37	61	18.41	24.85	100 <sup>8hr</sup>
Mongla		PM <sub>2.5</sub>	38.92	41.33	40.75	74.19	65.37	22.54	51.83	26.39	28.19	43.8	58.46	53.71	51.81	49.15	59.68	65 <sup>24hr</sup>

Locations of Monitoring	Weather	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
			Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
Port area		PM <sub>10</sub>	119.61	126.13	114.61	118.67	129.71	64.44	72.4	61.63	51.66	62.53	93.43	69.26	72.55	74.7	66.93	150 <sup>24hr</sup>
		SPM	173.36	166.16	152.76	201.16	180.22	85.2	128.3	100.53	92	120.3	170.28	130.48	138.02	47.16	76.21	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	31.33	22.04	20.06	12.26	18.91	10.28	17.44	12.54	20.33	14.55	21.41	12.51	14.74	14.9	12.79	80 <sup>24hr</sup>
		NO <sub>x</sub>	13.34	11.29	9.69	19.25	30.2	19.73	29.16	18.43	31.63	22.3	34	18.59	19.99	20.8	28.35	80 <sup>24hr</sup>
		CO	29	24	0	2	0.9	2	2.4	2	0.2	0.1	1.9	0.2	0.3	0.4	0.35	(5000) <sup>8hr</sup>
		O <sub>3</sub>	4	2	1	66	91	23	43	20	13	29	59	14	12	21.85	24.88	100 <sup>8hr</sup>
Harbaria, Sundarbans		PM <sub>2.5</sub>	17.81	20.11	34.42	53.28	46.13	34.94	31.2	41.58	43.27	49.15	53.98	35.19	39.51	13.93	70.29	65 <sup>24hr</sup>
		PM <sub>10</sub>	63.27	62.24	79.38	100.11	82.83	61.53	49.07	58.92	51.04	74.7	76.18	42.07	58.55	15.28	76.43	150 <sup>24hr</sup>
		SPM	87.51	87.71	122.94	146.2	133.1	108.74	83.16	118.83	110.28	141.48	142.09	85.63	109.89	13.43	87.85	200 <sup>8hr</sup> (ECR, 1997)
		SO <sub>2</sub>	16.47	13.31	19.74	14.66	16.58	14.75	12.68	22	13.76	14.9	12.37	13.27	15.36	7.7	9.17	80 <sup>24hr</sup>
		NO <sub>x</sub>	9.9	8.13	10.16	21.44	0	23.28	22.27	27.2	39.23	20.82	20.41	20.18	24.22	35.17	26.33	80 <sup>24hr</sup>
		CO	30	8	0	0	3	1	1	1	1	0.4	0.3	0.3	0.4	0.614	0.39	(5000) <sup>8hr</sup>
		O <sub>3</sub>	12	22	3	6	46.13	9	11	41	24	31	41	11	13	17.73	20.56	100 <sup>8hr</sup>
Akram Point,		PM <sub>2.5</sub>	23.04	13.16	22.74	48.2	41.33	39.16	23.6	29.65	58.43	30.22	35.35	54.94	47.74	2.63	87.94	65 <sup>24hr</sup>

Locations of Monitoring		23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
Weather	Pollutants	Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
Sundarbans	PM <sub>10</sub>	82.91	58.82	56.74	90.12	84.16	76.18	51.88	53.69	77.69	60.21	50.14	97.62	71.27	3.07	96.99	150 <sup>24hr</sup>
	SPM	121.68	78.8	80.31	144.95	131.46	123.59	79.47	98.47	141.37	103.5	99.42	159.36	137.62	2.59	108.34	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	24.21	15.06	12.74	15.05	17.44	16.55	15.89	15.53	21.81	12.59	11.06	25.7	17.2	1.08	4.67	80 <sup>24hr</sup>
	NO <sub>x</sub>	16.74	10.47	6.64	20.6	23.5	21.28	21.39	19.38	38.3	19.69	18.2	27.24	23.83	17.88	21.64	80 <sup>24hr</sup>
	CO	20	14	0	0.2	0	2	1	1.4	0.3	0.9	1	0.8	0.2	0.204	0.47	(5000) <sup>8hr</sup>
	O <sub>3</sub>	2	4	6	8	8	11	8	16	41	24	19	63	32	8.32	26.81	100 <sup>8hr</sup>
Hiron Point, Sundarbans	PM <sub>2.5</sub>	17.39	NO	28.15	55.71	NO	25.3	38.51	36.88	39.62	NO	57.2	47.31	NO	2.28	73.60	65 <sup>24hr</sup>
	PM <sub>10</sub>	72.45	NO	59.31	99.64	NO	59.7	49.27	58.45	48.81	NO	89.22	70.5	NO	2.61	79.96	150 <sup>24hr</sup>
	SPM	94.28	NO	91.06	155.39	NO	94.7	89.36	106.93	96.23	NO	164.2	124.46	NO	2.26	91.21	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	13.33	NO	11.36	16.2	NO	13.92	14.33	12.76	15.38	NO	16.82	14.26	NO	1.27	2.87	80 <sup>24hr</sup>
	NO <sub>x</sub>	8.65	NO	9.74	23.53	NO	20.06	16.27	19.66	39.72	NO	27.87	21.67	NO	17.53	15.80	80 <sup>24hr</sup>
	CO	36	NO	0	0	NO	0	0	0.3	0.7	NO	0.5	0.1	NO	0.138	0.16	(5000) <sup>8hr</sup>
	O <sub>3</sub>	7	NO	1	11	NO	14	22	22	38	NO	28	35	NO	9.17	12.23	100 <sup>8hr</sup>
	PM <sub>2.5</sub>	40.22	46.73	48.32	88.71	71.2	29.47	65.66	61.57	67.33	69.28	63.57	51.17	53.57	86.08	50.49	65 <sup>24hr</sup>

Locations of Monitoring	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
		Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
Khulna City, near Khan Jahan Ali Bridge	PM <sub>10</sub>	116.16	119.11	109.63	159.22	120.38	64.44	124.55	100.3	92.36	100.28	92.2	64.49	70.49	99.54	58.75	150 <sup>24hr</sup>
	SPM	157.28	167.18	157.35	240.18	193.61	101.85	195.17	198.24	178.26	189.38	169.49	124.91	134.71	81.37	64.35	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	28.31	30.73	29.58	18.8	20.64	12.73	26.18	28.52	19.29	23.66	21.71	17.32	14.05	22.14	8.10	80 <sup>24hr</sup>
	NO <sub>x</sub>	24.14	24.24	20.44	34.2	28.35	20.45	38.58	41.59	37.91	39.12	36.56	23.09	21.89	34.49	30.13	80 <sup>24hr</sup>
	CO	32	18	0.7	2	3	4	4.9	1.4	0.2	2.1	1.6	0.3	0.4	0.57	0.17	(5000) <sup>8hr</sup>
	O <sub>3</sub>	10	4	0	80	63	21	59	53	36	66	64	12	15	22.91	23.40	100 <sup>8hr</sup>
Township area	PM <sub>2.5</sub>	44.26	22.08	41.29	166.72	67.82	59.2	79.64	56.26	69.23	51.29	61.47	59.24	57.73	25.7	26.24	65 <sup>24hr</sup>
	PM <sub>10</sub>	122.73	86.26	97.16	234.41	108.16	94.6	102.33	104.73	94.28	69.28	84.89	91.3	95.63	28.3	30.67	150 <sup>24hr</sup>
	SPM	171.29	111.73	142.36	347.39	170.37	158	193.43	178.63	181.85	134.27	158.26	155.86	160.25	24.23	77.4	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	34.12	20.61	21.73	18.61	23.72	19.7	16.92	38.36	27.45	14.56	23.49	16.26	18.34	7.57	24.35	80 <sup>24hr</sup>
	NO <sub>x</sub>	21.72	11.17	13.36	33.48	34.49	27.3	48.41	44.77	39.56	20.23	39.35	31.49	32.53	30.51	25.52	80 <sup>24hr</sup>
	CO	18	2	0	3	1	1	1	3.3	4	1.3	1	0.8	0.7	0.162	0.175	(5000) <sup>8hr</sup>
	O <sub>3</sub>	4	2	0	212	108	92	68	93	59	38	49	38	36	18.58	16.95	100 <sup>8hr</sup>
Access road bridge	PM <sub>2.5</sub>	26.26	20.16	38.72	94.23	64.73	52.2	55.31	57.29	31.28	28.43	42.84	40.29	42.34	28.36	28.84	65 <sup>24hr</sup>
	PM <sub>10</sub>	91.39	78.69	93.48	188.64	119.73	96.1	69.4	69.89	59.15	53.42	71.49	74.81	78.77	33.23	33.53	150 <sup>24hr</sup>
	SPM	126.13	102.03	136.66	269.3	173.92	151	129.45	137.46	98.74	89.45	127.77	121.17	126.63	27.24	84.84	200 <sup>8hr</sup> (ECR, 1997)
	SO <sub>2</sub>	16.16	18.82	18.11	20.23	19.16	13.3	20.76	16.93	19.3	11.39	13.27	11.09	15.88	4.64	18.54	80 <sup>24hr</sup>

Locations of Monitoring	Pollutants	23 <sup>rd</sup> QM, Feb, 2020	25 <sup>th</sup> QM, July, 2020	26 <sup>th</sup> QM, Oct, 2020	27 <sup>th</sup> QM, Jan, 2021	28 <sup>th</sup> QM, April, 2021	29 <sup>th</sup> QM, Aug, 2021	30 <sup>th</sup> QM, Nov, 2021	31 <sup>st</sup> QM, Jan, 2022	32 <sup>nd</sup> QM, May, 2022	33 <sup>rd</sup> QM, July, 2022	34 <sup>th</sup> QM, Oct, 2022	35 <sup>th</sup> QM, Jan, 2022	36 <sup>th</sup> QM, May, 2023	37 <sup>th</sup> QM, Aug, 2023	38 <sup>th</sup> QM, Oct, 2023	Bangladesh (DoE) Standard (Air Pollution Control rules, 2022; ECR, 1997 and subsequent amendments)
Weather		Sunny	Rainy/Cloudy	Sunny	Sunny	Sunny	Sunny	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	Sunny	Rainy/Cloudy	Rainy/Cloudy	Sunny	
	NO <sub>x</sub>	9.04	9.22	9.92	26.3	23.74	20.1	31.69	21.62	33.62	20.47	20.63	23.25	22.67	26.49	25.56	80 <sup>24hr</sup>
	CO	22	0	0	0.8	0.2	2	1	1	1	2	1.1	0.8	0.5	0.213	0.522	(5000) <sup>8hr</sup>
	O <sub>3</sub>	6	8	2	68	46	16	29	72	31	23	14	17	18	18.65	18.85	100 <sup>8hr</sup>

Note(s): Concentrations are in  $\mu\text{g}/\text{m}^3$

- DoE- Department of Environment, NF- Not found; NO-Not observed; x-not measured at pre-construction stage.
- Fine Particulate Matter (PM<sub>2.5</sub>), Respirable Dust Content (PM<sub>10</sub>), Suspended Particulate Matter (SPM), Oxides of Nitrogen (NO<sub>x</sub>), Sulfur dioxide (SO<sub>2</sub>), Carbone Monoxide (CO) & Ozone (O<sub>3</sub>);
- Standards for 1hr, 24hr or Annual are indicated using superscript;

This monitoring was carried out by - Respirable Dust Sampler (Model-Envirotech India APM-460BL) and Fine Particulate Sampler (Model-Envirotech India APM-550). All data presented here are 8 hrs. Monitoring data.

Table A.2: Baseline conditions of emission of different infrastructures and sources

Sampling Locations	Criteria Pollutant	Cement Industry	Condensate Fractionating Plant	LPG Bottling Plant	Brick Field	Road Traffic	Small vessels, engine boat	Inland Water Cargo vessel	Sea going Mother Vessel (MV)	Fly ash Carrier	Clinkers Carrier	Clinker, Fly Ash Handling	Coal Carrier (MV)	Coal Ash Carrier (MV)	Coal Carrier (Lighter Vessel)	Coal Ash Carrier (Lighter Vessel)	Coal Loading and Unloading	Coal Handling (Stock Yard, Conveyor belt, etc)	BIF Power Plant (PP)	Other Coal Based PP	Other Fuel Based PP	Dredging and Land Filling	Earth excavation	Other Construction Activities	Residential sources
SW Corner of the PP area	PM	√	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	√	X	√	√
	SOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
Proposed Township area of the PP	PM	√	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	√	X	X	√
	SOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
NW Corner of the PP area	PM	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	√	X	X	√
	SOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
Barni, Gaurambha	PM	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√	√
	SOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	PM	√	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√

Sampling Locations	Criteria Pollutant	Cement Industry	Condensate Fractionating Plant	LPG Bottling Plant	Brick Field	Road Traffic	Small vessels, engine boat	Inland Water Cargo vessel	Sea going Mother Vessel (MV)	Fly ash Carrier	Clinkers Carrier	Clinker, Fly Ash Handling	Coal Carrier (MV)	Coal Ash Carrier (MV)	Coal Carrier (Lighter Vessel)	Coal Ash Carrier (Lighter Vessel)	Coal Loading and Unloading	Coal Handling (Stock Yard, Conveyor belt, etc)	BIF Power Plant (PP)	Other Coal Based PP	Other Fuel Based PP	Dredging and Land Filling	Earth excavation	Other Construction Activities	Residential sources
Chunkuri-2, Dacope	SOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
Pankhali, Dacope	PM	√	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√	√
	SOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√
Mongla Port area	PM	√	√	√	X	√	√	√	√	√	√	√	X	X	X	X	X	X	X	X	√	X	X	X	√
	SOx	X	√	X	X	√	√	√	√	√	√	X	X	X	X	X	X	X	X	X	√	X	X	√	√
	NOx	X	√	X	X	√	√	√	√	√	√	X	X	X	X	X	X	X	X	X	√	X	X	X	√
	GHGs	X	√	X	X	√	√	√	√	√	√	X	X	X	X	X	X	X	X	X	√	X	X	X	√
Harbaria, Sundarbans	PM	X	X	X	X	X	√	√	√	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X
	SOx	X	X	X	X	X	√	√	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	NOx	X	X	X	X	X	√	√	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	GHGs	X	X	X	X	X	√	√	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Akram Point Sundarbans	PM	X	X	X	X	X	√	√	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X
	SOx	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	NOx	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	GHGs	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	PM	X	X	X	X	X	√	√	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X



Sampling Locations	Criteria Pollutant	Cement Industry	Condensate Fractionating Plant	LPG Bottling Plant	Brick Field	Road Traffic	Small vessels, engine boat	Inland Water Cargo vessel	Sea going Mother Vessel (MV)	Fly ash Carrier	Clinkers Carrier	Clinker, Fly Ash Handling	Coal Carrier (MV)	Coal Ash Carrier (MV)	Coal Carrier (Lighter Vessel)	Coal Ash Carrier (Lighter Vessel)	Coal Loading and Unloading	Coal Handling (Stock Yard, Conveyor belt, etc)	BIF Power Plant (PP)	Other Coal Based PP	Other Fuel Based PP	Dredging and Land Filling	Earth excavation	Other Construction Activities	Residential sources
Hiron Point Sundarbans	SOx	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	NOx	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	GHGs	X	X	X	X	X	√	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Khulna City, near Khan Jahan Ali Bridge	PM	√	X	X	√	√	√	√	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	√	√
	SOx	X	X	X	√	√	√	√	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	√
	NOx	X	X	X	√	√	√	√	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	√
	GHGs	X	X	X	√	√	√	√	X	√	√	√	X	X	X	X	X	X	X	X	X	X	X	X	√
Township area	PM	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√	√	√	√
	SOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	NOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	GHGs	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√	√	√	√
Access road bridge area	PM	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	√	√	√	√
	SOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	√	X	X	X	X	X	X
	NOx	X	X	X	X	√	X	X	X	X	X	X	X	X	X	X	X	X	√	X	X	X	X	X	X
	GHGs	√	√	X	√	√	X	X	X	X	X	√	X	X	X	X	X	X	√	X	X	√	√	√	√

Legend X-Absence of source or no emission

√-Presence of source, emission of pollutant

**(B) Water Quality Data**  
**Surface Water Quality Monitoring Data**  
**Table B.1: pH Values of Passur River Water**

Monitoring period	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	7.2	7.2	7.2	7.9	7.1	7.1	7.4	7.4	7.3	7.4	7.4	7.3	7.9	7.2	7.2
2 <sup>nd</sup> QM	7	7	6.9	7.1	6.9	6.9	7	6.9	6.8	6.9	6.8	6.8	6.9	6.9	7
3 <sup>rd</sup> QM	8.1	8.2	8	8.1	8.1	8.2	8.1	8	8	8.1	8.1	7.4	8	7.9	7
4 <sup>th</sup> QM	7.9	8	8.1	7.9	7.9	7.9	7.6	7.5	7.8	7.7	7.3	8.2	8.1	8.1	8.1
5 <sup>th</sup> QM	7.6	7.7	7.8	7.5	7.6	7.7	7.5	7.2	7.3	7.5	7.6	7.5	7.7	7.7	7.7
6 <sup>th</sup> QM	7.8	7.9	7.8	7.9	8	8	8.1	8	8.1	8.1	6.9	7.9	7.9	NS	NS
7 <sup>th</sup> QM	7.6	7.58	7.64	7.6	7.58	7.62	7.78	7.6	7.64	7.3	7.56	7.1	7.8	7.63	7.39
8 <sup>th</sup> QM	7.1	7.3	7.3	7.1	7.5	7.6	8.1	8	7.9	7.3	7.1	7.4	8.2	8	NS
9 <sup>th</sup> QM	7.5	7.8	7.2	7.4	7.8	7.4	7.6	7.1	7.2	7.1	7.4	7.3	7.3	7.9	7.8
10 <sup>th</sup> QM	7.27	7.3	7.93	7.56	7.6	7.9	7.94	8.04	8.2	8.1	7.8	7.3	7.63	7.67	NS
11 <sup>th</sup> QM	6.9	7	7.2	7.3	7	6.9	7.2	7.5	7.3	6.8	7.1	6.9	7.4	7.1	7.6
12 <sup>th</sup> QM	7.6	7.5	7.8	8.2	8.5	8.7	8.1	8.6	8.9	8.1	7.6	7.2	7.8	8.2	8.5
13 <sup>th</sup> QM	7.2	7.3	7.3	7.2	7.8	7.4	6.9	6.8	7.1	7.2	7.4	6.9	6.9	7.2	NS
14 <sup>th</sup> QM	7.1	6.9	6.9	6.9	7.2	7.2	7.2	7.1	7	7.1	7	6.8	7.1	7.1	6.8
15 <sup>th</sup> QM	8.28	8.25	8.17	8.2	8.21	8.2	8.39	8.15	8.16	8.4	7.92	7.48	8.19	8.22	8.2
16 <sup>th</sup> QM	8.1	8.1	8.1	8.1	8.1	8.1	8	8.1	8.1	8.1	7.6	7.3	8.1	8.2	NS
17 <sup>th</sup> QM	8.4	8.4	8.4	8.3	8.3	8.2	8.4	8.5	8.5	8.6	7.3	8.3	8.4	8.2	NS
18 <sup>th</sup> QM	7.9	6.04	8.09	7.65	8.2	7.87	8.11	7.44	7.07	7.94	7.63	7.02	7.19	8	7.18
19 <sup>th</sup> QM	8.18	8.03	8.06	7.78	7.97	8.04	7.89	7.85	8.06	8.05	7.8	8.65	7.71	7.77	7.79
20 <sup>th</sup> QM	9	9.9	8.7	8.9	8.4	8.5	9.3	8.7	8.4	9.3	8.2	8.1	8.2	7.9	NS
21 <sup>st</sup> QM	6.8	6.8	7.1	7.5	7.2	6.7	7.4	6.5	7.3	7.2	7	7	7.2	7.1	NS
22 <sup>nd</sup> QM	7.9	7.8	7.8	7.5	7.4	7.4	7.3	7.2	7.2	7.4	7.3	8	8	7.8	7.8
23 <sup>rd</sup> QM	8.4	8.3	8.8	8.3	8.3	8	8.6	8.2	8.3	8	7.9	8.3	8.4	8.2	8.2
25 <sup>th</sup> QM	6.9	7	7.1	7	7.2	7.2	7.4	7.6	7.8	7.1	6.9	7.1	7.4	7.7	NS
26 <sup>th</sup> QM	6.9	6.66	6.59	6.6	6.77	6.88	7.13	6.82	6.8	6.85	6.83	7.06	6.1	6.6	6.7
27 <sup>th</sup> QM	8.5	7.8	8	7.7	7.7	7.8	7.8	8	7.8	7.4	7.5	7.8	8.2	7.7	7.6

Monitoring period	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
28 <sup>th</sup> QM	8.3	8.1	8	8.6	8	8.9	8.2	8.4	8.3	8	8.3	8.6	7.8	8.2	NS
29 <sup>th</sup> QM	5.5	6.5	8.5	7.4	8.4	5.8	6.7	8.6	8.5	5.9	6.9	7.3	6.6	6	8
30 <sup>th</sup> QM	7.8	7.5	6.5	6.8	7.6	7.6	8.2	8.2	7.9	7.8	8.5	8.1	7.3	6.9	6.7
31 <sup>st</sup> QM	8	7.6	7.7	8.1	7.7	7.8	7.9	7.8	7.7	8	7.7	7.9	7.7	7.6	7.5
32 <sup>nd</sup> QM	7.77	7.8	7.7	7.63	7.72	7.81	7.63	7.64	7.8	7.61	7.5	7.9	7.7	7.69	NS
33 <sup>rd</sup> QM	8.02	8	7.94	7.58	7.95	7.98	7.99	7.99	8.03	8.5	7.74	8.1	8.07	7.83	NS
34 <sup>th</sup> QM	7.67	7.59	7.6	7.55	7.44	7.42	7.58	7.5	7.4	7.79	7.66	8.4	8.2	7.71	7.28
35 <sup>th</sup> QM	8.3	8.25	8.2	8.24	8.23	8.18	8.2	8.27	8.2	8.3	8.35	8.01	8.13	7.2	8.1
36 <sup>th</sup> QM	7.86	8.02	8.07	8.1	8.05	7.95	8.08	8.04	8.1	7.84	8.2	7.51	7.8	7.79	NS
37 <sup>th</sup> QM	7.21	7.84	7.68	7.98	7.81	7.3	7.84	8.1	8.3	7.9	7.8	7.4	7.4	7.8	7.9
38 <sup>th</sup> QM	7.78	7.83	7.81	7.62	7.63	7.61	7.67	7.69	7.62	7.5	8.02	8.27	7.9	7.6	7.86
Standard (ECR'2023)	6.5– 8.5 (Coastal area)												6.5– 8.5 (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location

**Table B.2: Surface Water Temperature (°C) in Passur River**

Monitoring period	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	31	31	31	31	30	30	31	31	31	30	30	29	30	29	29
2 <sup>nd</sup> QM	33	33	33	33	32	32	32	31	31	31	32	30	30	29	30
3 <sup>rd</sup> QM	31	31	30	31	31	31	30	29	29	28	27	32	27	30	29
4 <sup>th</sup> QM	19	20	20	19	19	19	20	19	19	19	20	19	22	21	21
5 <sup>th</sup> QM	30	30	30	31	30	30	31	30	31	30	30	30	30	30	30
6 <sup>th</sup> QM	31.8	30.5	30.5	30.8	30.6	30.4	30.5	30.8	30.6	30.8	31.6	29.8	29	NS	NS
7 <sup>th</sup> QM	31.2	31.8	30.9	31.3	31.6	31.1	30.3	30.5	30.8	31.8	31.2	30.7	30.8	30.2	30.4
8 <sup>th</sup> QM	22	21	21	22	22	21	23	22	21	22	23	21	22	21	NS
9 <sup>th</sup> QM	31.2	31.1	30.8	31.4	30.9	31	30.7	30.4	30.1	31.2	30.6	31.3	31.5	30.8	31.4
10 <sup>th</sup> QM	29.6	29.1	29.4	30.1	30.5	30.5	30.7	29.8	29.8	30.4	30.7	30.7	30.9	30.4	NS
11 <sup>th</sup> QM	30.1	30.8	30.4	30.1	31	31.1	30.4	30.2	31.1	31.1	31.2	30.38	29.9	30.4	31.3

Monitoring period	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
12 <sup>th</sup> QM	22.8	22.5	22.1	22.8	21.8	21.9	22.1	22	22.1	21.9	21.8	22.1	23.1	22.5	21.4
13 <sup>th</sup> QM	30	30	29.8	31.3	30	30	29.9	29.8	30.1	30.3	30.1	30.2	30.2	30.8	NS
14 <sup>th</sup> QM	29.8	30.1	30.2	30.1	29.8	29.9	30	30.1	30.1	29.9	30	30	29.8	29.9	29.4
15 <sup>th</sup> QM	19.7	19.8	20.2	20.3	20.3	20.3	20.6	20.2	20.3	19.1	21.1	20.8	21	21.2	21.2
16 <sup>th</sup> QM	30	30	31	28	29	28	28	28	28	28	31	30	30	32	NS
17 <sup>th</sup> QM	30	30	30	30	30	31	31	31	31	31	31	29	29	30	NS
18 <sup>th</sup> QM	28	26.9	27.5	28.4	28	28.1	27.9	28	28	27.62	30.2	26.82	27.62	27.21	28.66
19 <sup>th</sup> QM	22	22	21.8	22.6	22.6	22.4	22.2	22.3	22.5	22.06	21	21.89	21.81	22.42	23.78
20 <sup>th</sup> QM	31	31	31	31	31	31	33	31	32	33	32	31	31	31	NS
21 <sup>st</sup> QM	30	30	30	30	31	30	30	30	30	30	30	30	31	31	NS
22 <sup>nd</sup> QM	27	27	27	28	28	28	27	27	27	27	27	28	30	29	31
23 <sup>rd</sup> QM	25	25	24	24	24	24	25	25	25	25	23	22	24	24	23
25 <sup>th</sup> QM	30	30	31	30	30	30	30	30	30	30	30	30	31	31	NS
26 <sup>th</sup> QM	27.7	27.7	27.7	27.8	27.8	27.7	28.4	27.9	27.8	28.67	28	28.07	28.35	29.48	29.02
27 <sup>th</sup> QM	20	20	20	20	20	20	21	20	21	22	21	21	21	22	22
28 <sup>th</sup> QM	31	30	30	30	30	30	30	30	30	31	31	29	30	30	NS
29 <sup>th</sup> QM	30.3	30.5	30.5	30.6	30.4	30.5	30.4	30.5	30.5	30.39	30.5	30.15	29.6	29.75	30.66
30 <sup>th</sup> QM	26	26	26	28	27	30	27	27	27	27	29	27	27	28	28
31 <sup>st</sup> QM	22	22	22	21	22	22	23	22	22	23	22	22	24	21	22
32 <sup>nd</sup> QM	30	30.2	30.2	30.1	30.3	30.2	30.1	30.2	30.2	30.45	29.2	31.63	30.13	31.36	NS
33 <sup>rd</sup> QM	31.2	30.9	30.8	30.9	31	31.1	31.2	31	31.1	31.77	32.5	31.05	31.76	32.34	NS
34 <sup>th</sup> QM	27.8	28	27.9	28.2	28.1	28.1	28.4	28.1	28.3	29.27	29.2	26.3	27.59	28.25	28.59
35 <sup>th</sup> QM	25.29	24.3	23.6	24.2	23.86	24.4	24.8	23.95	24.57	26.54	28.1	21.91	25.38	22.28	23.6
36 <sup>th</sup> QM	31.86	31.9	31.28	31.59	31.95	33.02	32.8	32.18	31.94	34.53	32.98	29.86	31.25	31.35	NS
37 <sup>th</sup> QM	31.7	31.1	30.8	30.9	30.4	30.9	30.7	31	30.8	30.8	31.4	31.4	30.5	31.1	30.3
38 <sup>th</sup> QM	28.0	28.3	28.5	28.0	28.5	28.0	28.4	28.5	28.6	28.2	29.3	30.6	31.1	29.5	29.4
Standard (ECR*2023)	N/A														

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location; N/A-Not available

Table B.3: Salinity (ppt.) in Passur River

Monitoring periods	Sampling location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	11.5	11.5	11.5	12	12	12	9.5	9	10	10	9	10	12	19	23
2 <sup>nd</sup> QM	2.5	0.3	0.2	2.2	0.3	0.5	4	0	2.5	0.5	4.5	9.5	10	15	19.5
3 <sup>rd</sup> QM	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
4 <sup>th</sup> QM	4.5	4.1	4.5	4.7	5.1	5	5.2	5.2	5.1	5.2	4.5	5	6	16	23
5 <sup>th</sup> QM	13	15	16	9	13	14	14	13	12	10	9	14	15	20	25
6 <sup>th</sup> QM	0	0	0	0	0	0	0	0	0	0	0	0	0	NS	NS
7 <sup>th</sup> QM	0	0	0	0	0	0	0	0	0	0	0	0	0	5	6.2
8 <sup>th</sup> QM	4.1	4.3	4.3	4.4	5.1	5	5.2	4.9	5.5	3.8	2.5	4.8	5.3	11.3	NS
9 <sup>th</sup> QM	8	7.4	7	6	6.2	9	8	7	6.8	7.1	6.3	6	8.9	9.4	14
10 <sup>th</sup> QM	0	0	0	0	0	0	0	0	0	0	0	0	0	4	NS
11 <sup>th</sup> QM	0	0	0	0	0	0	0	0	0	0	0	0	0	3	5.8
12 <sup>th</sup> QM	3.7	3.8	3.6	4	3.9	4.2	4.2	4.1	4.1	3.9	3.8	6.7	8.9	16.3	21.4
13 <sup>th</sup> QM	6.3	5.9	6.2	6.8	6.9	6.1	6.5	7.1	7	7	6.9	10.4	10.4	16	NS
14 <sup>th</sup> QM	0	0	0	0	0	0	0	0	0	0	0	1.2	2.3	3.6	5.1
15 <sup>th</sup> QM	2	2	2	2.6	2.6	2.7	2.8	2.8	2.8	2.6	2.52	10.8	2.8	13.1	16.45
16 <sup>th</sup> QM	11.5	11.5	11.5	12	12	12	9.5	9	10	10	9	10	12	19	23
17 <sup>th</sup> QM	0.2	0.2	0.4	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.6	2.2	2.8	NS
18 <sup>th</sup> QM	0.9	0.1	0.8	0.9	0.8	0.8	1	0.2	0.3	0.9	0.02	1	1.8	9.1	13.9
19 <sup>th</sup> QM	11.1	11.1	10.6	10.8	10.8	11	9.9	11.5	11.1	11.3	9.9	7.9	11.9	16.7	22.7
20 <sup>th</sup> QM	16.6	16.2	16.5	16.6	16.9	16.9	12	16.7	16.9	16.5	8	14.9	15.6	22.9	NS
21 <sup>st</sup> QM	0.5	0.2	0.3	0.2	0.2	1.2	0.3	0.2	0.3	0.3	1	0.4	0.3	0.9	NS
22 <sup>nd</sup> QM	0.4	0.3	0.3	0.5	0.3	0.3	2.1	0.1	0.4	0.3	0.3	0.5	0.7	6.6	9.2
23 <sup>rd</sup> QM	3.8	3.9	4	3.8	3.9	3.9	3.7	0.1	3.5	4	4	3.6	3.7	8.9	11
25 <sup>th</sup> QM	0.2	0.3	0.2	0.1	0.2	0.1	0.2	0.2	0.3	0.3	0.5	0.4	1.5	4	NS
26 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	2	0.2	0.2	1.6	2.6
27 <sup>th</sup> QM	2.4	2.7	2.7	2.5	2.7	2.4	2.6	2.5	2.7	2.5	2.5	1.8	2.6	7.1	8.2
28 <sup>th</sup> QM	7.1	7.5	7.2	7.2	7.3	7.3	7	7.3	7.4	7	6.5	6.9	7	10.9	NS
29 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.1	0.1	1	0.9
30 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.2	2.2	2.6
31 <sup>st</sup> QM	0.8	0.7	0.7	0.7	0.8	0.8	1	0.9	0.9	0.9	0.2	0.9	2.1	6.4	8

Monitoring periods	Sampling location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
32 <sup>nd</sup> QM	2.6	2.5	2.3	2.6	2.3	2.1	2.6	2.7	2.4	2.7	2.5	4	6.3	8.3	NS
33 <sup>rd</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.6	0.3	0.6	3.2	NS
34 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	1.7	2.9
35 <sup>th</sup> QM	3.2	3.7	3.7	3.5	3.9	4	3.8	4.2	4	3.5	3.3	2.9	3	8.4	9.5
36 <sup>th</sup> QM	8.8	9.1	9.2	8.9	9	9	8.9	9	9.1	8.8	9.2	8.8	8.6	10.8	NS
37 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.19	0.11	1.14	0.3	0.9	1.5	2.8
38 <sup>th</sup> QM	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	2.5	3.5
Standard (ECR*2023)	N/A														

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location; N/A=Not available

**Table B.4: Dissolve Oxygen (DO) in Passur River**

Monitoring period	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	5.9	4.9	5.2	5.7	5.9	5.8	6.6	6.5	6.5	6	6.7	5.3	5.4	7.9	7.5
2 <sup>nd</sup> QM	6.1	6.8	6.7	6.8	6.9	6.6	7.3	7.1	7.2	6.5	6.8	6.2	5.9	6.4	6.5
3 <sup>rd</sup> QM	5.6	7.7	7.7	7.6	7.2	8	5.6	5.6	5.8	8	8	7	7	7.7	7.8
4 <sup>th</sup> QM	5.5	6.6	6.7	5.8	5.9	6.8	6.1	6.9	6.6	6	6.2	6.5	6.6	6.7	6.5
5 <sup>th</sup> QM	6.2	6.4	6.2	6.2	6.6	6.4	6.3	6.5	6.4	6.2	6.5	6.3	5.8	6	5.8
6 <sup>th</sup> QM	5.3	5	5	6.7	6.6	6	7.5	7.4	7.3	6	6.4	7	7.5	NS	NS
7 <sup>th</sup> QM	6.8	6.4	7.1	6.8	7.2	7.6	6.4	6.1	6.3	7.1	7.1	6.6	7.1	7.3	7
8 <sup>th</sup> QM	5.1	5.1	6.2	5.9	5.3	5.4	6	6.1	5.8	4.1	5.2	5.4	5.2	6.2	NS
9 <sup>th</sup> QM	7.1	6.4	6.9	5.8	6.1	6.6	6.9	7.1	6.8	6.4	5.9	5.8	6.4	6.1	7.1
10 <sup>th</sup> QM	6.2	5.7	5.6	6.1	6.3	5.8	6.3	6.4	5.6	5.2	5.4	5.4	5.4	6.2	6.8
11 <sup>th</sup> QM	6	6.1	6	6.3	5.9	6.1	5.9	6	6	6.1	6.4	5.6	5.8	6.7	6.9
12 <sup>th</sup> QM	6.1	5.9	6.1	6.2	5.9	5.9	6.3	6.4	6.4	6.7	6.7	5.9	6.1	6.5	6.8
13 <sup>th</sup> QM	7.1	7.2	6.8	6.9	7.4	7.5	6.4	7.2	6.8	6.8	7.1	6.4	6.4	7.2	NS
14 <sup>th</sup> QM	6.3	6.4	6.5	6.3	6.3	6.5	6.5	7.1	6.5	6.3	6.2	6.4	6.2	6.8	7.3
15 <sup>th</sup> QM	5.19	5.03	5.06	5.1	5.03	4.9	5	4.98	5.11	5.17	5.11	5.23	5.03	5.4	5.4
16 <sup>th</sup> QM	6.575	6.225	6.275	6.15	6.5	6.575	6.55	6.825	6.625	6.35	6.7	5.95	5.8	6	NS

Monitoring period	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
17 <sup>th</sup> QM	6	6.2	6.1	5.5	6	6.5	6.8	6.2	6	6.7	6.3	5.8	6.9	6.8	NS
18 <sup>th</sup> QM	6.4	6.2	6.3	6	6.2	6	6.1	6.3	6.2	5.8	6	6	8.21	6.9	7.2
19 <sup>th</sup> QM	8.7	7.9	7.3	8.7	7.3	7.4	7.8	7.1	6.9	7.5	6	6.9	7.5	7.7	8
20 <sup>th</sup> QM	5.9	6.5	6.3	6.1	6.5	6	6.1	6.5	6.1	6.3	6.2	6.5	6.9	7	NS
21 <sup>st</sup> QM	6	6	6.1	6.5	6.3	6.4	6.2	6.2	6.3	6.4	6	6.2	6	6.6	NS
22 <sup>nd</sup> QM	7.7	7.8	7.8	8.6	8	8.2	9.9	10	10.5	7.1	7.7	7.9	8.4	7.7	8.6
23 <sup>rd</sup> QM	8.4	8.6	7.6	8.1	8.2	7	6.9	7.2	7.8	9.7	7.5	8.6	6.9	9.7	6.7
25 <sup>th</sup> QM	6.1	6.1	6	6	6.4	6.2	6.6	6.5	6.3	6.4	6.1	6	6.1	6.5	NS
26 <sup>th</sup> QM	6.4	7.64	6.3	8.2	8.89	7.8	9.7	9.76	9.76	9.7		8.14	7.65	6.61	8.2
27 <sup>th</sup> QM	9.2	9.6	7.8	9	8.9	9.3	9.6	7	6.4	8.1	8	9.2	7.6	7.2	9
28 <sup>th</sup> QM	6.5	6	6.8	8.4	8	8.5	5.4	6.3	5.9	7.5	7	5.9	5.5	6.8	NS
29 <sup>th</sup> QM	5.8	6	6.3	6.6	6.2	6.8	7.2	6.2	6.7	6.8	5.5	6.2	6.6	6.1	6.2
30 <sup>th</sup> QM	7.8	7.5	6.5	6.7	5.6	6.5	6.7	6.5	6.1	6.7	6.2	5.8	6.8	6.5	6.9
31 <sup>st</sup> QM	6.5	6.7	6.5	7.1	5.5	6.7	6.4	6.6	6.5	6.5	6.5	6.9	5.9	6.2	6.2
32 <sup>nd</sup> QM	7.3	7.8	7.5	7.5	6	5	6.2	7.2	6.7	6.1	7	6.8	7.8	7.1	NS
33 <sup>rd</sup> QM	8.1	8.5	7.8	7.5	8.8	8.1	7.5	8	8.1	8.5	7.6	7.1	7.6	7.6	NS
34 <sup>th</sup> QM	6.2	8.4	8.5	7.7	5.7	5.8	7.5	8.2	5.9	5.7	7.5	8.1	8.4	8.2	7.5
35 <sup>th</sup> QM	6.1	6.2	5.9	5.8	5.8	6.2	6	6.1	6.7	5.9	5.8	7.2	6.5	7.6	6.6
36 <sup>th</sup> QM	5.3	6	5.2	4.9	5.4	5.6	5	5.3	5.2	5.75	6.1	6.7	5.8	6.8	NS
37 <sup>th</sup> QM	6.7	6.8	6.7	6.4	6.6	6.7	6.6	6.8	6.7	6.3	7.2	7.4	7.8	7.6	7.9
38 <sup>th</sup> QM	6.3	5.9	5.6	6.3	6.5	7	7	7.2	5.9	7.8	6.79	7.36	7.9	7.6	7.8
Standard (ECR*2023)	≥ 5 mg/L (Coastal area)												≥ 5 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location



Table B.5: COD (mg/L) of Passur River System

Monitoring periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	288	284	328	376	400	364	364	400	408	276	284	408	372	536	540
2 <sup>nd</sup> QM	24	20	56	28	60	496	108	40	120	32	96	172	216	520	416
3 <sup>rd</sup> QM	6	30	14	18	14	18	10	22	10	10	26	14	14	54	122
4 <sup>th</sup> QM	128	68	92	84	116	108	104	16	100	116	84	96	96	316	472
5 <sup>th</sup> QM	87	58	132	102	110	88	96	18	106	88	94	92	102	302	470
6 <sup>th</sup> QM	42	43	18	26	21	24	32	25	25	51	36	30	26	NS	NS
7 <sup>th</sup> QM	32	36	28	36	36	40	42	28	48	40	42	46	36	84	96
8 <sup>th</sup> QM	124	100	96	100	108	80	100	100	124	100	108	88	100	96	NS
9 <sup>th</sup> QM	220	240	280	280	240	260	240	180	200	160	210	220	140	156	160
10 <sup>th</sup> QM	8	8	8	8	12	8	12	8	12	8	30	12	16	4	NS
11 <sup>th</sup> QM	12	8	8	12	16	12	8	8	12	8	8	16	12	68	56
12 <sup>th</sup> QM	56	40	44	48	52	42	56	52	44	36	48	40	40	56	196
13 <sup>th</sup> QM	52	48	56	40	36	48	42	36	52	44	40	64	216	240	NS
14 <sup>th</sup> QM	24	8	40	32	40	16	48	8	4	16	32	40	32	16	4
15 <sup>th</sup> QM	48	28	40	36	32	28	40	44	36	40	32	48	40	72	88
16 <sup>th</sup> QM	276	240	230	232	254	252	212	218	230	180	252	260	280	296	NS
17 <sup>th</sup> QM	20	24	12	30	16	12	10	24	16	40	20	10	16	110	NS
18 <sup>th</sup> QM	56	44	48	60	36	42	48	32	28	36	42	20	58	44	76
19 <sup>th</sup> QM	72	60	48	44	56	64	88	36	68	72	68	32	56	180	140
20 <sup>th</sup> QM	188	180	176	192	180	172	200	160	180	160	172	178	184	160	NS
21 <sup>st</sup> QM	36	24	32	20	28	24	28	20	32	24	20	24	32	220	NS
22 <sup>nd</sup> QM	56	40	26	40	28	24	20	32	20	24	36	40	32	92	72
23 <sup>rd</sup> QM	24	28	32	24	40	24	26	20	28	44	36	36	40	56	64
25 <sup>th</sup> QM	32	36	28	24	36	40	48	36	42	32	48	72	80	108	NS
26 <sup>th</sup> QM	16	12	8	28	16	20	8	12	20	12	28	56	76	60	40
27 <sup>th</sup> QM	56	32	20	48	20	56	48	56	8	12	24	32	12	28	NS
28 <sup>th</sup> QM	508	404	400	304	412	390	408	424	448	400	380	472	424	392	NS

Monitoring periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
29 <sup>th</sup> QM	4	4	4	4	4	12	8	8	12	16	48	32	16	80	32
30 <sup>th</sup> QM	44	52	40	20	40	4	4	24	4	48	4	12	4	192	180
31 <sup>st</sup> QM	24	12	8	40	32	12	16	36	12	12	32	16	60	36	40
32 <sup>nd</sup> QM	24	28	48	36	24	20	24	48	52	56	96	96	240	36	NS
33 <sup>rd</sup> QM	4	12	4	8	36	20	4	36	48	4	12	0.03	4	84	NS
34 <sup>th</sup> QM	4	8	4	12	4	4	8	8	4	8	12	8	16	8	8
35 <sup>th</sup> QM	144	256	148	212	188	264	220	144	192	112	144	148	188	112	120
36 <sup>th</sup> QM	436	236	248	288	412	296	416	412	496	348	480	248	236	436	NS
37 <sup>th</sup> QM	36	48	20	52	56	4	12	4	20	16	16	12	8	20	124
Standard (ECR*2023)	5 mg/L (Coastal area)												8 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location

**Table B.6: Oil and Grease (mg/L) Concentration of Passur River System**

Monitoring periods	Sampling Location ID				
	SL-7	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	<5	<5	<5	<5	<5
2 <sup>nd</sup> QM	<5	<5	6.3	<5	<5
3 <sup>rd</sup> QM	<5	<5	<5	<5	<5
4 <sup>th</sup> QM	>15	>15	>20	>20	>20
5 <sup>th</sup> QM	16.9	13	39.1	<5	<5
6 <sup>th</sup> QM	9	7.63	10.1	NS	NS
7 <sup>th</sup> QM	<5	9.87	<5	10.8	9.73
8 <sup>th</sup> QM	39	21	14	ND	36
9 <sup>th</sup> QM	61	30.3	26	31	82
10 <sup>th</sup> QM	5	13.5	5.73	NS	5.87
11 <sup>th</sup> QM	<5	<5	<5	10.1	<5
12 <sup>th</sup> QM	9.2	15.6	<5	13.8	14.2
13 <sup>th</sup> QM	5.73	<5	<5	7.71	ND

Monitoring periods	Sampling Location ID				
	SL-7	SL-12	SL-13	SL-14	SL-15
14 <sup>th</sup> QM	<5	<5	<5	<5	<5
15 <sup>th</sup> QM	16.6	<5	<5	<5	<5
16 <sup>th</sup> QM	<5	<5	<5	<5	<5
17 <sup>th</sup> QM	<1	<5	<1	NS	<1
18 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
19 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
20 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
21 <sup>st</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
22 <sup>nd</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
23 <sup>rd</sup> QM	2.3	<2.0	<2.0	4.4	2.3
25 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
26 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
27 <sup>th</sup> QM	2.93	<2.0	<2.0	<2.0	NS
28 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	3.2
29 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
30 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
31 <sup>st</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
32 <sup>nd</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
33 <sup>rd</sup> QM	<2.0	<2.0	<2.0	<2.0	NS
34 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
35 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
36 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
37 <sup>th</sup> QM	<2.0	<2.0	<2.0	<2.0	<2.0
Standard (ECR*2023)	0.14 mg/L (Coastal area)		0.01 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location; SL=Sampling location

Table B.7: TDS (mg/L) of Passur River System

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	13060	12630	12900	13190	13330	13380	13180	13390	13240	12400	10970	12800	12280	21500	21500
2 <sup>nd</sup> QM	251	246	383	445	353	402	655	587	916	455	2510	6410	9360	15960	14050
3 <sup>rd</sup> QM	176	162	153	169	156	152	162	153	154	214	257	209	285	3400	5720
4 <sup>th</sup> QM	4360	3950	4330	4750	4920	4870	5040	5050	5130	5050	4390	5130	4780	12350	17900
5 <sup>th</sup> QM	14400	14700	14900	14600	14500	14200	14500	14600	14250	14000	13900	14050	13900	13600	25300
6 <sup>th</sup> QM	937	941	127	175	132	156	336	158	160	2320	355	298	683	NS	NS
7 <sup>th</sup> QM	158	169	152	172	162	160	192	164	164	183	176	227	205	4220	5830
8 <sup>th</sup> QM	5570	5910	5490	5720	5850	5480	5650	5740	5650	5450	4420	4540	4940	13330	NS
9 <sup>th</sup> QM	13400	13280	13560	12830	13100	13460	12820	12960	13590	13340	11700	11330	13580	20720	25500
10 <sup>th</sup> QM	179	112	125	162	185	143	205	195	140	165	5170	893	1321	7330	NS
11 <sup>th</sup> QM	138	106	108	147	110	112	113	108	146	196	238	162	301	2550	4120
12 <sup>th</sup> QM	3100	3140	3330	3630	3600	3520	3470	3790	3770	2920	3960	3370	3370	3580	12210
13 <sup>th</sup> QM	13400	13480	13400	13560	13490	13330	13640	13680	13360	13490	13110	12340	13600	19370	NS
14 <sup>th</sup> QM	496	122	123	172	125	125	160	126	127	1616	1200	204	245	3270	4450
15 <sup>th</sup> QM	1913	1919	1915	2500	2520	2500	2840	2710	2720	2500	2970	2570	2690	11390	14190
16 <sup>th</sup> QM	14500	14420	14650	14300	14450	14540	14400	14500	14610	14160	14450	14500	15350	20600	NS
17 <sup>th</sup> QM	315	224	232	328	235	208	205	286	296	265	340	580	2190	7680	NS
18 <sup>th</sup> QM	855	733	722	824	716	732	945	784	786	992	827	940	1715	8100	12500
19 <sup>th</sup> QM	9940	9950	9730	9860	9980	9800	10190	10280	10080	10040	8860	8350	10950	17200	21110
20 <sup>th</sup> QM	15800	15600	15500	15700	16000	16100	15640	16000	15800	15700	15100	15722	15400	14800	NS
21 <sup>st</sup> QM	290	150	152	205	142	150	208	145	154	940	365	172	560	12500	NS
22 <sup>nd</sup> QM	480	175	170	190	175	174	325	180	172	1405	875	350	474	3950	5750
23 <sup>rd</sup> QM	6800	6950	7300	6760	6760	6900	6740	6450	6700	7250	5800	6240	6430	16300	20400
25 <sup>th</sup> QM	134	114	116	221	125	132	195	128	114	229	2893	740	489	4188	NS
26 <sup>th</sup> QM	122	96	94	102	179	105	181	98	92	206	164	148	2260	1472	490
27 <sup>th</sup> QM	3770	4410	4390	4150	4170	4060	4100	4210	4450	4170	2320	3010	4060	11400	14600
28 <sup>th</sup> QM	12500	12700	12300	12800	13100	13200	13100	13300	13200	12500	11800	12100	12400	18500	NS

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
29 <sup>th</sup> QM	58	105	106	74	97	110	158	110	100	216	1270	180	240	1700	1610
30 <sup>th</sup> QM	160	150	147	158	150	153	155	153	156	160	780	203	275	3850	6300
31 <sup>st</sup> QM	1380	1300	1210	1230	1510	1380	1850	1680	1650	1540	1350	1580	3850	11600	15500
32 <sup>nd</sup> QM	4870	4800	4350	5250	4920	4060	5150	5070	4750	5100	8900	7820	12200	16400	NS
33 <sup>rd</sup> QM	190	125	122	140	115	135	150	127	125	134	2850	460	1020	6200	
34 <sup>th</sup> QM	155	150	136	158	135	133	235	136	132	210	140	210	315	2890	5300
35 <sup>th</sup> QM	5700	6900	6850	6300	7400	7500	6800	7700	7600	5500	5600	5300	6100	15300	18100
36 <sup>th</sup> QM	16900	17500	18000	17400	17800	17900	17600	17500	17800	17600	15200	16700	16800	21000	NS
37 <sup>th</sup> QM	146	132	146	109	136	135	160	132	142	218	297	320	675	4200	5800
Standard (ECR*2023)	N/A														

Source: CEGIS Field Survey;2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location

**Table B.8: TH (mg/L) Passur River System**

Monitoring ID	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	2900	2500	2650	2550	2600	2625	2550	2800	2500	2500	2400	3150	2625	4500	4850
2 <sup>nd</sup> QM	250	180	170	175	275	350	325	350	475	450	725	1400	2150	3625	3050
3 <sup>rd</sup> QM	216	218	335	390	340	355	330	345	325	350	330	377	345	980	1440
4 <sup>th</sup> QM	930	870	870	940	990	970	1045	1125	975	980	970	1000	970	2380	2690
5 <sup>th</sup> QM	3000	3050	3250	3450	3250	3200	3600	3670	3540	3260	3190	3210	3080	3420	3640
6 <sup>th</sup> QM	245	110	105	118	103	105	153	105	165	470	130	135	200	NS	NS
7 <sup>th</sup> QM	250	330	360	365	355	350	345	390	445	183	340	410	430	1090	1460
8 <sup>th</sup> QM	1270	1380	1240	1220	1300	1260	1370	1340	1270	950	1075	1090	1100	2850	NS
9 <sup>th</sup> QM	3130	3090	3140	3010	3070	3100	3060	3130	3110	3180	3080	3060	3050	4520	5050
10 <sup>th</sup> QM	240	205	205	220	232	218	235	242	224	220	875	405	415	1750	NS
11 <sup>th</sup> QM	255	250	190	265	237	242	205	217	238	250	240	245	282	670	810
12 <sup>th</sup> QM	1090	980	1030	1020	915	1070	935	1100	1110	1040	1170	1070	1070	1130	2870
13 <sup>th</sup> QM	3640	3420	3300	3400	3440	3380	3540	3480	3600	1960	2300	2450	3560	4300	NS

Monitoring ID	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
14 <sup>th</sup> QM	200	150	155	160	145	140	150	155	175	165	320	220	200	640	905
15 <sup>th</sup> QM	430	510	498	570	590	480	505	530	512	505	478	1070	610	1475	1740
16 <sup>th</sup> QM	3100	1040	1030	1060	1040	1085	1080	1110	1100	1300	1120	1410	1330	1440	NS
17 <sup>th</sup> QM	210	205	185	200	210	215	205	212	205	210	220	245	530	2030	NS
18 <sup>th</sup> QM	335	310	313	285	255	275	295	265	325	295	315	325	2550	2750	4200
19 <sup>th</sup> QM	2050	3900	4100	4600	4200	4400	4400	4300	4600	4000	4100	4000	4500	5900	6900
20 <sup>th</sup> QM	3000	5000	5000	5200	5000	4800	4400	5100	4900	5200	5000	4782	4500	4500	NS
21 <sup>st</sup> QM	2100	1950	1900	1850	2500	2550	1700	1850	2000	2000	2200	1800	1400	4300	NS
22 <sup>nd</sup> QM	215	125	190	175	178	155	175	150	115	350	285	200	185	830	1225
23 <sup>rd</sup> QM	1540	1485	1530	1580	1560	1490	1530	1560	1485	1460	1440	1510	1390	3470	3850
25 <sup>th</sup> QM	205	200	187	217	215	202	195	210	207	310	742	250	280	1000	NS
26 <sup>th</sup> QM	272	195	225	210	235	200	240	235	243	198	217	265	225	210	230
27 <sup>th</sup> QM	2800	2700	2750	3000	3100	2500	2550	3200	2800	1400	1200	2850	2870	5050	5600
28 <sup>th</sup> QM	4500	4200	4300	4100	4500	4000	4400	4100	4400	4200	4100	4200	4400	4300	NS
29 <sup>th</sup> QM	140	200	180	200	175	175	140	130	100	145	400	150	160	480	470
30 <sup>th</sup> QM	145	125	130	175	140	145	160	170	155	165	265	190	170	1000	1450
31 <sup>st</sup> QM	370	385	310	375	325	340	375	420	430	380	435	500	680	6500	5300
32 <sup>nd</sup> QM	2500	2400	2250	2500	2350	2100	2550	2400	2460	2450	3100	2300	4000	5000	NS
33 <sup>rd</sup> QM	140	110	115	120	110	120	125	120	130	140	1000	215	930	2500	NS
34 <sup>th</sup> QM	190	140	150	130	125	115	152	140	130	155	140	115	110	2000	2500
35 <sup>th</sup> QM	2600	2800	2800	2900	3100	3200	3100	3300	3500	2500	2500	2600	2800	4500	5000
36 <sup>th</sup> QM	4700	4800	4700	4500	4650	4750	4600	4850	4800	4550	4400	4600	4650	5250	NS
37 <sup>th</sup> QM	110	120	125	90	120	110	125	110	125	170	185	190	800	1500	1900
Standard (ECR*2023)	N/A														

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location

Table B.9: TSS (mg/L) Passur River System

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	598	45	53	54	60	55	24	27	67	7	9	50	65	115	91
2 <sup>nd</sup> QM	126	92	112	99	100	105	116	112	37	65	24	310	90	99	72
3 <sup>rd</sup> QM	234	193	174	227	232	186	185	536	459	798	389	203	869	28	267
4 <sup>th</sup> QM	180	210	230	450	250	200	300	530	450	280	206	280	400	103	200
5 <sup>th</sup> QM	160	167	170	160	165	155	150	147	155	148	160	165	160	150	180
6 <sup>th</sup> QM	26	25	127	30	27	40	32	40	44	36	28	24	42	NS	NS
7 <sup>th</sup> QM	76	80	65	92	85	97	104	90	82	96	92	60	74	110	144
8 <sup>th</sup> QM	14	12	14	17	18	22	20	7	18	11	10	15	22	16	NS
9 <sup>th</sup> QM	8	7	10	10	8	7	12	10	11	7	6	13	18	23	15
10 <sup>th</sup> QM	61	48	56	62	45	49	51	43	39	42	11	47	31	16	NS
11 <sup>th</sup> QM	20	18	16	20	24	19	20	18	16	24	30	27	18	41	33
12 <sup>th</sup> QM	46	52	48	42	54	46	61	58	63	55	66	61	61	34	49
13 <sup>th</sup> QM	51	42	48	52	43	38	32	44	40	37	49	38	33	28	NS
14 <sup>th</sup> QM	18	15	22	16	20	17	15	16	14	26	30	25	27	22	16
15 <sup>th</sup> QM	14	15	14	13	13	14	15	17	12	14	15	13	17	14	13
16 <sup>th</sup> QM	18	17	22	20	19	21	17	19	18	23	32	14	15	18	NS
17 <sup>th</sup> QM	17	16	15	18	16	15	16	14	20	13	12	17	13	14	NS
18 <sup>th</sup> QM	14	11	15	11	13	12	14	13	15	11	42	27	22	15	6
19 <sup>th</sup> QM	15	12	14	12	13	15	16	13	14	14	8	15	12	11	9
20 <sup>th</sup> QM	12	14	13	11	12	15	12	11	13	14	12	13	11	10	NS
21 <sup>st</sup> QM	14	11	13	12	13	14	13	12	13	15	12	13	12	7	NS
22 <sup>nd</sup> QM	8	7	6	8	7	6	7	6	5	9	7	15	11	7	5
23 <sup>rd</sup> QM	11	8	7	8	9	6	7	8	6	13	12	14	11	10	10
25 <sup>th</sup> QM	14	6	11	12	9	12	14	13	8	11	5	9	17	18	NS
26 <sup>th</sup> QM	7	11	8	7	6	9	15	8	6	8	7	8	5	8	6
27 <sup>th</sup> QM	11	6	7	7	6	8	7	6	6	7	8	6	8	11	6
28 <sup>th</sup> QM	15	23	20	13	12	16	14	15	13	17	12	3	14	11	NS



Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
29 <sup>th</sup> QM	12	14	9	12	11	8	12	9	15	13	3	7	9	16	13
30 <sup>th</sup> QM	13	12	10	14	9	13	17	4	15	11	8	13	15	12	13
31 <sup>st</sup> QM	15	14	17	12	13	11	14	12	15	13	13	14	15	16	13
32 <sup>nd</sup> QM	7	10	11	12	9	11	18	13	12	19	16	15	13	17	NS
33 <sup>rd</sup> QM	27	23	24	31	27	26	29	26	24	30	15	64	21	32	NS
34 <sup>th</sup> QM	16	15	19	18	14	16	21	18	14	15	18	25	20	23	21
35 <sup>th</sup> QM	11	14	12	11	8	13	12	7	11	8	7	8	6	7	9
36 <sup>th</sup> QM	25	20	16	18	12	13	10	7	6	8	6	7	6	11	NS
37 <sup>th</sup> QM	15	12	17	14	12	13	11	12	9	13	16	14	10	13	9
Standard (ECR'2023)	50 mg/L (Coastal area)												25 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed.

**Table B.10: Nitrate (NO<sub>3</sub><sup>2-</sup>) (mg/L) concentration of Passur River System**

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	0.9	0.7	0.1	1.3	1.4	1.1	0.75	1.1	1.2	0.3	0.5	0.6	1.4	2.7	0.8
2 <sup>nd</sup> QM	2.89	2.4	3.2	0.76	2.69	2.98	2.13	2.43	2.05	2.18	0.88	1.52	1.75	3.32	2.84
3 <sup>rd</sup> QM	0.32	1.57	1.84	1.64	1.42	1.33	1.85	2.09	2.21	2.26	1.98	1.64	1.67	0.59	0.4
4 <sup>th</sup> QM	3	1.5	4.3	3.1	2.2	8.5	2.7	1.8	1.9	6	4	4.5	2.7	1.5	2
5 <sup>th</sup> QM	33	13	39	48	69	8	87	48	128	62	48	29	18	25	28
6 <sup>th</sup> QM	9.1	7.5	6.2	6.6	6.1	6.6	14.9	4	4.9	7	3.1	7.8	4.4	NS	NS
7 <sup>th</sup> QM	4	7.1	5	5.7	3.3	4.7	4.4	6.2	4.4	4.9	2.9	3.1	4.4	3.2	11.5
8 <sup>th</sup> QM	6.3	4.3	3.9	3.1	5.2	4.1	4.9	3.7	4.4	5.6	3.9	3.7	5.1	4.9	NS
9 <sup>th</sup> QM	3	2.9	2.5	2	3.1	3.6	2.6	2.9	2.6	2.7	3.1	3	3.4	2.9	3.5
10 <sup>th</sup> QM	3.9	6.2	4.3	5.1	2.7	3.9	3.6	5.1	4.9	5.2	5.3	5.2	5.1	5.4	NS
11 <sup>th</sup> QM	0.25	0.39	0.42	0.76	0.52	0.31	0.2	0.41	0.63	0.4	0.32	0.27	0.39	0.25	0.38
12 <sup>th</sup> QM	3.62	2.89	1.87	2.25	2.46	3.01	3.64	1.93	2.17	2.46	3.1	2.78	2.78	3.08	2.28
13 <sup>th</sup> QM	4.35	5.05	4.55	6.11	3.4	3.16	3.14	3.34	2	3.61	1.6	2.49	2.46	3.69	NS

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
14 <sup>th</sup> QM	5.8	6.8	4.5	7.1	3.1	5	4.1	3.4	3.1	2.3	3.2	3.5	4.2	2.2	2.6
15 <sup>th</sup> QM	3	4.2	3.6	3	4.7	7.6	8.8	8.5	2.8	1.6	3.4	4.5	4.6	1.8	6.1
16 <sup>th</sup> QM	6.8	4.9	5.1	2.8	5.2	5.5	2.6	4.5	5.3	5.9	3.9	4.7	5.2	5.5	NS
17 <sup>th</sup> QM	0.8	1.7	2.1	2.8	1.8	3.2	4	3.7	3.8	4.4	3.1	2.4	2.7	4.2	NS
18 <sup>th</sup> QM	2.8	0.1	0.11	1.7	0.9	0.1	0.1	3.4	0.7	2.3	0.12	1.6	0.1	0.1	0.9
19 <sup>th</sup> QM	3.5	2.6	1.9	2.1	2.2	3.5	4.2	3	3.1	2.1	1.3	3.7	4.7	1.8	2.6
20 <sup>th</sup> QM	0.3	0.3	3.7	3	1.2	4.8	0.5	3.4	4.1	5	2.9	2.7	4.4	2.7	NS
21 <sup>st</sup> QM	0.1	1.1	1.2	1.5	1.5	2.1	1.5	1.7	0.5	3.1	2.5	1.8	1.7	1.3	NS
22 <sup>nd</sup> QM	3.5	2.7	3.4	3	1.7	2.1	2	1.3	2.2	2.9	1.6	2	2.1	1.6	2.5
23 <sup>rd</sup> QM	1.3	1.7	3.2	4.5	2.7	5.1	7.4	3.9	4.1	4.7	4.9	3.3	3.2	2.6	4.1
25 <sup>th</sup> QM	3	3.3	9.5	2.9	1.9	1.8	1	1.5	1.3	3.9	2.1	1.5	5.7	4	NS
26 <sup>th</sup> QM	3.2	1.3	4.7	2.5	2.6	1	0.5	2.1	3	1.5	1.3	2.6	2.6	2.6	2.6
27 <sup>th</sup> QM	4.3	2.2	1.2	0.7	3.1	2.7	1.8	3	1.9	3	4.9	0.5	0.5	2.9	3.9
28 <sup>th</sup> QM	3.3	2.1	1.3	2.1	3	1.5	1.7	2	2.3	4.2	1	1.7	2.6	2.8	NS
29 <sup>th</sup> QM	2.1	2.2	1.3	1.4	1.6	1.4	1.9	2.1	2.5	3.1	2.1	3.8	3.9	4.1	3.2
30 <sup>th</sup> QM	3.5	3.8	6.7	12.6	0.3	7.4	0.7	9.2	1.7	0.5	0.1	0.4	1	0	0.5
31 <sup>st</sup> QM	2.06	1.43	2	15.9	1.5	6.8	1.1	ND	1.5	16.2	5.7	9.4	4.06	24.7	1.8
32 <sup>nd</sup> QM	8.41	13.52	12.75	10.8	8.71	9.39	11.15	8.5	11	14.42	6.41	8.05	15.35	10.85	NS
33 <sup>rd</sup> QM	3.85	6.47	10.43	8.83	13.06	12.26	8.2	8.18	11.82	11.52	13.14	15.7	15.96	11.29	NS
34 <sup>th</sup> QM	0.03	0.09	0.23	3.79	2.06	3.6	5.18	5.01	4.71	5.74	1.62	5.97	5.72	3.49	5.76
35 <sup>th</sup> QM	1.13	1.45	2.06	1.3	1.7	1.7	1.8	1.3	2.4	2.2	2.2	1.3	2.2	2.7	2.1
36 <sup>th</sup> QM	2.27	1.94	0.68	2.44	1.1	4.19	2	4.44	5.32	3.57	1.2	13.96	1.53	0.52	NS
37 <sup>th</sup> QM	ND	0.2761	0.1289	ND	0.6546	0.8438	0.5915	1.2433	0.6756	1.1172	7.1	1.9162	3.6404	1.117	4.187
Standard (ECR'2023)	0.3 mg/L (Coastal area)												0.8 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location; ND=Not Detected.

Table B.11: Sulphate (SO<sub>4</sub><sup>2-</sup>) (mg/L) concentration of Passur River System

Monitoring periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	1840	1320	1280	1360	1040	1320	1640	1520	1280	1120	1320	1360	1560	2600	2080
2 <sup>nd</sup> QM	20	23	36	45	32	20	60	40	80	20	210	620	860	1400	1160
3 <sup>rd</sup> QM	26	28	34	33	30	27	40	35	64	63	63	44	69	1390	2360
4 <sup>th</sup> QM	580	450	480	550	520	540	630	560	620	570	460	630	590	850	1500
5 <sup>th</sup> QM	1360	1260	1240	1240	1120	820	880	1180	900	1220	840	980	900	1540	1920
6 <sup>th</sup> QM	67	11	9	26	6	8	9	19	12	72	27	39	51	NS	NS
7 <sup>th</sup> QM	7	8	11	10	8	9	12	8	6	11	9	13	7	84	97
8 <sup>th</sup> QM	570	590	560	550	580	565	640	560	550	96	480	482	500	760	NS
9 <sup>th</sup> QM	1080	1040	1020	1060	980	1100	1060	1020	1080	1040	1020	1100	1080	1650	2100
10 <sup>th</sup> QM	18	10	13	15	17	14	15	18	12	11	480	42	60	620	NS
11 <sup>th</sup> QM	5	3	4	4	6	5	6	5	8	14	14	14	19	190	320
12 <sup>th</sup> QM	230	210	200	230	280	230	230	231	250	160	200	220	220	230	1090
13 <sup>th</sup> QM	422	460	1340	1380	1280	1400	880	1440	1340	1220	1340	1220	1300	1420	NS
14 <sup>th</sup> QM	29	3	5	2	1	2	2	1	3	120	76	5	13	30	2
15 <sup>th</sup> QM	630	370	410	310	310	490	700	340	340	270	350	280	220	760	510
16 <sup>th</sup> QM	1400	1320	1440	1260	1200	1400	1300	1380	1240	1200	1250	1260	1300	1460	NS
17 <sup>th</sup> QM	24	18	20	22	21	16	10	24	22	21	18	28	35	620	NS
18 <sup>th</sup> QM	51	49	46	52	38	42	56	52	39	65	46	30	20	250	780
19 <sup>th</sup> QM	760	756	764	748	760	762	768	760	770	758	760	765	756	764	769
20 <sup>th</sup> QM	1460	1380	1420	1410	1440	1400	1500	1450	1460	1500	1490	1446	1500	1500	NS
21 <sup>st</sup> QM	23	19	21	16	17	19	15	16	14	18	12	14	16	980	NS
22 <sup>nd</sup> QM	37	6	6	5	4	8	25	9	6	71	55	33	38	370	540
23 <sup>rd</sup> QM	490	510	560	530	640	490	520	470	510	490	565	580	470	410	445
25 <sup>th</sup> QM	4	3	5	8	10	13	16	8	16	16	21	12	34	60	NS
26 <sup>th</sup> QM	3	6	11	5	3	8	6	4	12	31	26	21	540	430	30
27 <sup>th</sup> QM	270	420	460	410	420	430	450	440	450	420	190	260	410	580	1240
28 <sup>th</sup> QM	1	5	2	1	3	2	3	1	2	3	15	13	5	5	NS

Monitoring periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
29 <sup>th</sup> QM	21	20	24	18	15	18	19	13	14	17	39	39	41	410	598
30 <sup>th</sup> QM	99.4	90.3	92.6	89.3	108.4	98	118.7	118	118.7	115	91.1	106.8	243.8	183.3	230.8
31 <sup>st</sup> QM	185.5	188.6	197.8	198.1	186.2	180.8	191.3	189.4	185	199.7	218	212.37	227.53	245.62	985
32 <sup>nd</sup> QM	36.32	33.65	46.92	41.55	22.28	29.53	37.16	45.68	52.04	36.65	158.9	111.28	200.6	517.86	NS
33 <sup>rd</sup> QM	28.35	19.51	21.31	23.56	21.32	22.27	30.07	14.26	21.18	35.24	33.71	92.53	79.75	172.39	NS
34 <sup>th</sup> QM	200.77	206.51	200.31	202.27	208.03	211.48	198.41	202.02	211.53	199.39	193.21	198.8	185.87	232.06	236.27
35 <sup>th</sup> QM	240	244	243	244	241	246.5	245	246.1	238.7	247.5	243	247	246	248	246
36 <sup>th</sup> QM	20.7	13.22	33.64	20.52	24.94	17.49	24.13	36.43	12	39.89	38.22	54.14	59.7	194.84	NS
37 <sup>th</sup> QM	15.47	7.93	7.26	6.70	7.65	8.73	28.83	9.22	7.99	43.73	41.95	24.84	35.06	103.85	211.27
Standard (ECR'2023)	N/A														

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location

**Table B.12: Phosphate (PO<sub>4</sub><sup>3-</sup>) (mg/L) concentration of Passur River System**

Monitoring periods	Sampling location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	0.52	0.5	1.1	2.1	2.2	2	0.57	1.2	1.5	0.55	1.1	1.3	1.1	1.3	7.51
2 <sup>nd</sup> QM	2.23	1.99	2.55	0.45	2.13	2.42	1.25	1.51	1.1	2.1	0.53	0.35	0.56	0.29	0.29
3 <sup>rd</sup> QM	0.67	1.12	0.95	0.92	1.11	0.99	1.18	1.25	1	1.27	1.04	0.86	1.22	0.8	1.09
4 <sup>th</sup> QM	0.32	0.61	0.7	0.43	0.41	0.55	0.76	0.85	0.53	0.59	0.64	0.42	0.61	0.42	0.44
5 <sup>th</sup> QM	0.86	0.53	0.72	0.49	0.68	0.61	0.65	0.53	0.6	0.7	0.55	0.71	0.59	0.61	0.47
6 <sup>th</sup> QM	10	0.23	0.67	0.27	0.59	0.13	0.1	0.18	0.1	0.5	0.29	0.59	0.89	NS	NS
7 <sup>th</sup> QM	1.27	1.97	1.94	2.53	1.3	1.32	0.99	1.02	1.39	1.27	1.28	0.95	0.35	0.43	0.45
8 <sup>th</sup> QM	0.269	0.269	0.179	0.357	0.536	0.269	0.536	0.625	0.536	0.351	0.269	0.179	0.269	0.357	NS
9 <sup>th</sup> QM	0.22	0.36	0.27	0.31	0.3	0.43	0.63	0.21	0.33	0.19	0.13	0.31	0.42	0.26	0.36
10 <sup>th</sup> QM	1.14	1.76	1.77	2.31	0.98	1.01	0.87	0.96	1.123	1.06	1	0.78	0.53	0.47	NS
11 <sup>th</sup> QM	3.39	4.11	4.58	2.76	3.2	2.48	4.16	2.76	2.71	2.836	5.23	4.01	1.16	9.08	5.9
12 <sup>th</sup> QM	0.67	0.31	0.09	0.07	0.12	0.16	0.09	0.04	0.07	0.07	0.2	0.09	0.09	0.1	0.23

Monitoring periods	Sampling location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
13 <sup>th</sup> QM	1.31	1.72	2.73	2.77	0.66	0.62	0.65	0.37	0.45	0.61	0.47	0.18	0.21	0.19	NS
14 <sup>th</sup> QM	0.49	2.5	2.8	3.3	3.9	3.9	4.6	0.41	0.63	0.51	15.3	1.3	3.15	0.36	0.55
15 <sup>th</sup> QM	0.21	0.16	0.3	0.19	0.17	0.47	1.31	0.39	0.62	0.38	0.71	0.63	0.81	0.97	1.45
16 <sup>th</sup> QM	0.38	0.25	0.29	0.38	0.34	0.27	0.29	0.29	0.42	0.24	0.28	0.37	0.26	0.2	NS
17 <sup>th</sup> QM	1.03	0.83	0.76	0.88	1.07	0.67	1.16	0.86	1.03	0.83	1.2	0.86	0.5	0.67	NS
18 <sup>th</sup> QM	0.25	0.3	0.22	0.24	0.4	0.53	0.32	0.43	0.57	0.27	0.22	0.33	0.25	0.5	0.61
19 <sup>th</sup> QM	0.25	0.3	0.17	0.2	0.35	0.27	0.2	0.2	0.37	0.4	0.28	0.29	0.3	0.19	0.18
20 <sup>th</sup> QM	0.25	0.32	0.4	0.3	0.27	0.25	0.41	0.35	0.27	0.28	0.3	0.31	0.52	0.63	NS
21 <sup>st</sup> QM	10.1	0.6	0.5	0.6	0.6	0.9	11.1	0.8	0.8	0.5	0.8	0.6	0.6	0.5	NS
22 <sup>nd</sup> QM	0.3	0.3	0.4	0.2	0.3	0.4	0.5	0.7	0.5	0.6	0.4	0.6	0.7	0.3	0.3
23 <sup>rd</sup> QM	0.2	0.2	0.3	0.3	0.2	0.3	0.4	0.4	0.4	0.5	0.3	0.4	0.2	0.1	0.2
25 <sup>th</sup> QM	0.25	0.27	0.3	0.35	0.29	0.36	0.4	0.43	0.52	0.25	0.56	0.53	0.4	0.37	NS
26 <sup>th</sup> QM	0.5	0.5	0.5	0.7	0.5	0.8	0.7	0.4	1.3	1.2	0.7	0.8	0.3	0.4	0.4
27 <sup>th</sup> QM	5.3	3.5	3.2	2.9	3	5.4	3	2.5	3.2	13.1	4.1	9.6	2.6	7.1	1.1
28 <sup>th</sup> QM	4.9	2	1.9	2.3	5.7	4	1.2	2.4	6.3	8	0.76	0.79	0.6	3	NS
29 <sup>th</sup> QM	4.2	0.6	0.54	4.5	2.1	3.4	5.4	3.7	2.7	3.4	0.2	0.27	1.9	0.87	0.5
30 <sup>th</sup> QM	1.5	0.9	1.3	0	0	0	0.3	0.4	0.1	0.2	0.4	0.2	0.7	0.4	0.2
31 <sup>st</sup> QM	0.19	0.33	0.13	0.46	0.1	0.4	0.04	0.03	0.14	0.59	0.35	0.3	0.48	0.45	1.03
32 <sup>nd</sup> QM	0.048	0.025	0.069	0.051	0.02	0.021	0.02	0.061	0.008	0.006	0.003	0.0572	0.228	0.125	NS
33 <sup>rd</sup> QM	1.02	0.67	1.2	1.74	0.49	0.4	0.44	0.3	0.5	0.71	0.68	2.53	1.7	1.04	NS
34 <sup>th</sup> QM	2.14	1.2	0	0.08	0.04	0.07	0.07	0.13	0.11	0.08	0.08	0.61	0.6	0.02	0.03
35 <sup>th</sup> QM	1.01	0.56	0.62	0.45	0.08	0.08	0.06	0.06	0.03	0.1	0.09	0.14	0.5	0.07	0.52
36 <sup>th</sup> QM	0.97	1.42	1.25	2.53	0.01	0.09	0.002	0.0235	0.001	0.044	0.037	0.543	0.004	0.07	NS
37 <sup>th</sup> QM	0.08	0.1046	0.1147	0.0285	0.1829	0.0964	0.0468	0.0838	0.0415	0.0733	0.9322	0.4559	0.4183	0.1134	0.2034
Standard (ECR'2023)	0.05 mg/L (Coastal area)												0.08 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location

Table B.13: Arsenic (As) (mg/L) concentration of Passur River System

Monitoring periods	Sampling location ID														
	SI-1	SI-2	SI-3	SI-4	SI-5	SI-6	SI-7	SI-8	SI-9	SI-10	SI-11	SI-12	SI-13	SI-14	SI-15
1 <sup>st</sup> QM	0.002	0.002	0.001	0.002	0.002	0.002	<0.001	<0.002	0.002	<0.001	0.002	0.002	0.004	0.004	0.003
2 <sup>nd</sup> QM	0.003	0.003	0.003	0.004	0.004	0.003	0.003	0.004	0.003	0.003	0.002	0.004	0.003	0.002	0.002
3 <sup>rd</sup> QM	0.004	0.004	0.004	0.004	0.004	0.003	0.006	0.004	0.006	0.006	0.003	0.003	0.004	0.002	0.003
4 <sup>th</sup> QM	0.003	0.003	0.003	0.004	0.003	0.003	0.003	0.003	0.003	0.004	0.003	0.003	0.004	0.003	0.002
5 <sup>th</sup> QM	0.002	0.002	0.003	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.003	0.004	0.004	0.002	0.002
6 <sup>th</sup> QM	0.002	0.002	0.002	0.002	0.001	0.002	0.002	0.002	0.003	0.002	0.002	0.002	0.002	NS	NS
7 <sup>th</sup> QM	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
8 <sup>th</sup> QM	0.001	0.001	0.001	0.002	0.002	0.001	0.002	0.001	0.001	0.002	0.001	0.002	0.002	0.002	NS
9 <sup>th</sup> QM	0.001	0.003	0.003	0.002	0.002	0.002	0.001	0.002	0.002	0.002	0.002	0.003	0.005	0.006	0.004
10 <sup>th</sup> QM	0.002	0.003	0.005	0.004	0.002	0.002	0.003	0.003	0.004	0.005	0.002	0.004	0.002	0.001	NS
11 <sup>th</sup> QM	0.002	0.003	0.002	0.002	0.002	0.002	0.002	0.003	0.002	0.002	0.002	0.003	0.003	0.003	0.002
12 <sup>th</sup> QM	0.002	0.001	0.001	0.002	0.002	0.001	0.002	0.001	0.002	0.001	0.001	0.002	0.002	0.001	0.002
13 <sup>th</sup> QM	0.002	0.002	0.001	0.001	0.002	0.002	0.002	0.002	0.003	0.003	0.003	0.002	0.001	0.002	NS
14 <sup>th</sup> QM	0.002	0.001	0.002	0.002	0.002	0.003	0.003	0.002	0.002	0.003	0.001	0.002	0.003	0.002	0.002
15 <sup>th</sup> QM	0.002	0.002	0.003	0.002	0.002	0.002	0.001	0.001	0.001	0.002	0.001	0.001	0.002	0.001	0.001
16 <sup>th</sup> QM	0.001	0.001	0.001	0.002	0.001	0.002	0.002	0.001	0.001	0.002	0.001	0.002	0.001	0.002	NS
17 <sup>th</sup> QM	0.004	0.005	0.004	0.005	0.003	0.002	0.005	0.003	0.004	0.004	0.003	0.003	0.003	0.002	NS
18 <sup>th</sup> QM	0.003	0.002	0.002	0.002	0.002	0.001	0.002	0.002	0.002	0.001	0.001	0.001	0.002	0.001	0.001
19 <sup>th</sup> QM	0.002	0.001	0.003	0.001	0.001	0.002	0.003	0.001	0.001	0.002	0.005	0.007	0.001	0.002	0.001
20 <sup>th</sup> QM	0.003	0.002	0.003	0.003	0.003	0.003	0.003	0.002	0.002	0.003	0.003	0.003	0.002	0.002	NS
21 <sup>st</sup> QM	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.002	0.002	0.003	0.004	0.002	0.001	0.001	NS
22 <sup>nd</sup> QM	0.002	0.003	0.002	0.003	0.003	0.002	0.003	0.002	0.002	0.003	0.004	0.004	0.002	0.002	0.002
23 <sup>rd</sup> QM	0.002	0.003	0.002	0.003	0.002	0.002	0.002	0.002	0.002	0.003	0.003	0.003	0.003	0.002	0.002
25 <sup>th</sup> QM	0.003	0.003	0.003	0.002	0.002	0.002	0.005	0.003	0.003	0.004	0.002	0.002	0.002	0.003	NS
26 <sup>th</sup> QM	0.003	0.003	0.003	0.003	0.004	0.003	0.004	0.003	0.003	0.004	0.004	0.002	0.002	0.002	0.009
27 <sup>th</sup> QM	0.002	0.002	0.002	0.002	0.003	0.003	0.002	0.002	0.002	0.003	0.002	0.003	0.002	0.002	0.002
28 <sup>th</sup> QM	0.003	0.004	0.003	0.002	0.002	0.004	0.003	0.003	0.003	0.003	0.004	0.002	0.002	0.002	NS

Monitoring periods	Sampling location ID														
	SI-1	SI-2	SI-3	SI-4	SI-5	SI-6	SI-7	SI-8	SI-9	SI-10	SI-11	SI-12	SI-13	SI-14	SI-15
29 <sup>th</sup> QM	0.003	0.002	0.003	0.003	0.002	0.003	0.003	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.003
30 <sup>th</sup> QM	0.003	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.002	0.003	0.003	0.002
31 <sup>st</sup> QM	0.003	0.003	0.003	0.002	0.002	0.002	0.003	0.002	0.002	0.003	0.003	0.003	0.002	0.002	0.002
32 <sup>nd</sup> QM	0.003	0.003	0.003	0.003	0.003	0.003	0.004	0.003	0.003	0.004	0.003	0.003	0.003	0.003	NS
33 <sup>rd</sup> QM	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.002	0.003	0.002	0.003	0.002	0.002	0.003	NS
34 <sup>th</sup> QM	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
35 <sup>th</sup> QM	0.003	0.003	0.004	0.003	0.003	0.003	0.004	0.003	0.003	0.004	0.001	0.002	0.002	0.002	0.002
36 <sup>th</sup> QM	0.003	0.002	0.002	0.002	0.002	0.002	0.003	0.002	0.002	0.002	0.001	0.001	0.002	0.002	NS
37 <sup>th</sup> QM	0.003	0.003	0.003	0.002	0.001	0.003	0.003	0.002	0.002	0.004	0.003	0.003	0.003	0.004	0.003
Standard (ECR'2023)	0.001 mg/L (Coastal area)												0.003 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location

**Table B.14: Pb (mg/L) concentration of Passur River System**

Monitoring Periods	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
1 <sup>st</sup> QM	0.053	0.055	0.055	0.057	0.06	0.058	0.053	0.054	0.056	0.053	0.048	0.05	0.043	0.194	0.224
2 <sup>nd</sup> QM	0.004	0.002	0.005	0.002	0.002	0.002	0.002	0.003	0.005	0.004	0.004	0.032	0.044	0.071	0.05
3 <sup>rd</sup> QM	0.002	0.003	0.002	0.003	0.002	0.002	0.003	0.004	0.004	0.004	<0.002	<0.002	0.004	0.032	0.07
4 <sup>th</sup> QM	0.104	0.104	0.111	0.154	0.139	0.138	0.16	0.153	0.139	0.143	0.133	0.141	0.137	0.309	0.309
5 <sup>th</sup> QM	0.098	0.102	0.138	0.142	0.135	0.156	0.142	0.148	0.163	0.135	0.14	0.14	0.13	0.297	0.291
6 <sup>th</sup> QM	0.0059	0.0038	0.0058	0.011	0.002	0.0021	0.0076	0.002	0.002	0.002	0.002	0.002	0.002	NS	NS
7 <sup>th</sup> QM	0.007	0.006	0.008	0.01	0.009	0.007	0.01	0.011	0.009	0.07	0.008	0.009	0.012	0.084	0.073
8 <sup>th</sup> QM	0.168	0.092	0.176	0.115	0.148	0.112	0.134	0.099	0.093	0.023	0.067	0.078	0.135	0.302	NS
9 <sup>th</sup> QM	0.203	0.302	0.347	0.336	0.317	0.298	0.396	0.323	0.331	0.35	0.275	0.258	0.228	0.359	0.607
10 <sup>th</sup> QM	0.01	0.009	0.017	0.014	0.006	0.01	0.007	0.006	0.012	0.008	0.015	0.098	0.02	0.142	NS
11 <sup>th</sup> QM	0.009	0.007	0.01	0.007	0.006	0.005	0.006	0.007	0.007	0.008	0.007	0.011	0.01	0.126	0.151
12 <sup>th</sup> QM	0.024	0.034	0.03	0.036	0.046	0.041	0.048	0.044	0.056	0.038	0.056	0.05	0.05	0.033	0.129

Monitoring Periods	Sampling Locations ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
13 <sup>th</sup> QM	0.002	0.001	0.003	0.001	0.003	0.002	0.003	0.009	0.003	<LOQ	0.001	0.0001	0.001	0.009	NS
14 <sup>th</sup> QM	0.003	0.003	0.003	0.002	0.002	0.001	0.001	0.002	0.002	0.003	0.011	0.011	0.005	0.004	0.019
15 <sup>th</sup> QM	0.001	0.001	0.002	0.002	0.001	0.001	0.001	0.001	0.002	0.002	0.001	0.001	0.003	0.169	0.175
16 <sup>th</sup> QM	0.002	0.001	0.004	0.001	0.003	0.001	0.007	0.003	0.005	0.002	0.003	0.002	0.003	0.001	NS
17 <sup>th</sup> QM	0.002	0.001	0.02	0.018	0.008	0.041	0.012	0.015	0.03	0.01	0.016	0.015	0.017	0.062	NS
18 <sup>th</sup> QM	0.003	0.007	0.017	0.013	0.01	0.012	0.011	0.014	0.019	0.008	0.017	0.009	0.009	0.018	0.014
19 <sup>th</sup> QM	0.004	0.005	0.007	0.005	0.003	0.007	0.003	0.004	0.006	0.004	0.005	0.007	0.015	0.013	0.017
20 <sup>th</sup> QM	0.003	0.002	0.004	0.003	0.003	0.002	0.002	0.003	0.002	0.002	0.003	0.003	0.002	0.002	NS
21 <sup>st</sup> QM	0.001	0.003	0.002	0.009	0.003	0.009	0.12	0.006	0.004	0.003	0.004	0.002	0.006	0.001	NS
22 <sup>nd</sup> QM	0.001	0.002	0.001	0.001	0.001	0.003	0.001	0.002	0.001	0.002	0.003	0.002	0.014	0.019	0.008
23 <sup>rd</sup> QM	0.008	0.007	0.009	0.008	0.006	0.004	0.006	0.008	0.007	0.008	0.006	0.005	0.007	0.043	0.056
25 <sup>th</sup> QM	0.006	0.004	0.007	0.005	0.007	0.008	0.019	0.009	0.01	0.013	0.005	0.003	0.009	0.011	NS
26 <sup>th</sup> QM	0.002	0.005	0.006	0.008	0.006	0.005	0.018	0.008	0.004	0.003	0.006	0.007	0.004	0.02	0.013
27 <sup>th</sup> QM	0.016	0.017	0.018	0.015	0.017	0.019	0.019	0.017	0.022	0.019	0.007	0.015	0.002	0.001	0.001
28 <sup>th</sup> QM	0.029	0.029	0.036	0.016	0.014	0.012	0.0140.	0.003	0.014	0.013	0.015	0.014	0.014	0.018	NS
29 <sup>th</sup> QM	0.017	0.019	0.019	0.012	0.012	0.016	0.022	0.015	0.016	0.022	0.002	0.023	0.011	0.005	0.5
30 <sup>th</sup> QM	0.009	0.019	0.002	0.003	0.002	0.002	0.003	0.004	0.005	0.004	0.005	0.008	0.019	0.004	0.005
31 <sup>st</sup> QM	0.013	0.01	0.011	0.009	0.007	0.011	0.014	0.006	0.007	0.008	0.01	0.013	0.01	0.011	0.009
32 <sup>nd</sup> QM	0.009	0.009	0.01	0.008	0.003	0.008	0.004	0.007	0.009	0.01	0.012	0.017	0.01	0.009	NS
33 <sup>rd</sup> QM	0.006	0.005	0.006	0.007	0.009	0.007	0.007	0.006	0.008	0.003	0.002	0.006	0.001	0.001	NS
34 <sup>th</sup> QM	0.004	0.003	0.004	0.006	0.002	0.003	0.005	0.005	0.004	0.007	0.006	0.024	0.01	0.012	0.003
35 <sup>th</sup> QM	0.006	0.007	0.007	0.006	0.007	0.005	0.007	0.008	0.006	0.004	0.006	0.005	0.006	0.008	0.007
36 <sup>th</sup> QM	0.008	0.009	0.007	0.01	0.012	0.007	0.006	0.01	0.009	0.003	0.004	0.007	0.004	0.005	NS
37 <sup>th</sup> QM	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Standard (ECR/2023)	0.05 mg/L (Coastal area)												0.05 mg/L (Reserved area)		

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL-Sampling location



[illegible]

Monitoring Periods	Sampling Location ID														
	SL-1	SL-2	SL-3	SL-4	SL-5	SL-6	SL-7	SL-8	SL-9	SL-10	SL-11	SL-12	SL-13	SL-14	SL-15
26 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
27 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
28 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	NS
29 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
30 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
31 <sup>st</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
32 <sup>nd</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
33 <sup>rd</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015	<0.00015
34 <sup>th</sup> QM	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
35 <sup>th</sup> QM	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
36 <sup>th</sup> QM	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	NS
37 <sup>th</sup> QM	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Standards (ECR'2023)															

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NS – Not Surveyed; SL=Sampling location

### Parameters for Ground Water Quality Monitoring

Table B.16: pH and Temperature (°C) of Ground Water

pH					Temperature (°C)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	7.6	7.6	7.6	6.3	1 <sup>st</sup> QM	27.3	29.6	29.2	27.5
2 <sup>nd</sup> QM	7.7	7.8	7.7	6.5	2 <sup>nd</sup> QM	28.5	29.9	28.9	28.7
3 <sup>rd</sup> QM	7.9	8	8	NF	3 <sup>rd</sup> QM	26	28	28	NF
4 <sup>th</sup> QM	8	8.2	8.1	NF	4 <sup>th</sup> QM	24.5	22.5	25.1	NF
5 <sup>th</sup> QM	TC	7.8	7.9	NF	5 <sup>th</sup> QM	TC	28.6	28.8	NF

pH					Temperature (°C)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
6 <sup>th</sup> QM	8.1	8.3	8.3	NF	6 <sup>th</sup> QM	31	28	30	NF
7 <sup>th</sup> QM	7.49	7.93	7.7	NF	7 <sup>th</sup> QM	30	27.8	28.7	NF
8 <sup>th</sup> QM	7.6	8.1	7.9	NF	8 <sup>th</sup> QM	24	23	25	NF
9 <sup>th</sup> QM	7.8	8.3	8.2	NF	9 <sup>th</sup> QM	29.8	29.6	30.1	NF
10 <sup>th</sup> QM	7.8	8.1	7.9	NF	10 <sup>th</sup> QM	28.6	29.1	29.4	NF
11 <sup>th</sup> QM	8.4	7.9	7.9	NF	11 <sup>th</sup> QM	29.1	30.4	29.8	NF
12 <sup>th</sup> QM	8.1	7.5	7.6	NF	12 <sup>th</sup> QM	25.1	24.3	24	NF
13 <sup>th</sup> QM	7.4	7.8	7.4	NF	13 <sup>th</sup> QM	28.7	27.7	28.4	NF
14 <sup>th</sup> QM	8.2	8.1	7.8	NF	14 <sup>th</sup> QM	27.2	26.5	26.4	NF
15 <sup>th</sup> QM	6.9	7.4	7.2	NF	15 <sup>th</sup> QM	22.9	23.8	23.6	NF
16 <sup>th</sup> QM	NF	6.9	7.2	NF	16 <sup>th</sup> QM	NF	30.3	30.1	NF
17 <sup>th</sup> QM	NF	7.9	7.6	NF	17 <sup>th</sup> QM	NF	29.3	29.7	NF
18 <sup>th</sup> QM	NF	7.3	7.6	NF	18 <sup>th</sup> QM	NF	30	29	NF
19 <sup>th</sup> QM	7.1	6.9	6.5	NF	19 <sup>th</sup> QM	23.8	23.7	23.2	NF
20 <sup>th</sup> QM	8.3	8.4	8.9	NF	20 <sup>th</sup> QM	29	30	30	NF
21 <sup>st</sup> QM	8.2	7.9	8.1	NF	21 <sup>st</sup> QM	31.4	30	31.2	NF
22 <sup>nd</sup> QM	7.2	7.6	7.4	NF	22 <sup>nd</sup> QM	27	27	26	NF
23 <sup>rd</sup> QM	7.8	7.3	7.5	NF	23 <sup>rd</sup> QM	24	23	23	NF
25 <sup>th</sup> QM	8.1	8	8	NF	25 <sup>th</sup> QM	31	30	30	NF
26 <sup>th</sup> QM	7.4	8	8	NF	26 <sup>th</sup> QM	27	28	27	NF
27 <sup>th</sup> QM	7.2	7.5	7.5	NF	27 <sup>th</sup> QM	22	25	25	NF
28 <sup>th</sup> QM	8	8.3	8.2	NF	28 <sup>th</sup> QM	23	23	24	NF
29 <sup>th</sup> QM	5.6	6.2	7.4	NF	29 <sup>th</sup> QM	31.3	30.45	30.72	NF
30 <sup>th</sup> QM	8	8.6	9.1	NF	30 <sup>th</sup> QM	28.89	27.7	28.04	NF
31 <sup>st</sup> QM	7.7	8.1	8.1	NF	31 <sup>st</sup> QM	23	24	25	NF
32 <sup>nd</sup> QM	7.7	7.4	8.2	NF	32 <sup>nd</sup> QM	29	31.48	29.37	NF

pH					Temperature (°C)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
33 <sup>rd</sup> QM	7.26	7.8	7.7	NF	33 <sup>rd</sup> QM	32	30	29	NF
34 <sup>th</sup> QM	7.1	8.1	8	NF	34 <sup>th</sup> QM	26	26.69	26	NF
35 <sup>th</sup> QM	8.4	9.0	8.1	NF	35 <sup>th</sup> QM	31	27.3	26.9	NF
36 <sup>th</sup> QM	8.1	8.7	8.3	NF	36 <sup>th</sup> QM	29	30	30.13	NF
37 <sup>th</sup> QM	7.4	7.6	7.1	NF	37 <sup>th</sup> QM	29	30	30.1	NF
38 <sup>th</sup> QM	7.9	8.1	8.2	NF	38 <sup>th</sup> QM	31.5	30.86	28.1	NF
Standard (ECR'2023)	6.5-8.5				Standard (ECR'2023)	(20°C-30°C) mg/L			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

**Table B.17: Salinity (ppt.) and DO (mg/L) in Groundwater**

Salinity (ppt.)					DO (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	0	0	0	0	1 <sup>st</sup> QM	4.4	6	6.4	4.4
2 <sup>nd</sup> QM	0	0	0	0	2 <sup>nd</sup> QM	5.2	6.2	6.5	6
3 <sup>rd</sup> QM	0	0	0	NF	3 <sup>rd</sup> QM	6.5	7.7	6.1	NF
4 <sup>th</sup> QM	1	0	0	NF	4 <sup>th</sup> QM	6.7	6.3	6.5	NF
5 <sup>th</sup> QM	TC	0	0	NF	5 <sup>th</sup> QM	TC	6	6.6	NF
6 <sup>th</sup> QM	0	0	0	NF	6 <sup>th</sup> QM	6	5.9	6	NF
7 <sup>th</sup> QM	0	0	0	NF	7 <sup>th</sup> QM	5.4	6.1	5.6	NF
8 <sup>th</sup> QM	0	0	0	NF	8 <sup>th</sup> QM	4.9	5.2	4.8	NF
9 <sup>th</sup> QM	0	0	0	NF	9 <sup>th</sup> QM	6.1	5.8	5.6	NF
10 <sup>th</sup> QM	0	0	0	NF	10 <sup>th</sup> QM	5.8	6.1	5.7	NF
11 <sup>th</sup> QM	0	0	0	NF	11 <sup>th</sup> QM	6.3	5.8	6.1	NF
12 <sup>th</sup> QM	0	0	0	NF	12 <sup>th</sup> QM	4.5	4.8	4.6	NF
13 <sup>th</sup> QM	0	0	0	NF	13 <sup>th</sup> QM	5.1	5.3	5.7	NF

Salinity (ppt.)					DO (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
14 <sup>th</sup> QM	0	0	0	NF	14 <sup>th</sup> QM	6.2	5.8	6.2	NF
15 <sup>th</sup> QM	0	0.3	0.4	NF	15 <sup>th</sup> QM	5.2	4.47	4.26	NF
16 <sup>th</sup> QM	NF	0.3	0.2	NF	16 <sup>th</sup> QM	NF	6	5.4	NF
17 <sup>th</sup> QM	NF	0.1	0.1	NF	17 <sup>th</sup> QM	NF	6	5.9	NF
18 <sup>th</sup> QM	NF	0.1	0.1	NF	18 <sup>th</sup> QM	NF	5.9	6.1	NF
19 <sup>th</sup> QM	0.1	0.1	0.1	NF	19 <sup>th</sup> QM	6	6.1	6.2	NF
20 <sup>th</sup> QM	0.1	0.5	0.7	NF	20 <sup>th</sup> QM	6	6.5	6.2	NF
21 <sup>st</sup> QM	0.1	0.1	0.1	NF	21 <sup>st</sup> QM	6.1	6	6	NF
22 <sup>nd</sup> QM	0	0	0	NF	22 <sup>nd</sup> QM	6	6.2	6	NF
23 <sup>rd</sup> QM	0.1	0.1	0.1	NF	23 <sup>rd</sup> QM	6	6.1	6	NF
25 <sup>th</sup> QM	0.1	0.1	0.1	NF	25 <sup>th</sup> QM	6	6.1	6.1	NF
26 <sup>th</sup> QM	0.18	0.1	0.1	NF	26 <sup>th</sup> QM	6	6.2	6	NF
27 <sup>th</sup> QM	0.1	0.2	0.4	NF	27 <sup>th</sup> QM	6.4	6.7	4.9	NF
28 <sup>th</sup> QM	0.1	0.3	0.3	NF	28 <sup>th</sup> QM	6.4	6.3	6.3	NF
29 <sup>th</sup> QM	0.1	0.2	0.4	NF	29 <sup>th</sup> QM	6	6	5	NF
30 <sup>th</sup> QM	0	0	0	NF	30 <sup>th</sup> QM	6.5	7.7	6.1	NF
31 <sup>st</sup> QM	0.1	0.2	0.4	NF	31 <sup>st</sup> QM	6.2	4.7	3.5	NF
32 <sup>nd</sup> QM	0.3	0.2	0.4	NF	32 <sup>nd</sup> QM	4	2.99	3.8	NF
33 <sup>rd</sup> QM	0.4	0.2	0.1	NF	33 <sup>rd</sup> QM	2.6	5.9	6	NF
34 <sup>th</sup> QM	0.2	0.2	0.4	NF	34 <sup>th</sup> QM	3.2	5	3.8	NF
35 <sup>th</sup> QM	0.6	0.2	0.4	NF	35 <sup>th</sup> QM	5.99	5.8	3.8	NF
36 <sup>th</sup> QM	0.6	0.2	0.4	NF	36 <sup>th</sup> QM	3.1	2	2.2	NF
37 <sup>th</sup> QM	0.2	0.1	0.4	NF	37 <sup>th</sup> QM	4.1	4	3.8	NF
38 <sup>th</sup> QM	0.1	0.2	0.4	NF	38 <sup>th</sup> QM	5.15	4.8	3.6	NF
Standard (ECR'2023)	N/A				Standard (ECR'2023)	N/A			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

Table B.18: TDS (mg/L) and TSS (mg/L) in Groundwater

TDS (mg/L)					TSS (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	1113	4090	643	1055	1 <sup>st</sup> QM	-	-	-	-
2 <sup>nd</sup> QM	999	371	635	970	2 <sup>nd</sup> QM	6	6	8	48
3 <sup>rd</sup> QM	-	-	-	-	3 <sup>rd</sup> QM	19	2	6	NF
4 <sup>th</sup> QM	1021	378	600	NF	4 <sup>th</sup> QM	40	28	32	NF
5 <sup>th</sup> QM	NO	390	600	NF	5 <sup>th</sup> QM	NF**	4	6	NF
6 <sup>th</sup> QM	881	574	328	NF	6 <sup>th</sup> QM	23	16	14	NF
7 <sup>th</sup> QM	377	1007	611	NF	7 <sup>th</sup> QM	4	5	4	NF
8 <sup>th</sup> QM	447	491	284	NF	8 <sup>th</sup> QM	31	46	41	NF
9 <sup>th</sup> QM	1025	384	645	NF	9 <sup>th</sup> QM	3	4	3	NF
10 <sup>th</sup> QM	1000	408	607	NF	10 <sup>th</sup> QM	5	4	4	NF
11 <sup>th</sup> QM	617	382	636	NF	11 <sup>th</sup> QM	7	4	5	NF
12 <sup>th</sup> QM	623	401	998	NF	12 <sup>th</sup> QM	32	28	25	NF
13 <sup>th</sup> QM	395	617	558	NF	13 <sup>th</sup> QM	4	10	9	NF
14 <sup>th</sup> QM	602	996	390	NF	14 <sup>th</sup> QM	8	10	9	NF
15 <sup>th</sup> QM	405	602	994	NF	15 <sup>th</sup> QM	12	6	7	NF
16 <sup>th</sup> QM	NF	615	370	NF	16 <sup>th</sup> QM	NF	12	5	NF
17 <sup>th</sup> QM	NF	390	608	NF	17 <sup>th</sup> QM	NF	2	3	NF
18 <sup>th</sup> QM	NF	365	610	NF	18 <sup>th</sup> QM	NF	6	8	NF
19 <sup>th</sup> QM	1315	376	927	NF	19 <sup>th</sup> QM	3	3	4	NF
20 <sup>th</sup> QM	915	380	610	NF	20 <sup>th</sup> QM	3	2	4	NF
21 <sup>st</sup> QM	25	602	360	NF	21 <sup>st</sup> QM	2	1	4	NF
22 <sup>nd</sup> QM	900	385	603	NF	22 <sup>nd</sup> QM	4	3	4	Nf
23 <sup>rd</sup> QM	3080	660	370	NF	23 <sup>rd</sup> QM	2	3	2	NF
25 <sup>th</sup> QM	1196	701	316	NF	25 <sup>th</sup> QM	1	3	1	NF
26 <sup>th</sup> QM	139	335	202	NF	26 <sup>th</sup> QM	3	5	2	NF

TDS (mg/L)					TSS (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
27 <sup>th</sup> QM	200	350	610	NF	27 <sup>th</sup> QM	1	2	5	NF
28 <sup>th</sup> QM	810	450	570	NF	28 <sup>th</sup> QM	1	1	1	NF
29 <sup>th</sup> QM	890	360	610	NF	29 <sup>th</sup> QM	1	1	2	NF
30 <sup>th</sup> QM	350	615	860	NF	30 <sup>th</sup> QM	1	4	3	NF
31 <sup>st</sup> QM	0.86	350	620	NF	31 <sup>st</sup> QM	1	1	1	NF
32 <sup>nd</sup> QM	1150	360	620	NF	32 <sup>nd</sup> QM	2	1	2	NS
33 <sup>rd</sup> QM	350	620	900	NF	33 <sup>rd</sup> QM	1	2	1	NF
34 <sup>th</sup> QM	885	620	510	NF	34 <sup>th</sup> QM	1	1	3	NF
35 <sup>th</sup> QM	370	900	630	NF	35 <sup>th</sup> QM	1	1	1	NF
36 <sup>th</sup> QM	890	350	1300	NF	36 <sup>th</sup> QM	1	1	3	NF
37 <sup>th</sup> QM	272	392	650	NF	37 <sup>th</sup> QM	1	1	2	NF
Standard (ECR'2023)	1000 mg/L				Standard (ECR'2023)	10 mg/L			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

**Table B.19: TH (mg/L) and COD (mg/L) concentrations in Groundwater**

TH (mg/L)					COD (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	425	220	190	780	1 <sup>st</sup> QM	32	28	48	32
2 <sup>nd</sup> QM	250	175	140	450	2 <sup>nd</sup> QM	32	28	32	36
3 <sup>rd</sup> QM	300	180	180	NF	3 <sup>rd</sup> QM	34	18	34	NF
4 <sup>th</sup> QM	235	110	125	NF	4 <sup>th</sup> QM	20	16	20	NF
5 <sup>th</sup> QM	NO	138	216	NF	5 <sup>th</sup> QM	NO	14	18	NF
6 <sup>th</sup> QM	225	125	115	NF	6 <sup>th</sup> QM	12	10	14	NF
7 <sup>th</sup> QM	325	450	480	NF	7 <sup>th</sup> QM	4	8	4	NF

TH (mg/L)					COD (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
8 <sup>th</sup> QM	295	195	225	NF	8 <sup>th</sup> QM	4	4	4	NF
9 <sup>th</sup> QM	305	263	163	NF	9 <sup>th</sup> QM	4	4	4	NF
10 <sup>th</sup> QM	320	248	28	NF	10 <sup>th</sup> QM	4	4	2	NF
11 <sup>th</sup> QM	175	295	183	NF	11 <sup>th</sup> QM	4	4	4	NF
12 <sup>th</sup> QM	550	510	620	NF	12 <sup>th</sup> QM	4	4	4	NF
13 <sup>th</sup> QM	720	420	654	NF	13 <sup>th</sup> QM	4	4	4	NF
14 <sup>th</sup> QM	145	240	215	NF	14 <sup>th</sup> QM	8	8	16	NF
15 <sup>th</sup> QM	NF	265	305	NF	15 <sup>th</sup> QM	NF	4	4	NF
16 <sup>th</sup> QM	NF	195	215	NF	16 <sup>th</sup> QM	NF	4	4	NF
17 <sup>th</sup> QM	NF	235	170	NF	17 <sup>th</sup> QM	NF	4	4	NF
18 <sup>th</sup> QM	NF	178	138	NF	18 <sup>th</sup> QM	NF	4	4	NF
19 <sup>th</sup> QM	355	215	270	NF	19 <sup>th</sup> QM	4	3	4	NF
20 <sup>th</sup> QM	235	182	167	NF	20 <sup>th</sup> QM	352	4	4	NF
21 <sup>st</sup> QM	97	167	212	NF	21 <sup>st</sup> QM	4	4	4	NF
22 <sup>nd</sup> QM	145	245	137	NF	22 <sup>nd</sup> QM	4	4	4	NF
23 <sup>rd</sup> QM	137	118	145	NF	23 <sup>rd</sup> QM	4	4	4	NF
25 <sup>th</sup> QM	625	210	237	NF	25 <sup>th</sup> QM	4	4	4	NF
26 <sup>th</sup> QM	232	185	207	NF	26 <sup>th</sup> QM	4	4	4	NF
27 <sup>th</sup> QM	160	145	130	NF	27 <sup>th</sup> QM	4	4	4	NF
28 <sup>th</sup> QM	1400	1600	1200	NF	28 <sup>th</sup> QM	16	32	8	NF
29 <sup>th</sup> QM	160	195	140	NF	29 <sup>th</sup> QM	32	28	36	NF
30 <sup>th</sup> QM	70	243	155	NF	30 <sup>th</sup> QM	4	20	28	NF
31 <sup>st</sup> QM	180	200	210	NF	31 <sup>st</sup> QM	12	8	28	NF
32 <sup>nd</sup> QM	320	165	275	NF	32 <sup>nd</sup> QM	32	28	32	NF
33 <sup>rd</sup> QM	225	415	515	NF	33 <sup>rd</sup> QM	4	4	4	NF



TH (mg/L)					COD (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
34 <sup>th</sup> QM	265	130	110	NF	34 <sup>th</sup> QM	4	4	4	NF
35 <sup>th</sup> QM	215	445	348	NF	35 <sup>th</sup> QM	16	12	8	NF
36 <sup>th</sup> QM	237	190	1200	NF	36 <sup>th</sup> QM	32	28	36	NF
37 <sup>th</sup> QM	160	185	190	NF	37 <sup>th</sup> QM	4	20	12	NF
Standard (ECR'2023)	N/A				Standard (ECR'2023)	20N/A			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

**Table B.20: NO<sub>3</sub><sup>-</sup> (mg/L) and SO<sub>4</sub><sup>2-</sup> (mg/L) concentrations in Groundwater**

NO <sub>3</sub> <sup>-</sup> (mg/L)					SO <sub>4</sub> <sup>2-</sup> (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	0.2	0.6	0.8	0.4	1 <sup>st</sup> QM	-	-	-	NF
2 <sup>nd</sup> QM	0.48	0.68	0.4	0.56	2 <sup>nd</sup> QM	3	2	10	3
3 <sup>rd</sup> QM	<0.10	0.31	0.8	NF	3 <sup>rd</sup> QM	-	-	-	NF
4 <sup>th</sup> QM	28	26	13	NF	4 <sup>th</sup> QM	-	-	-	-
5 <sup>th</sup> QM	-	-	-	NF	5 <sup>th</sup> QM	-	-	-	-
6 <sup>th</sup> QM	7.6	2.2	4.7	NF	6 <sup>th</sup> QM	-	-	-	-
7 <sup>th</sup> QM	4.3	4.2	3.8	NF	7 <sup>th</sup> QM	1	2	2	-
8 <sup>th</sup> QM	2.1	1.9	2.8	NF	8 <sup>th</sup> QM	5	6	2	NF
9 <sup>th</sup> QM	1.7	2.3	1.9	NF	9 <sup>th</sup> QM	1	2	8	NF
10 <sup>th</sup> QM	3.8	3.3	3.7	NF	10 <sup>th</sup> QM	1	1	1	NF
11 <sup>th</sup> QM	6.1	7.51	10.16	NF	11 <sup>th</sup> QM	1	1	1	NF
12 <sup>th</sup> QM	4.65	7.02	4.65	NF	12 <sup>th</sup> QM	1	1		NF
13 <sup>th</sup> QM	9.32	14.7	10.2	NF	13 <sup>th</sup> QM	5	1	3	NF
14 <sup>th</sup> QM	3.3	2.5	4.6	NF	14 <sup>th</sup> QM	1	1	2	NF
15 <sup>th</sup> QM	5.9	7.2	1.7	NF	15 <sup>th</sup> QM	8	2	6	NF

NO <sub>3</sub> <sup>-</sup> (mg/L)					SO <sub>4</sub> <sup>2-</sup> (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
16 <sup>th</sup> QM	NF	5.3	5.7	NF	16 <sup>th</sup> QM	NF	2	4	NF
17 <sup>th</sup> QM	NF	8.6	7.8	NF	17 <sup>th</sup> QM	NF	4	6	NF
18 <sup>th</sup> QM	NF	0.9	1.4	NF	18 <sup>th</sup> QM	NF	1	1	NF
19 <sup>th</sup> QM	1.7	4.4	2.1	NF	19 <sup>th</sup> QM	1	2	1	NF
20 <sup>th</sup> QM	4.4	2.7	8.3	NF	20 <sup>th</sup> QM	4	1	4	NF
21 <sup>st</sup> QM	1.4	2.7	1.7	NF	21 <sup>st</sup> QM	1	2	1	NF
22 <sup>nd</sup> QM	1.8	3.1	1.6	NF	22 <sup>nd</sup> QM	2	2	1	NF
23 <sup>rd</sup> QM	1.9	1.4	2.7	NF	23 <sup>rd</sup> QM	2	3	2	NF
25 <sup>th</sup> QM	1.7	7.5	1.7	NF	25 <sup>th</sup> QM	4	3	4	NF
26 <sup>th</sup> QM	0.5	3.8	3.1	NF	26 <sup>th</sup> QM	9	3	3	NF
27 <sup>th</sup> QM	2.4	2.2	4.9	NF	27 <sup>th</sup> QM	1	1	7	NF
28 <sup>th</sup> QM	1	1	2	NF	28 <sup>th</sup> QM	1	1	1	NF
29 <sup>th</sup> QM	1.5	2.1	2.1	NF	29 <sup>th</sup> QM	1	4	3	NF
30 <sup>th</sup> QM	3.7	4.1	2.6	NF	30 <sup>th</sup> QM	2.2	6.3	2.6	NF
31 <sup>st</sup> QM	12.09	4.02	8.83	NF	31 <sup>st</sup> QM	14.94	4.22	9.51	NF
32 <sup>nd</sup> QM	4.331	12.304	1.9372	NF	32 <sup>nd</sup> QM	2.1054	6.83	1.76	NF
33 <sup>rd</sup> QM	4.88	0.801	4.33	NF	33 <sup>rd</sup> QM	1.41	1.36	3.31	NF
34 <sup>th</sup> QM	15.51	1.22	4.82	NF	34 <sup>th</sup> QM	0.2	1.9	1.0	NF
35 <sup>th</sup> QM	1.34	1.34	1.34	NF	35 <sup>th</sup> QM	5.25	5.57	11	NF
36 <sup>th</sup> QM	2.003	0.7807	6.31	NF	36 <sup>th</sup> QM	14.7	0.89	3.94	NF
37 <sup>th</sup> QM	ND	1.9	10.5	NF	37 <sup>th</sup> QM	5.4	1.8	5.0	NF
Standard (ECR'2023)	45 mg/L				Standard (ECR'2023)	250 mg/L			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

Table B.21: PO<sub>4</sub><sup>3-</sup> (mg/L) and as (mg/L) concentrations in Groundwater

PO <sub>4</sub> <sup>3-</sup> (mg/L)					As (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	NF	-	-	NF	1 <sup>st</sup> QM	0.013	0.006	0.036	0.376
2 <sup>nd</sup> QM	2.2	2.5	6.2	1.2	2 <sup>nd</sup> QM	0.02	0.009	0.033	0.407
3 <sup>rd</sup> QM	-	-	-	NF	3 <sup>rd</sup> QM	0.012	0.006	0.02	NF
4 <sup>th</sup> QM	0.74	0.44	0.48	NF	4 <sup>th</sup> QM	0.014	0.008	0.017	NF
5 <sup>th</sup> QM	NO	1.98	4.54	NF	5 <sup>th</sup> QM	NO	0.01	0.034	NF
6 <sup>th</sup> QM	1.4	1.6	4.1	NF	6 <sup>th</sup> QM	0.015	0.014	0.024	NF
7 <sup>th</sup> QM	0.31	0.27	0.48	NF	7 <sup>th</sup> QM	0.002	0.012	0.011	NF
8 <sup>th</sup> QM	0.267	0.179	0.179	NF	8 <sup>th</sup> QM	0.008	0.002	0.002	NF
9 <sup>th</sup> QM	1.08	1.53	3.26	NF	9 <sup>th</sup> QM	0.018	0.007	0.047	NF
10 <sup>th</sup> QM	0.17	0.29	0.31	NF	10 <sup>th</sup> QM	0.012	0.018	0.005	NF
11 <sup>th</sup> QM	0.167	0.67	0.6	NF	11 <sup>th</sup> QM	0.033	0.011	0.016	NF
12 <sup>th</sup> QM	1.18	1.21	1.18	NF	12 <sup>th</sup> QM	0.028	0.005	0.028	NF
13 <sup>th</sup> QM	2.18	1.8	2.1	NF	13 <sup>th</sup> QM	0.012	0.022	0.01	NF
14 <sup>th</sup> QM	1.68	3.5	4.7	NF	14 <sup>th</sup> QM	0.014	0.004	0.027	NF
15 <sup>th</sup> QM	0.13	0.17	0.18	NF	15 <sup>th</sup> QM	0.002	0.012	0.002	NF
16 <sup>th</sup> QM	NF	4.5	0.27	NF	16 <sup>th</sup> QM	0.001	0.022	0.001	NF
17 <sup>th</sup> QM	NF	2.9	4.8	NF	17 <sup>th</sup> QM	NF	0.012	0.004	NF
18 <sup>th</sup> QM	NF	0.15	0.26	NF	18 <sup>th</sup> QM	NF	0.007	0.05	NF
19 <sup>th</sup> QM	2.1	1.3	3.6	NF	19 <sup>th</sup> QM	0.014	0.003	0.004	NF
20 <sup>th</sup> QM	2.3	2.5	3.2	NF	20 <sup>th</sup> QM	0.012	0.012	0.012	NF
21 <sup>st</sup> QM	0.3	4	2	NF	21 <sup>st</sup> QM	0.014	0.006	0.022	NF
22 <sup>nd</sup> QM	1	0.5	1.5	NF	22 <sup>nd</sup> QM	0.001	0.027	0.001	NF
23 <sup>rd</sup> QM	1.1	0.4	0.9	NF	23 <sup>rd</sup> QM	0.018	0.006	0.033	NF

PO <sub>4</sub> <sup>3-</sup> (mg/L)					As (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
25 <sup>th</sup> QM	0.3	1.5	1.7	NF	25 <sup>th</sup> QM	0.02	0.068	0.003	NF
26 <sup>th</sup> QM	0.7	6.3	2.3	NF	26 <sup>th</sup> QM	0.022	0.045	0.004	NF
27 <sup>th</sup> QM	2	1.8	2.3	NF	27 <sup>th</sup> QM	0.003	0.053	0.006	NF
28 <sup>th</sup> QM	1.4	0.98	4	NF	28 <sup>th</sup> QM	0.002	0.004	0.049	NF
29 <sup>th</sup> QM	1.7	1.2	5	NF	29 <sup>th</sup> QM	0.002	0.003	0.008	NF
30 <sup>th</sup> QM	0.9	1.4	0.6	NF	30 <sup>th</sup> QM	0.012	0.003	0.061	NF
31 <sup>st</sup> QM	1	0.6	1.4	NF	31 <sup>st</sup> QM	0.003	0.063	0.014	NF
32 <sup>nd</sup> QM	0.8	1.4	0.3	NF	32 <sup>nd</sup> QM	0.016	0.003	0.048	NF
33 <sup>rd</sup> QM	1.2	0.5	1.36	NF	33 <sup>rd</sup> QM	0.008	0.003	0.064	NF
34 <sup>th</sup> QM	0.7548	0.5	1.5	NF	34 <sup>th</sup> QM	0.02	0.00	0.05	NF
35 <sup>th</sup> QM	0.757	0.5	1.3	NF	35 <sup>th</sup> QM	0.019	0.003	0.056	NF
36 <sup>th</sup> QM	0.0	0.4	1.3	NF	36 <sup>th</sup> QM	0.005	0.002	0.042	NF
37 <sup>th</sup> QM	0.00	0.7	1.4	NF	37 <sup>th</sup> QM	0.00	0.00	0.1	NF
Standard (ECR'2023)					Standard (ECR'2023)	0.05 mg/L			

Source: CEGIS Field Survey; 2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

**Table B.22: Pb (mg/L) and Hg (mg/L) concentrations in Groundwater**

PB (mg/L)					Hg (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
1 <sup>st</sup> QM	0.002	<0.002	<0.002	0.002	1 <sup>st</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015
2 <sup>nd</sup> QM	<0.002	<0.002	0.004	0.008	2 <sup>nd</sup> QM	<0.00015	<0.00015	<0.00015	<0.00015
3 <sup>rd</sup> QM	0.004	<0.002	<0.002	NF	3 <sup>rd</sup> QM	<0.0005	<0.0005	<0.0005	NF
4 <sup>th</sup> QM	0.023	0.016	0.013	NF	4 <sup>th</sup> QM	<0.0005	<0.0005	<0.0005	NF

PB (mg/L)					Hg (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
5 <sup>th</sup> QM	NO	0.013	0.017	D	5 <sup>th</sup> QM	<0.0005	<0.00015	<0.00015	NF
6 <sup>th</sup> QM	0.002	0.0027	0.002	D	6 <sup>th</sup> QM	0.00015	0.00015	0.00015	NF
7 <sup>th</sup> QM	0.006	0.021	0.005	NF	7 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
8 <sup>th</sup> QM	0.026	0.011	0.012	NF	8 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
9 <sup>th</sup> QM	0.019	0.007	0.008	NF	9 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
10 <sup>th</sup> QM	0.002	0.002	0.002	NF	10 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
11 <sup>th</sup> QM	0.001	0.001	0.001	NF	11 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
12 <sup>th</sup> QM	0.01	0.009	0.016	NF	12 <sup>th</sup> QM	<0.00015	<0.00015	<0.00015	NF
13 <sup>th</sup> QM	0.001	0.001	0.001	NF	13 <sup>th</sup> QM	0.001	0.001	0.001	NF
14 <sup>th</sup> QM	0.003	0.007	0.002	NF	14 <sup>th</sup> QM	<0.0001	<0.0001	<0.0001	NF
15 <sup>th</sup> QM	0.001	0.002	0.001	NF	15 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
16 <sup>th</sup> QM	0.001	0.001	0.001	NF	16 <sup>th</sup> QM	<0.001	<0.001		NF
17 <sup>th</sup> QM	0.001	0.001	0.001	NF	17 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
18 <sup>th</sup> QM	NF	0.001	0.001	NF	18 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
19 <sup>th</sup> QM	NF	0.004	0.056	NF	19 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
20 <sup>th</sup> QM	0.008	0.003	0.004	NF	20 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
21 <sup>st</sup> QM	0.004	0.004	0.006	NF	21 <sup>st</sup> QM	0.001	0.003	0.001	NF
22 <sup>nd</sup> QM	0.018	0.002	0.001	NF	22 <sup>nd</sup> QM	<0.001	<0.001	<0.001	NF
23 <sup>rd</sup> QM	0.002	0.008	0.001	NF	23 <sup>rd</sup> QM	<0.001	<0.001	<0.001	NF
25 <sup>th</sup> QM	0.001	0.001	0.002	NF	25 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
26 <sup>th</sup> QM	0.001	0.001	0.001	NF	26 <sup>th</sup> QM	<0.001	<0.001	NF	NF
27 <sup>th</sup> QM	0.004	0.006	0.002	NF	27 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
28 <sup>th</sup> QM	0.048	0.016	0.056	NF	28 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
29 <sup>th</sup> QM	0.003	0.008	0.002	NF	29 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
30 <sup>th</sup> QM	0.009	0.002	0.001	NF	30 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF

PB (mg/L)					Hg (mg/L)				
Monitoring periods	Sampling location ID				Monitoring periods	Sampling location ID			
	SL-1	SL-2	SL-3	SL-4		SL-1	SL-2	SL-3	SL-4
31 <sup>st</sup> QM	0.001	0.001	0.001	NF	31 <sup>st</sup> QM	<0.001	<0.001	<0.001	NF
32 <sup>nd</sup> QM	0.003	0.004	0.003	NF	32 <sup>nd</sup> QM	<0.001	<0.001	<0.001	NF
33 <sup>rd</sup> QM	0.8	1.4	0.3	NF	33 <sup>rd</sup> QM	0.008	0.003	0.064	NF
34 <sup>th</sup> QM	0.002	0.003	0.001	NF	34 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
35 <sup>th</sup> QM	0.002	0.002	0.003	NF	35 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
36 <sup>th</sup> QM	0.001	0.002	0.001	NF	36 <sup>th</sup> QM	<0.001	<0.001	<0.001	NF
37 <sup>th</sup> QM					37 <sup>th</sup> QM				
Standard (ECR'2023)	0.01 mg/L				Standard (ECR'2023)	0.001 mg/L			

Source: CEGIS Field Survey;2014 up to 2023; Note: QM= Quarterly Monitoring, NF=Not Functional.

**Table B.23: PAH (mg/L) Concentrations of Monitored Locations**

PAH		Acenaphthylene	Anthracene	Benzol (A) Anthracene	Benzol (A) Pyrene	Benzol (B) Fluoranthene	Benzol (G, H, I) Perilene	Benzol (K) Fluoranthene	Chrysene	Dibenzol (A, H) Anthracene	Fluorene	Phenanthrene	Pyrene
July, 2018	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
January, 2019	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
July, 2019	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
February, 2020	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM	NM
July, 2020	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

PAH		Acenaphthylene	Anthracene	Benzol (A) Anthracene	Benzol (A) Pyrene	Benzol (B) Fluoranthene	Benzol (G, H, I) Perilene	Benzol (K) Fluoranthene	Chrysene	Dibenzol (A, H) Anthracene	Fluorene	Phenanthrene	Pyrene
January, 2021	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
August, 2021	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
January, 2022	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
July, 2022	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
January, 2023	Project Jetty	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Majhar point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Hiron point	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

Source: CEGIS Field Survey;2014 up to 2023; Note: ND-Not detected.

**Table B.24: TOC (mg/L) and TC (mg/L) concentrations of monitored locations**

Monitoring sites	July, 2018		January, 2019		July, 2019		February, 2020		July, 2020		January, 2021		August, 2021		January, 2022		July, 2022		January, 2023	
	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon	Total Carbon	Total Organic Carbon
Project jetty site	26.4	19.5	20.7	14.3	17.2	13.6	37.5	26.4	152	9.17	1302	<5	250	<5	218	21.2	65	10.5	1403	5
Majhar point or Harbaria area	21.9	25.1	24.8	18.8	21.7	18.1	21.7	18.1	200	9.48	1568	<5	200	20.2	686	19.7	239	12.7	1058	5
Hiron point	NM	NM	6.8	5.7	NM	NM	8.1	6.7	NM	NM	9241	<5	NM	NM	2901	15.2	NM	NM	3759	5

Source: CEGIS Field Survey;2014 up to 2023

## (C) Noise Level monitoring data

Table C.1: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM1 (Noise Level in dB (A)) Mar-14				QM2 (Noise Level in dB (A)) Jul-14				QM3 (Noise Level in dB (A)) Oct-14				QM4 (Noise Level in dB (A)) Jan-15				Std*
		Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	80.32	60.86	63.22	68.13	52.71	55.62	50.27	52.87	53.37	53.52	57	54.63	51.92	53.7	54.21	53.28	70
2	NW Corner of the Project area	55.23	53	47.43	51.89	NM	NM	NM	NM	42.67	41.73	41.37	41.92	33.87	36.42	35.46	35.25	50
3	Chunkuri-2, Bajua	62.69	57.19	53.39	57.76	54.61	51.14	51.9	52.55	52.26	51.14	50.76	51.39	55.08	46.29	46.49	49.29	50
4	SW corner of the Project area	49.2	NM	NM	49.2	44.55	48.94	49.33	47.6	45.56	45.1	47.18	45.95	36.57	34.24	37.27	36.03	50
5	Proposed Township area, Project site	47.8	49.7	NM	48.75	46.15	47.21	NM	46.68	42.67	41.73	41.37	41.92	41.49	39.55	43.37	41.47	50
6	Barni, Gaurambha	64.95	50.93	60.65	58.84	48.73	50.37	50.75	49.95	50.18	50.89	48.27	49.78	43.36	38.56	48.86	43.6	50
7	Khan Jahan Ali Bridge, Khulna	76.12	66.72	72.25	71.7	55.97	64.68	61.75	60.8	72.24	58.3	68.3	66.28	61.34	63.4	60.41	61.72	70
8	Mongla Port area	69.38	54.55	59.79	61.24	54.75	54.2	52.58	53.84	66.8	55.2	59.5	60.5	40.26	35.04	40.76	38.69	75
9	Harbaria, Sundarbans	39.24	NM	42.51	40.88	59.25	60.52	48.62	56.13	54.08	56.51	NM	55.3	36.36	32.4	NM	34.38	45
10	Akram Point, Sundarbans	40.95	41.98	39.9	40.94	48.95	46.86	NM	47.9	45.27	42.69	NM	43.98	37.9	30.75	NM	34.32	45
11	Hiron Point, Sundarbans	35.99	40.75	39.16	38.63	51.29	NM	NM	51.29	47.98	39.42	NM	47.98	42.82	31.93	NM	37.37	45

Source: CEGIS Field Survey; 2014 up to 2023; Note(s): NM – Not Monitored, \*Std- Standard as defined in National Noise Control Rules 2006



Table C.2: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM 5 (Noise Level in dB (A)) Apr-15				QM 6 (Noise Level in dB (A)) Jul-15				QM 7 (Noise Level in dB (A)) Oct-15				QM 8 (Noise Level in dB (A)) Jan-16				Std*
		Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	57.27	54.31	59.65	57.08	43.52	54.23	51.56	49.77	68.32	66.09	60.96	65.12	67.84	61.25	66.31	66.07	70
2	NW Corner of the Project area	45.05	42.15	46.8	44.67	37.58	40.91	46.18	41.56	41.51	39.58	44.74	41.94	53.91	49.02	49.95	50.96	50
3	Chunkuri-2, Bajua	45.9	48.19	NM	47.05	40.57	42.23	39.17	40.66	47.53	45.48	49.28	47.43	56.84	48.12	55.90	53.62	50
4	SW corner of the Project area	40.6	43.25	46.89	43.58	44.57	44.30	42.36	43.75	36.15	48.26	43.68	42.70	60.32	55.30	63.70	60.44	50
5	Proposed Township area, Project site	41.49	39.55	43.37	41.47	43.41	50.86	45.99	46.75	46.89	49.47	55.20	50.52	54.79	52.22	54.29	53.77	50
6	Barni, Gaurambha	58.23	50.11	NM	54.17	46.76	44.83	46.95	46.18	56.40	54.19	54.88	55.16	60.62	60.00	56.86	59.16	50
7	Khan Jahan Ali Bridge, Khulna	75.2	72.75	72.42	73.45	52.95	52.18	53.34	52.82	64.43	61.65	66.65	64.25	69.96	64.81	70.56	68.45	70
8	Mongla Port area	46.02	49.29	49.15	48.15	36.72	38.56	43.54	39.61	45.39	NM	48.63	47.01	54.15	51.82	52.14	52.70	75
9	Harbaria, Sundarbans	67.06	64.05	64.99	65.37	39.33	30.74	NM	35.03	54.97	46.54	NM	50.75	45.72	44.69	NM	45.20	45
10	Akram Point, Sundarbans	53.35	56.37	NM	54.86	NM	NM	NM	NM	45.28	53.92	NM	49.60	45.60	40.29	NM	42.95	45
11	Hiron Point, Sundarbans	47.48	48.2	NM	47.84	NM	NM	NM	NM	54.44	37.69	NM	46.06	NM	NM	NM	NM	45

Source: CEGIS Field Survey; 2014 up to 2023; Note(s): NM – Not Monitored, \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.3: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM9 (Noise Level in dB (A)) Apr-16				QM 10 (Noise Level in dB (A)) Jul-16				QM 11 (Noise Level in dB (A)) Oct-16				QM 12 (Noise Level in dB (A)) Jan-17				Std*
		Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	67.71	61.23	66.31	65.08	50.92	50.04	52.3	51.42	60.1	68.6	67.8	65.5	54.4	61	61.46	58.95	70
2	NW Corner of the Project area	53.81	48.66	49.90	50.79	54.40	53.19	50.36	52.65	54.7	54.8	57.0	55.5	44.52	44.52	NM	44.52	50
3	Chunkuri-2, Bajua	43.30	43.35	46.84	44.49	56.29	49.4	54.51	53.4	50.4	47.7	56.6	51.6	55.73	56.2	NM	55.31	50
4	SW corner of the Project area	56.81	54.73	51.97	54.50	67.38	74.12	54.61	65.37	47.8	49.0	50.8	49.2	44.41	45.96	NM	45.19	50
5	Proposed Township area, Project site	55.02	52.41	52.69	53.37	62.71	52.98	51.67	55.79	45.8	41.6	48.7	45.4	NM	43.4	41.85	42.63	50
6	Barni, Gaurambha	50.63	54.19	57.09	53.97	51.2	59.54	59.53	56.75	52.4	57.3	55.0	54.9	49.75	48.35	NM	49.05	50
7	Khan Jahan Ali Bridge, Khulna	66.40	64.82	66.34	65.85	63.52	62.15	65.73	63.80	61.9	59.6	61.3	60.9	51.69	60.05	54.97	55.57	70
8	Mongla Port area	49.89	48.67	51.07	49.88	53.87	52.04	52.7	52.87	49.5	50.0	50.2	49.9	47.82	48.67	50.33	48.94	75
9	Harbaria, Sundarbans	44.40	44.69	NM	44.55	53.87	53.04	52.79	52.9	57.2	53.5	49.3	53.3	41.13	38.4	37.98	39.17	45
10	Akram Point, Sundarbans	45.60	40.29	NM	42.95	47.16	46.48	50.24	47.96	40.5	43.0	42.5	42.0	38.74	38.45	37.06	38.08	45
11	Hiron Point, Sundarbans	48.53	37.69	NM	43.11	NM	NM	NM	NM	46.1	42.08	41.9	44.0	43.62	40.96	42.29	42.29	45

Source: CEGIS Field Survey; 2014 up to 2023; Note(s): NM – Not Monitored, \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.4: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM13 (Noise Level in dB (A)) Apr-17				QM 14 (Noise Level in dB (A)) Oct-17				QM 15 (Noise Level in dB (A)) Jan-18				QM 16 (Noise Level in dB (A)) April-18				Std
		Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	noon (13:00)	Evening (18:00)	Day time AVG	Day time
1	Chalna, Dacope	58.21	59.00	66.57	61.62	47.65	51.06	50.27	49.66	60.2	60.2	60.5	60.3	64.09	59.30	65.43	62.94	70
2	NW Corner of the Project area	44.97	49.30	47.31	47.19	47.65	45.12	46.65	46.47	47.8	48.1	49.2	48.37	47.92	54.32	61.14	54.46	55
3	Chunkuri-2, Bajua	45.60	52.29	53.42	50.44	39.82	45.60	41.73	42.38	51.1	51.2	52.1	51.47	44.77	46	63.14	51.30333	55
4	SW corner of the Project area	39.62	42.64	47.48	43.25	60.80	64.08	62.52	62.47	43.5	43.5	45.7	44.23	64.45	63.49	66.63	64.85667	55
5	Project site near Shapmari area	41.40	43.09	43.45	42.65	43.05	48.52	45.01	45.53	53.2	54	52.82	53.34	51.95	59.66	56.8	56.13667	55
6	Barni, Gaurambha	43.05	46.45	45.01	44.83	45.60	52.29	53.42	50.44	56.5	54.2	56.1	55.6	55.6	51.80	51.39	52.93	60
7	Khan Jahan Ali Bridge, Khulna	54.01	57.50	58.66	56.72	40.60	42.64	46.55	43.26	60.2	62.1	62.2	61.5	49.4	45.25	47.98	47.54333	70
8	Mongla Port area	47.78	47.45	45.25	47.61	41.40	44.68	45.71	43.93	60.2	60.2	58.4	59.6	50.84	48.33	53.25	50.80667	75
9	Harbaria, Sundarbans	50.79	53.67	57.84	54.10	44.25	46.67	47.31	46.08	45.8	44.7	43.8	44.7	50.23	45.55	65.43	53.73667	50
10	Akram Point, Sundarbans	43.41	45.60	43.89	44.30	58.21	58.59	58.70	58.50	39.4	40.5	41.1	40.3	58.31	60.93	64.87	61.37	50
11	Hiron Point, Sundarbans	NM	NM	NM	NM	39.92	39.79	33.5	37.74	37.2	39	38.4	38.2					50

Source: CEGIS Field Survey; 2014 up to 2023; NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.5: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM 17 (Noise Level in dB (A)) July-18				QM 18 (Noise Level in dB (A)) Nov-18				QM 19 (Noise Level in dB (A)) Feb-19				QM 20 (Noise Level in dB (A)) Apr-19				Std*
		Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	57.64	56.94	58.03	57.54	61.3	56.3	57.1	70	56.14	59.28	53.95	56.45	62.02	61.91	61.08	61.67	70
2	NW Corner of the Project area	42.80	47.51	46.57	45.63	56.5	60.1	59.85	55	45.15	54.11	53	50.75	53.70	58.92	57.92	56.85	55
3	Chunkuri-2, Bajua	46.23	49.02	47.34	47.53	45.8	48.9	51.3	55	50.19	49.35	51	50.18	49.66	54.02	51.35	51.68	55
4	SW corner of the Project area	58.84	48.00	51.03	52.63	64.5	60.6	60.2	55	53.50	58.01	55.88	55.79	58.08	54.79	55.27	56.05	55
5	Project site near Shapmari area	42.66	45.82	48.78	45.75	45.1	51.2	55.8	55	58.48	61.21	54.70	58.13	61.35	58.97	56.16	58.83	55
6	Barni, Gaurambha	42.67	47.95	45.90	45.51	58.3	50.6	50.2	60	54.32	57.65	45.75	52.57	58.58	51.05	49.92	53.18	60
7	Khan Jahan Ali Bridge, Khulna	64.1	64.06	61.90	63.35	64.6	60.9	60.9	70	65.72	69.04	66.03	66.93	67.95	63.09	69.82	66.95	70
8	Mongla Port area	63.12	59.00	60.77	60.96	55.8	53.1	59.0	75	64.33	63.37	70.85	66.18	64.12	62.41	65.45	63.99	75
9	Harbaria, Sundarbans	51.98	48.58	50.28	50.28	49.9	47.6	NM	50	51.43	47.90	NM	49.67	49.42	47.45	NM	48.43	50
10	Akram Point, Sundarbans	46.52	43.88	45.2	45.20	41.9	40.1	NM	50	47.35	45.55	NM	46.45	46.16	38.49	NM	42.33	50
11	Hiron Point, Sundarbans	NM	NM	NM	57.54	39.7	39.1	NM	50	33.8	44.62	NM	39.21	NM	NM	NM	-	50

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.6: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM 21 (Noise Level in dB (A)) July-19				QM 22 (Noise Level in dB (A)) November-19				QM 23 (Noise Level in dB (A)) February 20				QM 25 (Noise Level in dB (A)) July, 20				Std*
		Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Day time	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Day time
1	Chalna, Dacope	55.92	60.88	61.23	59.34	70	61.03	55.78	58.60	56.24	54.09	53.45	54.59	52.00	51.11	50.56	51.28	70
2	NW Corner of the Project area	56.44	53.21	55.88	55.18	55	53.45	50.97	51.11	40.96	43.33	51.98	45.42	43.9	42.95	43.26	43.37	55
3	Chunkuri-2, Bajua	56.15	63.34	58.60	59.36	55	52.92	54.51	55.27	59.78	51.59	54.96	55.44	49.42	48.52	48.32	48.75	55
4	SW corner of the Project area	66.94	58.41	65.65	63.66	55	49.98	42.05	46.57	56.35	54.05	56.40	55.60	49.91	49.78	50.85	50.18	55
5	Project site near Shapmari area	53.14	55.40	55.05	54.53	55	55.80	54.77	54.86	51.02	47.91	47.93	48.95	54.55	53.21	52.88	53.72	55
6	Barni, Gaurambha	51.36	57.98	NM	54.67	60	49.37	48.53	50.53	57.37	60.48	68.05	61.97	56.53	40.65	49.21	48.80	60
7	Khan Jahan Ali Bridge, Khulna	63.38	60.55	66.44	63.46	70	67.65	65.32	66.05	60.75	62.81	63.05	62.20	65.55	66.86	66.52	66.31	70
8	Mongla Port area	60.49	62.10	63.43	62.01	75	55.66	55.85	57.25	59.74	62.38	61.07	61.06	64.92	67.90	63.71	66.41	75
9	Harbaria, Sundarbans	47.62	42.18	NM	44.90	50	44.71	NM	44.10	45.59	42.29	41.35	43.94	47.80	52.15	41.2	49.97	50
10	Akram Point, Sundarbans	44.05	45.62	NM	44.84	50	42.60	NM	44.86	NM	36.59	40.46	36.59	51.04	45.11	43.1	51.04	50
11	Hiron Point, Sundarbans	NM	NM	NM	NM	50	41.34	NM	40.28	41.3	39.41	NM	40.34	NM	NM	NM	NM	50

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.7: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM 26 (Noise Level in dB (A)) Oct, 2020				QM 27 (Noise Level in dB (A)) Jan, 2021				QM 28 (Noise Level in dB (A)) Apr, 2021				QM 29 (Noise Level in dB (A)) Jul, 2021				Std*
		Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	65.91	51.62	56.93	58.15	58.33	NM	62.68	60.50	61.35	61.74	61.22	61.44	50.96	51.08	51.57	51.21	70
2	NW Corner of the Project area	47.82	50.15	47.45	48.48	45.00	52.75	56.51	51.42	50.65	48.34	NM	49.50	49.60	51.64	49.09	50.11	55
3	Chunkuri-2, Bajua	43.58	47.68	46.45	45.91	48.75	45.45	46.96	47.05	50.22	52.90	50.81	51.31	49.93	51.65	49.52	50.36	55
4	SW corner of the Project area	49.50	48.83	49.22	49.18	NM	50.88	53.84	52.36	55.41	54.85	55.45	55.24	49.82	54.82	51.07	51.90	55
5	Project site near Shapmari area	50.23	41.71	41.43	44.45	49.19	47.07	51.00	49.09	52.23	51.24	52.67	52.05	53.45	54.35	53.71	53.84	55
6	Barni, Gaurambha	67.71	51.76	55.51	58.33	51.69	51.99	55.60	53.09	54.16	51.69	51.15	52.34	52.73	NM	49.28	51.00	60
7	Khan Jahan Ali Bridge, Khulna	81.72	81.45	82.25	81.81	61.95	NM	61.93	61.94	56.08	54.09	53.79	54.65	52.78	51.29	53.05	52.38	70
8	Mongla Port area	74.72	75.67	80.37	76.92	55.16	56.85	57.53	56.52	54.01	52.41	54.48	53.63	55.26	55.54	55.68	54.49	75
9	Harbaria, Sundarbans	59.01	NM	50.06	54.54	46.98	41.82	NM	44.40	48.54	47.54	NM	48.04	NM	NM	NM	NM	50
10	Akram Point, Sundarbans	NM	42.23	NM	42.23	40.34	35.35	NM	37.85	45.95	40.89	NM	43.42	46.31	42.94	NM	44.62	50
11	Hiron Point, Sundarbans	52.40	49.01	NM	50.70	42.50	35.23	NM	38.85	NM	NM	NM	NM	49.70	51.2	NM	50.94	50

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.8: Ambient noise monitoring status at the monitored locations

Sl No	Location	QM 30 (Noise Level in dB (A)) Oct, 2021				QM 31 (Noise Level in dB (A)) Jan, 2022				QM 32 (Noise Level in dB (A)) May, 2022				QM 33 (Noise Level in dB (A)) Jul, 2022				
		Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Std*
1	Chalna, Dacope	68.9	52.08	58.3	64.57	56	59.05	64.08	59.71	56	61.25	59.97	59.08	52.71	52.62	53.30	52.88	70
2	NW Corner of the Project area	47.99	51.61	48.17	49.59	49	48.90	48.56	48.82	48.63	48.64	48.64	48.60	46.55	44.82	45.44	45.60	55
3	Chunkuri-2, Bajua	45.31	48.07	46.8	46.87	49.85	47.48	49.70	49.01	48.32	48.72	49.70	48.91	48.00	45.61	47.75	47.12	55
4	SW corner of the Project area	49.66	49.49	48.95	49.37	63.74	49.95	50.25	54.65	50.31	50.05	51.24	50.53	54.00	48.07	46.06	49.38	55
5	Project site near Shapmari area	50.94	42.29	41.88	47.17	50.05	50.57	49.45	50.03	49.70	49.34	50.24	49.76	44.50	45.75	43.49	44.58	55
6	Barni, Gaurambha	68.37	51.5	56.61	63.96	47.60	49.57	49.51	48.89	47.60	45.05	49.04	47.23	50.06	45.93	46.40	47.46	60
7	Khan Jahan Ali Bridge, Khulna	77.75	80.58	81.43	80.18	61.04	63.52	62.44	62.33	56.46	56.93	62.42	58.60	55.75	NM	NM	55.75	70
8	Mongla Port area	73.94	75.15	79.45	76.86	NM	53.89	58.02	55.95	55.95	56.99	59.19	57.38	55.41	55.09	54.75	55.08	75
9	Harbaria, Sundarbans	59.51	50.62	NM	57.02	49.85	44.77	NM	47.31	52.31	46.44	NM	49.37	42.95	38.59	NM	40.77	50
10	Akram Point, Sundarbans	44.22	42.12	NM	43.29	38.66	36.15	NM	37.41	46.22	39.94	NM	43.08	41.97	NM	41.01	41.49	50
11	Hiron Point, Sundarbans	53.99	49.41	NM	52.27	39.5	33.08	NM	36.29	NM	NM	NM	NM	NM	NM	NM	NM	50

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.

Table C.9: Ambient noise monitoring status at the monitored locations

Sl. No	Location	QM 34 (Noise Level in dB (A)) Oct, 2022				QM 35 (Noise Level in dB (A)) Jan, 2023				QM 36 (Noise Level in dB (A)) Apr, 2023				QM 37 (Noise Level in dB (A)) Apr, 2023				Std* NCR, 2006
		Morning (9:00)	Noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	Morning (9:00)	A. noon (13:00)	Evening (18:00)	Day time AVG	
1	Chalna, Dacope	78.1	72.2	76.2	75.5	69.5	67	62.7	66.4	62	55.2	57	58	57.69	55.83	57.87	57.13	70
2	NW Corner of the Project area	57	57.7	52.3	55.67	53.4	48.3	43.2	48.3	45.1	44.5	46	45.2	50.47	48.07	48.62	49.06	55
3	Chunkuri-2, Bajua	63.5	55.4	54.6	57.83	51.8	55.4	53.3	53.5	51.5	52.4	50.8	51.6	54.93	47.43	46.28	49.54	55
4	SW corner of the Project area	56.2	53.7	52.7	54.2	49.8	53.8	NM	51.8	58.7	49.7	50.9	54.2	50.55	55.53	53.87	53.32	55
5	Project site near Shapmari area	57.4	50.9	NM	54.15	56.3	53.8	46.4	52.2	46.7	46.4	51.2	48.1	47.07	45.4	47.54	46.67	55
6	Barni, Gaurambha	62.5	60.5	62.6	61.87	59.9	57	58.5	58.5	59.1	46.8	52.9	52.9	57.97	49.15	52.66	53.26	60
7	Khan Jahan Ali Bridge, Khulna	65.1	63.2	NM	64.15	70.2	68.9	75.9	71.7	65.9	62.1	NM	64	60.35	55.4	54.9	56.88	70
8	Mongla Port area	61.5	67.9	65.6	65	65.2	68.1	56.4	63.2	63.3	58.3	61.9	61.2	55.97	56.58	53.36	55.31	75
9	Harbaria, Sundarbans	49.6	50.4	NM	50	48.1	41.8	NM	44.9	48.7	51.4	NM	50	49.15	48.64	NM	48.89	50
10	Akram Point, Sundarbans	42.5	41.7	NM	42.1	42.9	37.6	NM	40.2	46.5	43.7	NM	45.1	40.49	55.69	NM	48.09	50
11	Hiron Point, Sundarbans	47.8	NM	NM	47.8	41.3	41.3	NM	41.3	NM	NM	NM	NM	55.8	52.51	NM	54.15	50

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.







Table C.10: Ambient noise monitoring status at the monitored locations


Sl. No	Location	QM 38 (Noise Level in dB (A)) Oct, 2022			
		Morning (9:00)	Noon (13:00)	Evening (18:00)	Day time AVG
1	Chalna, Dacope	55.56	52.75	54.53	54.28
2	NW Corner of the Project area	48.92	45.19	50.22	48.11
3	Chunkuri-2, Bajua	57.15	57.35	53.24	55.91
4	SW corner of the Project area	53.93	58.77	61.45	58.05




Sl. No	Location	QM 38(Noise Level in dB (A)) Oct, 2022			
		Morning (9:00)	Noon (13:00)	Evening (18:00)	Day time AVG
5	Project site near Shapmari area	45.91	44.70	44.98	45.20
6	Barni, Gaurambha	56.59	54.05	60.79	57.14
7	Khan Jahan Ali Bridge, Khulna	67.89	62.10	65.13	65.04
8	Mongla Port area	53.95	50.79	56.02	53.59
9	Harbaria, Sundarbans	49.46	49.74	NM	49.60
10	Akram Point, Sundarbans	40.68	37.45	NM	39.07
11	Hiron Point, Sundarbans	40.90	39.75	NM	40.34

Source: CEGIS Field Survey; 2014 up to 2023; Note: NM-Not measured; \*Std- Standard as defined in National Noise Control Rules 2006.


**(D) Fisheries Resources Monitoring Data****D1: Classification of Functional Habitat**1<sup>st</sup> Monitoring, April, 20142<sup>nd</sup> Monitoring, July 20143<sup>rd</sup> Monitoring, October, 20144<sup>th</sup> Monitoring, January 20155<sup>th</sup> Monitoring, April, 20156<sup>th</sup> Monitoring, August, 2015




7<sup>th</sup> Monitoring, October, 2015





8<sup>th</sup> Monitoring, January, 2016




9<sup>th</sup> Monitoring, April, 2016




10<sup>th</sup> Monitoring, July, 2016







11<sup>th</sup> Monitoring, October, 2016




12<sup>th</sup> Monitoring, January, 2017




13<sup>th</sup> Monitoring, April, 2017




14<sup>th</sup> Monitoring, October, 2017




15<sup>th</sup> Monitoring, January, 2018




16<sup>th</sup> Monitoring, April, 2018




17<sup>th</sup> Monitoring, July, 2018




18<sup>th</sup> Monitoring, November, 2018




19<sup>th</sup> Monitoring, February, 2019




20<sup>th</sup> Monitoring, April, 2019




21<sup>st</sup> Monitoring, July 2019




22<sup>nd</sup> Monitoring, November, 2019




23<sup>rd</sup> Monitoring, February 2020




25<sup>th</sup> Monitoring, July 2020




26<sup>th</sup> Monitoring, November 2020









27<sup>th</sup> Monitoring, January 2021





28<sup>th</sup> monitoring, April 2021







29<sup>th</sup> Monitoring, August 2021


30<sup>th</sup> Monitoring, November 202131<sup>st</sup> Monitoring, February, 202232<sup>nd</sup> Monitoring, May 202233<sup>rd</sup> Monitoring, July 202234<sup>th</sup> Monitoring, Oct 202235<sup>th</sup> Monitoring Jan 2023

36<sup>th</sup> Monitoring, May 202337<sup>th</sup> Monitoring, September 2023


## D2: Jaccard Co-efficient of Similarity of Habitats respecting fish species occurrence

1<sup>st</sup> Monitoring, April, 20142<sup>nd</sup> Monitoring, July, 20143<sup>rd</sup> Monitoring, October, 20144<sup>th</sup> Monitoring, January, 2015







5<sup>th</sup> Monitoring, April, 2015




6<sup>th</sup> Monitoring, August, 2015




7<sup>th</sup> Monitoring, October, 2015









8<sup>th</sup> Monitoring, January, 2016










9<sup>th</sup> Monitoring, April, 2016




10<sup>th</sup> Monitoring, July, 2016

11<sup>th</sup> Monitoring, October, 201612<sup>th</sup> Monitoring, January, 201713<sup>th</sup> Monitoring, April, 201714<sup>th</sup> Monitoring, October, 201715<sup>th</sup> Monitoring, January, 201816<sup>th</sup> Monitoring, April, 2018


17<sup>th</sup> Monitoring, July, 201818<sup>th</sup> Monitoring, November, 201819<sup>th</sup> Monitoring, February, 201920<sup>th</sup> Monitoring, April, 201921<sup>st</sup> Monitoring, July 201922<sup>nd</sup> Monitoring, November 2019




23<sup>rd</sup> Monitoring, February 2020




25<sup>th</sup> Monitoring, July 2020




26<sup>th</sup> Monitoring, November, 2020




27<sup>th</sup> Monitoring, January, 2021




28<sup>th</sup> monitoring, April, 2021




29<sup>th</sup> monitoring, August, 2021




30<sup>th</sup> Monitoring, November 2021




31<sup>st</sup> Monitoring, February, 2022




32<sup>nd</sup> Monitoring, May 2022





33<sup>rd</sup> Monitoring, July 2022




34<sup>th</sup> Monitoring, Oct 2022




35<sup>th</sup> Monitoring, Feb 2023

36<sup>th</sup> Monitoring, May 202337<sup>th</sup> Monitoring, September 2023


### D.3: Site-wise fish species richness (FSR) in the Passur River System




2014-2015




2015-2016




2016-2017




2017-18




2018-19




2019-20




2020-21



2021-22









2022-23















2023-24







## D4: Fish Community Structure


1<sup>st</sup> Monitoring, April, 20142<sup>nd</sup> Monitoring, July, 20143<sup>rd</sup> Monitoring, October, 20144<sup>th</sup> Monitoring, January, 20155<sup>th</sup> Monitoring, April, 20156<sup>th</sup> Monitoring, August, 2015




7<sup>th</sup> Monitoring, October, 20158<sup>th</sup> Monitoring, January, 20169<sup>th</sup> Monitoring, April, 201610<sup>th</sup> Monitoring, July, 201611<sup>th</sup> Monitoring, October, 201612<sup>th</sup> Monitoring, January, 2017

13<sup>th</sup> Monitoring, April, 201714<sup>th</sup> Monitoring, October, 201715<sup>th</sup> Monitoring, January, 201816<sup>th</sup> Monitoring, April, 201817<sup>th</sup> Monitoring, July, 201818<sup>th</sup> Monitoring, November, 2018


19<sup>th</sup> Monitoring, February, 201920<sup>th</sup> Monitoring, April, 201921<sup>st</sup> Monitoring, July, 201922<sup>nd</sup> Monitoring, November, 201923<sup>rd</sup> Monitoring, February, 202025<sup>th</sup> Monitoring, July, 2020




26<sup>th</sup> Monitoring, November 2021




27<sup>th</sup> Monitoring, January, 2021



28<sup>th</sup> monitoring, April, 2021




29<sup>th</sup> monitoring, August, 2021




30<sup>th</sup> Monitoring, November, 2021




31<sup>st</sup> Monitoring, February, 2022




32<sup>nd</sup> Monitoring, May 2022




33<sup>rd</sup> Monitoring, July 2022



34<sup>th</sup> Monitoring, Oct 2022



35<sup>th</sup> Monitoring, Feb 2023



36<sup>th</sup> Monitoring, May 2023



37<sup>th</sup> Monitoring, September 2023

Table D-5: The Present Catch in Three (03) Sampling Ghers

Sampling Site	Species	Total Catch (ton): 2014-2015																		
		1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM	13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM
1	Bagda	5.0	6.42	4.8	-	-	1.6	2.0	-	-	-	3.0	-	-	3.0	-	2.0	0.76	-	-
	Golda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-
	Harina	0.78	-	-	-	1	1	0.32	0.8	-	-	0.8	-	1.0	-	-	0.1	1.6	-	-
	Bele	0.98	-	-	-	-	0.25	-	-	-	-	-	-	-	-	-	-	0.2	-	-
	Chali	0.11	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	1.2	-	-
	Chaka	0.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Paissa	-	-	-	-	-	0.25	0.24	0.6	-	-	0.1	-	-	-	-	-	-	-	-
	Vetki	1.57	-	-	-	-	-	0.02	0.8	-	-	2.0	-	-	-	-	-	-	-	-
	Gulsha	-	-	-	-	-	-	0.08	-	-	-	0.1	-	-	-	-	-	-	-	-
	Kailla	-	-	-	-	-	-	0.04	-	-	-	-	-	-	-	-	-	-	-	-
	Tilapia	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	-	0.45	12.8	-	-
	Rui	-	-	-	-	-	-	-	3	-	-	-	-	-	1.3	-	0.12	0.12	4.2	-
	Catla	-	-	-	-	-	-	-	2	-	-	-	-	-	1.0	-	0.3	-	1.2	-
	Minar Carp	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	0.3	-
	Grass Carp	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2	-	0.3	-
<b>Sub-total =</b>		<b>8.52</b>	<b>6.42</b>	<b>4.8</b>	-	<b>1.0</b>	<b>3.6</b>	<b>3.1</b>	<b>9.0</b>	-	-	<b>6.0</b>	-	<b>1.0</b>	<b>5.3</b>	-	<b>3.27</b>	<b>16.56</b>	<b>6.0</b>	-
2	Bagda	4	1	7	-	-	1.67	-	-	1.0	-	0.2	0.29	-	5	-	3.93	1.48	5.0	-
	Golda	-	0.01	0.9	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.08	-
	Harina	2	0.33	-	-	-	0.5	-	-	0.14	-	0.08	-	-	-	-	1.91	0.5	1.8	-
	Chali	0.18	0.08	-	-	-	0.3	-	-	-	-	0.04	-	-	-	-	1.16	0.04	0.4	-
	Motka	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	-
	Bele	-	0.08	-	-	-	0.3	-	-	-	-	0.16	0.15	-	-	-	0.43	0.06	-	-
	Tengra	-	-	0.2	-	-	-	-	-	-	-	0.08	0.31	-	-	-	4.20	0.13	0.8	-
	Paissa	-	0.04	10	-	-	0.25	-	-	-	-	0.2	0.22	-	7	-	0.14	0.05	0.08	-
	Vetki	-	-	1	-	-	-	-	-	-	-	0.24	0.06	-	0.5	-	0.96	0.01	2.0	-
	Phessa	-	-	2.4	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-
	Bhangan	-	-	1.7	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.01	0.05	-
	Tilapia	-	-	-	-	-	-	-	-	-	-	8.0	0.53	-	-	-	5.9	0.41	8.0	-
	Chela	-	-	-	-	-	-	-	-	-	-	-	0.45	-	-	-	-	0.01	-	-

Sampling Site	Species	Total Catch (ton): 2014-2015																		
		1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM	13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM
	Rui																8.41		3.0	-
	Catla																		3.0	-
	Grass Carp																0.11			-
	Common Carp																5.55			-
	Sarpunti																0.53			-
	Tairel																0.003			-
	Pheksa																0.001			-
Sub-total =		6.0	2.0	23	-	-	3.02	-	-	1.14	-	9.0	2.01	-	14.2	-	33.36	2.75	24.93	-
3	Bagda	1.38	2.4	1.5	-	-	3.5	0.4	-	2	-	0.4	-	-	0.2	-	0.5	0.1	-	-
	Harina	0.34	0.34	-	-	-	-	0.35	-	-	-	0.3	-	-	-	-	0.6		-	-
	Chali	0.17	0.17	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-		-	-
	Chaka							0.1	-	-	-	-	-	-	-	-	-		-	-
	Paissa	-	-	0.01	-	-	-	3.2	-	-	-	0.06	-	-	0.8	-	-		-	-
	Tengra	-	-	0.01	-	-	-	-	-	-	-	0.04	-	-	0.2	-	0.12		-	-
	Bele	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	Tilapia	-	-	0.22	-	-	-	0.06	-	-	-	3.2	-	-	0.5	-	1.5	0.2	-	-
	Rui	-	-	0.21	-	-	-	-	-	-	-	-	-	-	0.3	-	-		-	-
	Catla							-							1.0	-	-		-	-
	Vetki	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.2	-	-		-	-
	Chami	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
	Tairel	-	-	-	-	-	-	0.06	-	-	-	-	-	-	-	-	-		-	-
Sub-total =		1.89	2.91	1.97	-	-	3.5	5.17	-	2.0	-	4.0	-	-	3.2	-	2.72	0.3	-	-
Grand-total =		16.41	11.33	29.77	-	1.0	10.12	8.27	9.0	3.14	-	19.0	2.01	1.0	22.7	-	39.35	19.61	30.93	-

Source: CEGIS Field Survey, 2014-15, 2015-16, 2016-17, 2017-18, 2018-19

Table D-5: The Present Catch in Three (03) Sampling Ghers

Sampling Site	Species	Total Catch (ton): 2014-2015																
		20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM
1	Bagda	3.2	2.72	0.8	-	-	0.3	-	0.7	0.5	-	-	1.2	1.2	0.7	0.7	1.35	2.0
	Golda	-	-	-	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-
	Harina	4.8	3.44	1.0	0.02	2.0	0.2	-	0.15	0.6	0.1	-	0.5	0.2	0.2	0.2	0.59	1.6
	Bele	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	Chali	-	-	0.2	-	-	-	-	-	0.3	0.1	-	-	-	-	-	-	-
	Chaka	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Paissa	-	0.17	-	-	-	0.05	-	-	0.05	-	-	-	-	0.05	0.05	-	0.2
	Vetki/Patari	-	-	0.3	-	-	0.2	-	-	-	0.3	-	-	-	0.05	0.05	-	-
	Gulsha	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kailla	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Tilapia	-	0.7	0.5	-	-	0.5	-	-	2.0	1.2	-	-	-	2.0	0.2	0.53	4.0
	Rui	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-
	Catla	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Minar Carp	-	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-
	Grass Carp	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-
	Tairel	-	-	0.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Datina	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kakra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
<b>Sub-total =</b>		<b>8.0</b>	<b>7.0</b>	<b>2.8</b>	<b>0.02</b>	<b>4.2</b>	<b>2.37</b>	<b>-</b>	<b>0.85</b>	<b>3.45</b>	<b>1.7</b>	<b>-</b>	<b>1.7</b>	<b>1.4</b>	<b>3.0</b>	<b>3.0</b>	<b>2.47</b>	<b>8.1</b>
2	Bagda	1.41	6.74	3.42	-	4.48	1.45	-	0.04	2.73	0.07	-	3.2	1.5	0.07	-	2.4	1.6
	Golda	0.1	0.01	0.4	-	0.03	0.3	-	-	-	-	-	-	-	-	-	0.22	0.4
	Harina	2.92	-	3.96	0.01	0.92	1.08	-	0.14	0.96	0.81	-	0.28	0.16	0.8	-	0.4	0.6
	Chali	1.52	0.04	0.38	-	0.20	0.3	-	0.03	0.11	0.01	-	0.12	0.1	0.12	-	-	-
	Bele	1.35	0.09	2.11	-	0.27	0.19	-	-	0.44	0.58	-	0.15	0.15	0.52	-	-	0.15
	Tengra	0.27	0.57	-	-	0.01	0.17	-	-	0.01	0.02	-	-	0.1	0.02	-	-	-
	Paissa	0.6	0.01	2.62	-	0.04	1.8	-	-	0.23	0.34	-	0.1	0.2	0.32	-	0.25	0.4
	Vetki/Patari	-	-	2.25	-	0.25	0.25	-	-	-	1.75	-	0.04	0.6	1.6	-	-	0.2
	Bhangan	-	0.08	0.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Tilapia	0.3	0.22	9.85	-	3.87	6.93	-	-	12.9	7.82	-	4.5	-	7.0	-	0.35	-



Sampling Site	Species	Total Catch (ton): 2014-2015																
		20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM
	Rui	0.35	-	1.27	-	1.95	-	-	-	-	0.27	-	-	0.6	0.24	-	-	2.0
	Catla	0.20	-	-	-	0.04	0.05	-	-	-	-	-	-	-	-	-	-	0.2
	Kailla	-	-	0.96	-	-	-	-	-	-	0.03	-	-	0.1	-	-	-	-
	Grass Carp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kakra	-	0.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Datina	-	-	1.01	-	-	-	-	-	-	0.06	-	-	0.14	0.06	-	-	-
	Chemo	-	-	0.02	-	0.32	0.32	-	-	-	-	-	-	-	-	-	-	-
	Chaka	-	-	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nundi Bele	-	-	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kakra	-	-	0.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Sub-total =</b>		<b>9.0</b>	<b>8.4</b>	<b>28.58</b>	<b>0.01</b>	<b>12.38</b>	<b>12.57</b>	<b>-</b>	<b>0.21</b>	<b>17.38</b>	<b>11.76</b>	<b>-</b>	<b>8.39</b>	<b>5.15</b>	<b>10.75</b>		<b>3.62</b>	<b>5.35</b>
3	Bagda	0.04	0.02	0.02	-	0.1	0.02	-	0.01	0.04	0.04	-	0.04	0.05	0.06	-	0.02	0.14
	Golda	-	0.03	0.01	-	0.03	0.01	-	-	0.01	0.01	-	-	-	-	-	0.01	0.04
	Harina	0.1	0.02	0.01	-	0.15	0.02	-	0.06	0.06	0.04	-	0.07	0.4	0.40	-	0.12	0.18
	Chali	0.03	-	0.01	-	-	0.02	-	-	-	-	-	-	-	-	-	-	0.02
	Chaka	-	0.01	-	-	0.01	0.02	-	-	0.04	0.04	-	-	-	-	-	-	
	Paissa	-	0.01	0.06	-	0.05	0.03	-	-	0.12	0.08	-	-	-	0.8	-	0.02	0.1
	Kharsul	-	-	0.01	-	0.01	-	-	-	-	-	-	-	-	0.05	-	-	0.04
	Tengra	-	-	0.01	-	0.02	0.01	-	-	-	-	-	-	-	-	-	-	0.12
	Bele	0.01	-	-	-	0.03	-	-	-	0.01	-	-	-	-	-	-	-	0.02
	Tilapia	-	-	0.24	-	-	0.06	-	-	0.08	0.16	-	-	-	0.12	-	-	0.11
	Vetki/Patari	-	0.01	0.02	-	-	0.02	-	-	0.02	0.04	-	-	0.4	0.04	-	-	0.04
	Chaina Punti	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Chami	-	-	-	-	-	-	-	-	0.04	0.04	-	-	-	-	-	-	
	Ilish	-	-	-	-	-	0.005	-	-	-	-	-	-	-	-	-	-	
	Motka	0.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02
	Chaka	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Kakra	0.03	-	-	-	-	-	-	0.01	0.12	-	-	-	-	-	-	-	
	Tairu	-	0.01	-	-	0.02	0.01	-	-	-	-	-	-	-	-	-	-	0.02
	Bhangan	-	0.01	-	-	-	0.005	-	-	-	-	-	-	-	-	-	-	0.02
	Datina	-	0.03	0.02	-	0.02	0.02	-	-	-	-	-	-	-	-	-	-	

Sampling Site	Species	Total Catch (ton): 2014-2015																
		20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM
Sub-total =		2.4	0.15	0.46	-	0.44	0.25	-	0.08	0.54	0.45	-	0.11	0.85	1.47	-	0.17	0.87
Grand-total =		19.4	15.55	31.84	0.03	17.02	15.19	-	1.14	21.37	13.91	-	10.2	7.40	15.22	3.0	6.26	14.32

Source: CEGIS Field Survey, 2019-20, 2020-21, 2021-22, 2022-23.

**Table D.6: Site Wise Species Diversity using Shannon–Weiner Index (1<sup>st</sup> to 13<sup>th</sup> QM)**

Site	Species Number													Shannon-Weiner Index*												
	1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM	13 <sup>th</sup> QM	1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM	13 <sup>th</sup> QM
A	3 3	0	1 3	7	3	0	10	15	0	0	1	2	2	0.5	0	0.7	0.6	1	-	0.6	0.4	0	0	0	0.9	0.74
B	1 2	0	2 4	14	0	0	11	3	0	0	1	0	5	0.9	0	0.6	0.4	0	-	0.6	0.6	0	0	0	0	0.37
C	2	1 2	9	0	11	26	18	24	17	0	23	10	18	0.3	0.77	0.4	0	0.8	0.6	0.5	0.7	0.6	0	0.6	0.6	0.79
D	1 2	2 2	1 5	26	27	24	20	25	8	19	32	27	15	0.3	0.78	0.7	0.5	0.7	0.7	0.5	0.7	0.6	0.6	0.6	0.8	0.76
E	7	1 3	1 0	11	6	16	9	9	15	12	5	4	4	0.4	0.6	0.8	0.8	0.2	0.7	0.9	0.4	0.7	0.5	0.7	0.7	0.51
F	3	1 3	6	4	10	8	14	6	7	5	7	12	9	0.8	0.77	0.5	0.6	0.7	0.4	0.8	0.7	0.8	0.7	0.9	0.9	0.53
G	6	3	5	7	18	3	8	6	6	4	12	3	15	0.7	0.82	0.7	0.7	0.2	1	0.7	0.8	0.6	0.9	0.2	0.7	0.67

**Table D.7: Site Wise Species Diversity using Shannon–Weiner Index (14<sup>th</sup> to 37<sup>th</sup> QM)**

C	B	A	Species Number														Shannon-Weiner Index																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
			14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
0	0	0	0	0	0	3	0	0	8	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Site	Species Number																Shannon-Weiner Index																																
		14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 QM	34 QM	35 QM	36 QM	37 QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 QM	34 QM	35 QM	36 QM	37 QM			
D		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.8	
E		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		6	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
G		81	29	21	16	19	0	13	22	19	11	0	12	7	0	0	10	13	19	6	-	20	22	23	20	0.8	0	0	0	0	0	0.5	0.7	0.9	-	0	0.5	0	0	0	0	0	0	0	0	0	0	0	0	
H		3	13	3	18	2	19	0	26	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
I		11	13	3	16	2	19	0	26	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
J		4	10	17	18	11	13	0	26	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		12	8	-	5	11	11	0	11	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		14	9	5	0	19	0	19	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		9	11	11	0	11	0	11	0	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		8	12	10	0	11	0	11	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		15	6	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		11	16	0	0	12	9	0	12	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		12	0	3	0	7	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	18	0	0	20	3	0	20	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	1	9	0	0	0	0	0	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		8	1	1	0	10	25	0	10	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	12	11	0	13	12	0	13	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		10	4	13	0	19	0	0	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		13	11	8	0	6	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		-	-	-	-	-	-	-	-	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		7	12	12	0	20	7	0	20	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		20	4	9	0	22	23	0	22	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		20	11	3	0	23	20	0	23	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.7	0.8	0.5	0.6	0.8	0	0	0.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.3	0.3	0.2	0.7	0.8	0	0	0.7	0.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.5	0.2	0.5	0.7	0	0	0	0.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.5	0.6	0.4	0.8	0	0	0	0.8	0	0.3	0	0.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.5	0.8	0	0.3	0	0	0	0.3	0	0.7	0	0.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.2	0.6	0.4	0	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.5	0.1	0	0.5	0.7	0.9	-	0	0.9	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.7	0.5	0.1	0	0.5	0	0	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.5	0.8	0.7	0	0.8	0	0	0.8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.6	0.5	0.4	0	0.5	0.7	0	0.5	0.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.4	0.4	0.5	0	0	0	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.5	0.4	0	0	0.7	0.2	0	0.7	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.1	0	0.1	0	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0.9	0.5	0	0	0.3	0.7	0	0.3	0.7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0.8	0	0	0	0	0	0.7	0	0																																						

\*According to Shannon-Weiner Index, 0-0.30: Low diversity/equally distribution (VH); 0.31-0.50: Moderate Diversity (M); 0.51-0.80: High Diversity (HD) and 0.80-1.0: Very High Diversity (VHD)

**Table D.8: Site wise Rich Species Number (1<sup>st</sup> to 12<sup>th</sup> QM)**

Site	Location	No. of Rich Species											
		2014-2015				2015-2016				2016-2017			
		1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>
A	Akram Point	4	0	4	3	3	-	3	2	0	0	1	2
B	Haldikhali	7	0	4	2	0	-	3	2	0	0	1	0
C	Harbaria	1	5	2	0	4	4	3	6	4	0	4	2
D	Chandpai	2	2	5	4	5	8	3	7	4	6	3	7
E	Mongla Point	1	10	4	5	3	6	4	2	4	7	3	2
F	Maidara	3	6	2	2	4	2	4	2	3	2	3	3
G	Chalna Point	3	3	2	3	1	3	3	4	2	4	1	2

**Table D.9: Site wise Rich Species Number (13<sup>th</sup> to 37<sup>th</sup> QM)**

Site	No. of Rich Species																							
	2017-18			2018-19				2019-20				2020-21				2021-22				2022-23				2023-24
	13 <sup>th</sup>	14 <sup>th</sup>	15 <sup>th</sup>	16 <sup>th</sup>	17 <sup>th</sup>	18 <sup>th</sup>	19 <sup>th</sup>	20 <sup>th</sup>	21 <sup>th</sup>	22 <sup>th</sup>	23 <sup>th</sup>	25 <sup>th</sup>	26 <sup>th</sup>	27 <sup>th</sup>	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>th</sup>	32 <sup>nd</sup>	33 <sup>rd</sup>	34 <sup>th</sup>	35 <sup>th</sup>	36 <sup>th</sup>	37 <sup>th</sup>
A	2	0	0	4	0	1	0	2	0	0	0	0	2	4	0	1	3	5	0	0	2	3	5	2
B	1	0	0	0	0	3	0	-	0	0	0	0	0	0	0	0	4	4	0	0	3	1	2	0
C	0	0	0	4	0	0	4	7	0	0	5	0	3	3	2	2	6	4	0	0	6	1	8	5
D	0	0	0	0	0	0	0	-	0	0	1	0	0	0	0	0	-	-	0	0	0	0	-	0
E	7	6	6	0	2	4	0	2	0	0	2	0	1	0	2	4	4	4	0	0	2	2	5	6
F	6	5	7	11	9	2	3	7	4	6	2	0	4	1	2	0	3	5	9	5	0	3	9	5
G	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	-	-	0	0	0	0	-	0
H	2	2	1	2	3	0	3	-	1	5	2	3	0	1	0	3	-	3	1	2	0	1	6	2
I	1	3	2	1	3	9	3	1	1	6	3	2	3	0	3	1	1	4	2	4	0	2	2	1
J	4	2	1	2	3	2	2	2	3	2	3	2	3	1	2	0	2	-	2	5	0	2	3	4

Source: CEGIS Field Survey, April 2014 - May 2023

**Table D.10: Growth Rate and Mortality of Fish/Shrimp (1<sup>st</sup> to 18<sup>th</sup> QM)**

Gher No.	Growth Rate (cm/day)																		Mortality (%)																	
	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	13 <sup>th</sup>	14 <sup>th</sup>	15 <sup>th</sup>	16 <sup>th</sup>	17 <sup>th</sup>	18 <sup>th</sup>	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	5 <sup>th</sup>	6 <sup>th</sup>	7 <sup>th</sup>	8 <sup>th</sup>	9 <sup>th</sup>	10 <sup>th</sup>	11 <sup>th</sup>	12 <sup>th</sup>	13 <sup>th</sup>	14 <sup>th</sup>	15 <sup>th</sup>	16 <sup>th</sup>	17 <sup>th</sup>	18 <sup>th</sup>
1	0.3	15-20	0.2	40	0.25	50	-	-	-	30	0.18	25	0.20	60	-	-	-	-	0.2	20	0.20	60	-	-	-	30	0.03	50	-	-	0.28	0.28	0.38	80	-	-
2	0.3	30-25	0.3	94	0.25	10	-	-	-	-	0.14	20	0.15	100	-	-	0.21	15	0.3	40	0.25	50	-	-	-	10	0.38	35	-	-	0.42	0.42	0.30	70	0.30	80
3	0.2	25-30	0.2	25	0.20	65	-	-	-	10	0.15	50	0.25	20	-	-	0.17	30	0.15	30	0.20	30	-	-	-	25	0.02	25	-	-	0.4	0.4	0.20	50	-	-

**Table D.11: Growth Rate and Mortality of Fish/Shrimp (19<sup>th</sup> to 37<sup>th</sup> QM)**

Gher No.	Growth Rate (cm/day)																	Mortality (%)																			
	19 <sup>th</sup>	20 <sup>th</sup>	21 <sup>th</sup>	22 <sup>th</sup>	23 <sup>th</sup>	25 <sup>th</sup>	26 <sup>th</sup>	27 <sup>th</sup>	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>th</sup>	32 <sup>th</sup>	33 <sup>th</sup>	34 <sup>th</sup>	35 <sup>th</sup>	36 <sup>th</sup>	37 <sup>th</sup>	19 <sup>th</sup>	20 <sup>th</sup>	21 <sup>th</sup>	22 <sup>th</sup>	23 <sup>th</sup>	25 <sup>th</sup>	26 <sup>th</sup>	27 <sup>th</sup>	28 <sup>th</sup>	29 <sup>th</sup>	30 <sup>th</sup>	31 <sup>th</sup>	32 <sup>th</sup>	33 <sup>th</sup>	34 <sup>th</sup>	35 <sup>th</sup>	36 <sup>th</sup>	37 <sup>th</sup>	
1	-	0.35	0.38	0.35	-	0.38	0.42	-	0.41	0.38	0.36	-	0.36	0.39	0.38	-	0.34	0.38	-	50	-	-	-	-	-	35	-	20	-	-	-	-	20	22	-	15	10
2	-	0.45	0.44	0.45	-	0.48	0.45	-	0.35	0.42	0.44	-	0.43	0.42	0.41	-	0.39	0.33	-	80	-	-	-	-	-	30	-	90	-	-	-	-	25	25	-	20	30
3	-	0.34	0.36	0.37	-	0.32	0.38	-	0.39	0.4	0.37	-	0.33	0.37	0.35	-	0.37	0.34	-	40	-	-	-	-	-	90	-	30	-	-	-	-	60	29	-	15	15

**Table D.12: Total Catch in the Sampling Sites**

Sampling Site	Total Catch (kg)												
	1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM	13 <sup>th</sup> QM
A	28	0	3	28.7	6	0	20	276.2	0	0	10	2	2
B	65	0	1	3.3	0	0	10	12.8	0	0	4	0	0.25
C	1,559	0.5	8	8.7	1.05	0.33	19.5	173.6	2.8	0	2.6	10	8.13
D	0	12	3	30	10.5	5.08	10.75	189	0	12	18	56	77.5
E	0	0.6	5	0	0.5	0.4	0.6	7.8	5	7.5	2.6	0	0
F	0	1.2	13	3.7	1.5	0.7	0.8	0	1.5	0.8	0.5	0	0.3
G	0	1.6	4	0.7	2.9	0.83	0.825	70	1	0.8	0.1	0	0.12

Sampling Site	Total Catch (kg)																						
	14 QM	15 QM	16 QM	17 QM	18 QM	19 QM	20 QM	21 QM	22 QM	23 QM	25 QM	26 QM	27 QM	28 QM	29 QM	30 QM	31 QM	32 QM	33 QM	34 QM	35 QM	36 QM	37 QM
A	-	-	17	-	16	-	0.4	-	-	-	-	30.5	3.5	-	1.1	27	30	-	-	81	51.7	14.0	1.25
B	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	13	14.5	-	-	0.4	20.5	39.0	-
C	-	-	1.50	-	-	93	17.5	-	-	4.6	-	18.9	33	12.7	5.85	23	20	-	-	1.1	8	20.3	10.9
D	-	-	-	-	-	-	-	-	-	1.35	-	-	-	-	0	-	-	-	-	-	-	-	-
E	1.5	2.56	-	0.1	2	-	0.5	-	-	1.17	-	2.07	-	47.5	11.34	52	4	-	-	5.7	27.5	18.5	10.6
F	0	-	-	-	-	-	-	-	-	-	-	0.6	-	2.3	-	-	-	-	0.6	-	0.8	0.8	1.1
G	10.5	37.67	3	4	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Sampling Site	Total Catch (kg)																						
	14 QM	15 QM	16 QM	17 QM	18 QM	19 QM	20 QM	21 QM	22 QM	23 QM	25 QM	26 QM	27 QM	28 QM	29 QM	30 QM	31 QM	32 QM	33 QM	34 QM	35 QM	36 QM	37 QM
H	-	-	0.33	22	-	5	-	11.5	0.2	20	10.5	-	4	-	6.1	0.25	1	-	0.8	-	0.2	1.3	0.2
I	0.4	0.67	0.13	3	5	1.2	-	0.5	1.7	0.4	3.0	5	-	3.5	7.75	2.5	0.1	1.2	1.25	-	-	0.2	0.25
J	0.3	-	1	0.25	1.2	0.6	0.17	1.6	0.8	-	6.3	7.5	-	0.3	-	3.25	-	1.3	3.1	-	0.5	0.3	0.5

\*Average Weight 0.15kg/mud crab and average weight 0.6 kg/mud eel

\*\* Weight of Fry is not considered for catch assessment

**Table D.13: Occurrence of Species (1st to 38th QM)**

Local Name	Scientific Name	Local Status*	1st QM	2nd QM	3rd QM	4th QM	5th QM	6th QM	7th QM	8th QM	9th QM	10th QM	11th QM	12th QM	13th QM	14th QM	15th QM
			‘-’ = No; ‘+’ = Occurrence														
Hilsa	<i>Tenualosa ilisha</i>	NO	-	-	+	-	-	+	+	-	-	-	+	-	-	-	-
Sagor Baim	<i>Anguilla bengalensis</i>	NT	+	-	-	-	-	+	-	-	-	-	-	-	-	-	-
Bacha	<i>Eutropiichthys vacha</i>	CR	+	-	-	-	-	-	-	-	-	+	-	-	+	-	-
Bagda Chingri	<i>Penaeus monodon</i>	DD	+	+	+	+	+	+	+	+	+	+	-	+	+	-	+
Banspata	<i>Brachypleura novae</i>	NO	+	+	+	+	-	+	+	+	+	-	+	+	+	+	+
Kukurjib	<i>Cynoglossus lingua</i>	NO	+	-	-	-	-	-	-	+	+	+	-	+	-	-	+
Bele	<i>Glossogobius giuris</i>	NO	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+
Aswine Bele	<i>Butis butis</i>	NO	-	-	-	-	-	-	+	+	+	+	+	+	+	+	+
Bairagi	<i>Coilia dussumieri</i>	NO	+	+	+	+	+	+	-	+	-	-	-	+	+	+	+
Boishakhi Chingri	<i>Macrobrachium</i> sp.	NO	-	+	-	-	+	+	+	+	+	-	-	-	-	-	-
Chammu Chingri	<i>Metapenaeus brevicornis</i>	DD	+	+	+	-	+	+	+	+	+	+	+	-	-	+	+
Chaka Chingri	<i>Penaeus indicus</i>	DD	+	+	-	+	+	+	+	+	+	-	+	-	+	-	+
Ghora Chela	<i>Securicula gora</i>	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chanda Chela	<i>Securicula</i> sp.		-	+	+	-	-	-	-	-	+	+	-	-	-	-	+
Sada Chewa	<i>Trepachen vagina</i>	NO	+	-	+	-	-	+	-	-	-	+	-	-	-	-	-
Lal Chewa	<i>Taenioides cirratus</i>	NO	+	+	+	+	+	+	+	+	+	-	-	-	+	+	-
Chhuri	<i>Trichiurus muticus</i>	NO	+	-	+	-	-	-	-	-	-	-	-	-	-	-	-
Sagor Chela	<i>Megalops cyprinoids</i>	NO	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Purabi Chela	<i>Thryssa purava</i>	NO	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kabashi Tengra	<i>Mystus cavasius</i>	DD	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Local Name	Scientific Name	Local Status*	1st QM	2nd QM	3rd QM	4th QM	5th QM	6th QM	7th QM	8th QM	9th QM	10th QM	11th QM	12th QM	13th QM	14th QM	15th QM
			‘-’ = No; ‘+’ = Occurrence														
Gagra Tengra	<i>Nemapteryx nenga</i>	DD	-	+	+	-	+	-	+	-	+	+	+	+	+	+	+
Gulsha Tengra	<i>Mystus bleekery</i>	DD	+	+	-	+	-	+	+	+	+	+	+	+	+	+	+
Harina Chingri	<i>Metapenaeus ensis</i>	DD	+	+	+	+	+	+	+	+	+	-	+	-	+	+	+
Ekthuto	<i>Hyporhamphus limbatus</i>	NO	+	-	+	+	-	-	-	+	+	-	+	-	+	+	-
Kakila	<i>Xenentodon cancila</i>	NO	+	-	-	-	-	-	-	-	-	-	+	-	-	+	-
Chapila	<i>Gudusia chapra</i>	NO	+	+	-	-	-	-	-	-	-	+	-	-	-	-	-
Kuchia	<i>Monopterusuchia</i>	DD	+	+	-	+	+	+	+	+	+	+	+	+	+	+	+
Loitta	<i>Harpodon nehereus</i>	NO	+	+	+	-	+	-	-	-	+	+	-	-	+	-	+
Motka Chingri	<i>Macrobrachium villosimanusless</i>	DD	+	+	+	+	+	+	+	+	+	+	+	-	+	+	+
Mud Crab	<i>Scylla serrata</i>	NO	+	-	+	+	+	+	+	+	+	-	+	+	+	+	+
Tular Dandi	<i>Sillaginopsis panijus</i>	NO	+	-	+	-	+	-	+	-	-	-	+	-	-	+	-
Paira Chanda	<i>Scatophagus argus</i>	DD	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-
Paissa	<i>Liza parsia</i>	NO	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pangas	<i>Pangasius pangasius</i>	CR	+	-	+	-	-	-	-	+	-	-	-	+	-	-	-
Tak Chanda	<i>Leiognathus equulus</i>	NO	+	-	-	-	-	-	+	-	-	+	-	-	-	-	-
Phessa	<i>Setipinna phasa</i>	NO	+	+	+	+	+	+	+	+	+	-	+	-	+	+	-
Teli Phessa	<i>Setipinna phasa</i>	DD	-	-	+	-	-	-	-	-	-	+	-	-	-	-	-
Poma	<i>Poma poma</i>	NO	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Potka	<i>Chelonodon patoca</i>	NO	+	+	-	+	+	+	-	+	+	-	+	+	+	+	+
Shilong	<i>Silonia silondia</i>	EN	+	-	+	-	-	-	-	-	-	-	+	-	+	+	-
Tailla	<i>Eleutheronema tetradactylum</i>	DD	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-
Tapse	<i>Polynemus paradiseus</i>	DD	+	+	+	-	-	+	+	+	-	-	+	+	-	+	+
Daitna	<i>Acanthopagrus latus</i>	DD	-	-	-	+	-	-	-	+	+	-	+	+	-	+	+
Shole	<i>Channa striatus</i>	DD	-	-	-	+	-	-	-	+	-	-	-	-	-	+	+
Magur	<i>Clarias batrachus</i>	DD	-	-	-	+	-	-	-	+	-	-	-	+	-	+	+
Koi	<i>Anabas testudineus</i>	DD	-	-	-	+	-	-	-	+	-	+	-	-	-	-	-
Vetki	<i>Lates calcarifer</i>	DD	-	-	-	+	+	+	+	+	+	-	+	+	+	+	+

Local Name	Scientific Name	Local Status*	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>th</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>rd</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM	38 <sup>th</sup> QM	
‘-’ = No; ‘+’ = Occurrence																									
Hilsa	<i>Tenulosa ilisha</i>	NO	-	-	+	-	-	-	+	-	-	-	-	-	+	+	+	-	+	-	-	-	-	-	
Sagor Baim	<i>Anguilla bengalensis</i>	NT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bacha	<i>Eutropiichthys vacha</i>	CR	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bagda Chingri	<i>Penaeus monodon</i>	DD	+	+	+	+	+	+	+	+	-	-	+	+	+	+	+	+	+	-	-	-	+	+	
Banspata	<i>Brachypleura novae-zeelandiae</i>	NO	+	+	+	+	+	+	-	-	+	+	+	-	+	+	+	+	+	-	-	-	+	+	-
Kukurjib	<i>Cynoglossus lingua</i>	NO	-	-	-	+	-	+	+	-	+	-	+	-	+	+	+	+	-	+	-	+	+	-	-
Bele	<i>Glossogobius giuris</i>	NO	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Aswine Bele	<i>Butis butis</i>	NO	+	+	-	+	+	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	
Bairagi	<i>Coilia dussumieri</i>	NO	+	+	+	+	+	+	-	+	+	-	+	+	+	+	+	+	+	+	-	+	+	+	+
Boishakhi Chingri	<i>Macrobrachium</i> sp.	NO	-	+	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chammu Chingri	<i>Metapenaeus brevicornis</i>	DD	+	+	+	+	+	+	+	+	-	+	+	+	-	+	+	+	-	+	+	+	+	-	+
Chaka Chingri	<i>Penaeus indicus</i>	DD	+	+	+	+	+	+	+	+	-	+	+	+	-	+	+	+	+	+	+	+	+	+	+
Ghora Chela	<i>Securicula gora</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chanda Chela	<i>Securicula</i> sp.		+	+	+	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sada Chewa	<i>Trepauchen vagina</i>	NO	+	-	-	-	+	-	+	-	-	-	-	-	+	+	+	+	-	-	-	-	-	-	
Lal Chewa	<i>Taenioides cirratus</i>	NO	+	+	-	+	+	-	-	+	-	-	-	+	+	-	-	-	-	-	-	-	-	-	
Chhuri	<i>Trichiurus muticus</i>	NO	+	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	+	-	+	
Sagor Chela	<i>Megalops cyprinoids</i>	NO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Purabi Chela	<i>Thryssa purava</i>	NO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kabashi Tengra	<i>Mystus cavasius</i>	DD	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gagra Tengra	<i>Nemapteryx nenga</i>	DD	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	+	+	-	+	+	+	+	-
Gulsha Tengra	<i>Mystus bleekery</i>	DD	+	+	-	+	+	+	-	+	-	-	+	-	-	+	+	-	+	+	+	+	+	+	+
Harina Chingri	<i>Metapenaeus ensis</i>	DD	+	+	+	+	+	+	+	+	+	+	+	+	-	+	+	-	+	+	+	+	+	+	+
Ekthuto	<i>Hyporhamphus limbatus</i>	NO	-	+	+	+	+	+	+	-	-	-	+	-	-	-	-	-	-	-	-	+	-	+	
Kakila	<i>Xenentodon cancila</i>	NO	-	+	-	-	-	-	+	-	-	+	-	-	-	+	+	-	-	+	+	-	-	-	
Chapila	<i>Gudusia chapra</i>	NO	-	+	+	+	-	+	+	-	+	+	+	+	-	+	+	+	+	-	-	+	-	-	
Kuchia	<i>Monopterus cuchia</i>	DD	+	+	+	-	+	+	-	+	+	-	+	+	+	+	+	-	+	-	+	+	-	-	
Loitta	<i>Harpodon nehereus</i>	NO	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	-	-	-	+	-	-	
Motka Chingri	<i>Macrobrachium villosimanusless</i>	DD	+	+	+	+	+	+	+	+	-	-	+	+	-	+	+	+	+	+	+	+	+	+	+
Mud Crab	<i>Scylla serrata</i>	NO	+	-	+	+	+	-	+	+	-	-	-	-	-	+	+	+	+	+	+	+	+	+	+
Tular Dandi	<i>Sillaginopsis panijus</i>	NO	-	-	+	+	+	+	-	-	-	+	-	+	-	-	-	+	-	-	-	+	+	-	
Paira Chanda	<i>Scatophagus argus</i>	DD	-	-	-	+	-	-	-	-	-	-	+	-	-	+	+	-	-	+	-	+	+	+	+



Local Name	Scientific Name	Local Status*	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>st</sup> QM	22 <sup>nd</sup> QM	23 <sup>rd</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>th</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>rd</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM	38 <sup>th</sup> QM	
'-' = No; '+' = Occurrence																									
Paissa	<i>Liza parsia</i>	NO	+	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Pangas	<i>Pangasius pangasius</i>	CR	-	-	+	+	+	+	+	-	-	-	-	-	+	+	+	+	-	-	+	-	-	-	-
Tak Chanda	<i>Leiognathus equulus</i>	NO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pheksa	<i>Setipinna phasa</i>	NO	+	-	-	+	+	+	+	+	-	+	-	+	+	+	+	+	-	-	-	+	+	-	+
Teli Pheksa	<i>Setipinna phasa</i>	DD	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	-
Poma	<i>Poma poma</i>	NO	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Potka	<i>Chelonodon patoca</i>	NO	+	+	+	+	+	-	-	-	-	-	+	+	+	+	+	+	+	-	-	+	+	+	+
Shilong	<i>Silonia silondia</i>	EN	-	-	-	-	-	-	+	-	+	-	-	-	+	+	-	-	-	-	-	-	-	-	-
Tailla	<i>Eleutheronema tetradactylum</i>	DD	-	-	+	-	+	+	-	-	-	+	+	-	+	+	-	-	-	+	-	+	-	-	-
Tapse	<i>Polynemus paradiseus</i>	DD	+	+	+	+	+	+	-	+	+	+	-	-	+	+	-	+	-	-	-	-	+	+	-
Daitna	<i>Acanthopagrus latus</i>	DD	+	-	+	+	+	-	-	+	-	+	+	-	-	+	+	-	-	-	+	+	+	+	+
Shole	<i>Channa striatus</i>	DD	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	+
Magur	<i>Clarias batrachus</i>	DD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
Koi	<i>Anabas testudineus</i>	DD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vetki	<i>Lates calcarifer</i>	DD	+	-	+	+	-	+	-	-	-	+	-	-	+	+	-	-	-	+	-	-	+	+	+

Table D.14: Purpose, timing and extent of migration for different year-class of migratory fish species

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
Tapsi	Haldikhali	Juvenile and Age-1 adult	F&G	-	F&G	-	-	-		-	-		-	-
	Akram Point	Juvenile and Age-1 adult	F&G	-	-	-	-	-	F	-	-		-	-
		Adult	F&G	-	-	-	-	-	-	F	-		-	-
	Chalna Point	Age-1 adult and Brood fish	F&G	S	-	-	-	F	F&S	-	-		F&G	-
		Adult	-	-	F&G	-	-	F	F	-	-			-
	Harbaria	Juvenile and Age-1 adult	F&G	F&G		-	-	-	-	-	-		-	F
		Adult and Brood Fish	-	-	B&S	-	-	-	-	-	-		-	-
	Chandpai	Juvenile	-	-	F&G	-	-	-	F	-	-		F	-
	Mongla Point	Adult	-	-	-	-	-	-	-	-	-			-
		Age-1 adult	F&G	F&G	F&G	-	-	F	-	-	-		-	-
Bairagi	Haldikhali	Brood Fish	-	-	-	-	-	B&S	-	-	-		-	-
		Juvenile and Age-1 adult	F&G	-	F&G	-	-	-	-	-	-		-	-

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
Harbaria	Akram Point	Juvenile and Age-1 adult	F&G	-	-	-	F&G	-	-	-	-		-	-
		Juvenile and Adult	-	-	-	-	-	-	-	F&G	-		-	-
	Chandpai	Fry	B&S	B&S	F&G	F	-	F	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	-	-	-		-	-
	Chalna Point	Juvenile and Age-1 adult	F&G	-	-	-	F&G	-	-	-	-		-	-
		Fry	-	-	-	-	-	-	-	-	-		-	N
		Juvenile	F&G	-	-	-	-	F	-	-	-		-	-
	Mongla Point	Fry	-	N	-	F	-	-	-	-	-		-	N
		Juvenile	-	-	-	-	-	-	-	F	-		-	-
	South-west of the Project	Juvenile	-	F&G	-	-	-	-	-	-	-		-	-
		Fry	-	-	-	-	-	-	-	-	-		-	N
Chapila	Haldikhali	Juvenile	F&G	-	-	-	-	-	-	-	-		-	-
	Akram Point	Juvenile	F&G	-	-	-	-	-	-	-	-		-	-
	Mongla Point	Fry	-	N	-	-	-	-	-	-	-		-	-
	South-west of the Project	Age-1 adult	-	F&G	-	-	-	-	-	-	-		-	-
Loitta	Haldikhali	Juvenile and Age-1 adult	F&G	-	F&G	-	-	-	-	-	-		-	-
	Akram Point	Juvenile	F&G	-	-	-	F&G	-	-	-	-		-	-
	Akram Point	Age-1 adult	-	-	F&G	-	F&G	-	-	-	-		-	-
	Chandpai	Juvenile	F&G	-	-	-	-	-	-	-	-		-	-
	Harbaria	Fry, Juvenile and Age-1 adult	-	N,F&G	-	-	-	-	-	-	-		-	-
	Chalna Point	Age-1 adult	-	F&G	-	-	F&G	-	-	-	-		-	-
		Fry	-	-	-	-	-	-	-	-	N		-	-
Poma	Haldikhali	Juvenile	F&G	-	-	F	-	-	-	-	-		-	-
	Akram Point	Juvenile	F&G	-	-	-	-	-	-	G&F	-		-	-
		Age-1 adult	-	-	F&G	-	-	-	F	F	-		-	-
		Adult	-	-	-	-	-	-	-	-	-		-	-
		Adult	-	-	-	-	-	-	-	-	-		-	-
	Chandpai	Fry and Juvenile	B&S	N	-	-	-	F	-	-	-		-	-
		Juvenile	-	-	F&G	F	F&G	-	F&G	-	-	F&G		
		Adult	-	-	-	-	-	-	F	-	-		-	
		Brood Fish	-	-	-	-	-	-	-	-	-	S	-	
	Haldikhali	Fry and Juvenile	-	-	N	-	-	-	-	-	-		-	-
	Harbaria	Adult and Brood Fish	-	-	B&S	-	-	-	-	-	-		F&S	-
		Adult	-	-	-	-	-	-	F	-	-	-	F	
		Fry and Juvenile						S&N	-	-	F&G		-	-

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
	Mongla Point	Fry, Juvenile and Age-1 adult	-	-	S,F&G	-	-	-	-	N	-		-	N
		Juvenile	-	-	-	-	-	-	F&G	-		-	-	
		Age-1 Adult	-	-	-	-	-	-	F	F	-		-	-
		Adult	-	-		F	-	F	-	-	-		F	-
		Brood Fish	-	-	-	-	-	-	-	-	-		S	-
	South-west of the Project	Adult	-	-	F	F	-	F	-	-	-		-	-
	Chalna Point	Juvenile, Adult and Brood Fish	B&S	-	-	-	-	-	-	-	-		F,G&S	-
		Juvenile and Adult	-	-	F&G	F	F&G	-	F&G	-	-		-	-
		Fry	-	-	-	-	-	-	-	-	N		-	N
Chhuri	Haldikhali	Adult	F	-	F	-	-	-	-	-	-		-	-
	Akram Point		F	-	F	-	-	-	-	-	-		-	-
Chela	Haldikhali	Adult	F	-	F	-	-	-	-	-	-		-	-
	Akram Point	Juvenile and Adult	F&G	-	-	-	-	-	-	-	-		-	-
	Harbaria	Fry and Juvenile	-	F&G	-	-	-	N	-	-	-		-	-
	Chandpai		-	-	-	-	-	-	-	G&F	N		-	-
Gang Tengra	Haldikhali	Adult	F	-	F	F	-	-	-	-	-		-	-
	Akram Point	Adult	F&B	-	-	F	-	-	-	-	-		-	-
	Harbaria	Adult	-	-	F	-	-	-	-	-	-		-	-
	Chandpai	Adult	-	-	F	F	-	-	-	-	-		-	-
Gang Tengra	Chandpai	Juvenile and Age-1 adult	-	F&G	-	-	F&G	-	-	-	-		-	-
	Chalna Point	Age-1 adult	-	-	-	-	F&G	-	-	-	-		-	-
	Mongla Point	Age-1 adult	-	F&G	-	-	-	-	-	-	-		-	-
	Akram Point	Juvenile and Adult	-	-	F&G	-	-	-	-	-	-		-	F
		Adult	-	-	-	-	-	-	F	-	-		-	-
	Haldikhali	Juvenile	-	-	-	-	-	-	F&G	-	-		-	-
	Harbaria	Adult	-	-	F	-	F&G	-	-	-	F		F	
Gulsha Tengra	Haldikhali	Adult	F&B	-	-	-	-	-	-	-	-		-	-
	Akram Point	Adult		-	-	-	-	-	-	-	-		-	-
	Chandpai	Age-1 adult	-	-	-	F	-	F	F&G	-	-		-	F
		Juvenile	-	-	-	-	-	-	F&G	-		F&G	-	
	Mongla Point	Age-1 adult	-	F&G	-	F&G	-	F&G	-	F&G		-	-	
		Juvenile	-	-	-	-	-	-	F&G	-		F&G	-	
	Harbaria	Juvenile	-	-	-	-	-	-	F&G	-			-	
		Age-1 adult	-	-	-	-	-	-	-	-	F&G		-	-

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
	Maidara	Juvenile and Age-1 Adult	-	-	-	-	-	-	-	F&G	-		-	-
	Chalna Point	Juvenile	-	-	-	-	-	-	-	-	-		F&G	-
Potka	Haldikhali	Adult	F&S	-	-	-	-	-	-	-	-		-	-
	Chandpai	Fry	S	S&N	-	-	-	-	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	-	F&G	-		-	F
		Adult	-	-	-	F	-	-	-	-	-		F	-
	Mongla Point	Fry	S	-	-	-	-	-	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	-	-	F&G		-	-
	Harbaria	Fry	-	-	-	-	-	N	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	-	F&G	-		-	-
Paira Chanda	Akram Point	Adult	F	-	-	-	-	-	-	-	-		-	-
	Chandpai	Fry	B&S	-	-	-	-	-	-	-	-		-	-
Chewa	Akram Point	Juvenile and Adult	F	-	F&G	-	-	-	-	-			-	-
	Chandpai	Fry and Juvenile	S	-	F&G	-	N&G	N	F&G	-	N		-	-
		Adult	-	-	-	F	-	F	-	F	-		-	-
	Haldikhali	Juvenile and Adult	-	-	F&G	-	-	-	-	-	-		-	-
	Harbaria	Juvenile and Adult	-	-	F&G	-	-	F&N	-	F	-		-	-
	Mongla Point	Juvenile	-	F&G	-	-	-	-	-	-	-		-	-
	South-west of the Project	Juvenile	-	F&G	-	-	-	-	-	-	-		-	-
	Chalna Point	Adult	-	-	-	-	F	-	-	-	-		-	-
Age-1 Juvenile		-	-	-	-	-	-	-	-	F&G		-	-	
Bele	Akram Point	Adult	F	-	F	F	-	-	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	-	F&G	-		-	-
	Haldikhali	Juvenile and Adult	-	-	N&G	F	-	-	-	-	-		-	-
	Harbaria	Juvenile and Adult	-	-	F&G	-	F&G	N&F	F&G	-	-	-	-	-
	Chandpai	Fry	B&S	N	-	-	N	N	-	-	N	-	-	-
	Chandpai	Juvenile and Adult	-	-	F&G	F	-	F	-	F	-	-	F&G	-
	Harbaria	Juvenile and Age-1 Adult	-	-	-	-	-	-	F&G		-	-	-	-
	Mongla Point	Fry	B&S	-	-	-	-	N	-	-	-		-	-
	Mongla Point	Fry, Juvenile-1 and Juvenile			N&G	-	-	-	-	-	-		-	-
	Mongla Point	Juvenile and Adult	-	-	-	F	F&G	F	F&G	-	-		-	-
	Chalna Point	Fry	B&S	N	-	-	N	-	-	N	-		-	-
	Chalna Point	Adult	-	-	-	F	-	-	-	-	-		-	-
Maidara	Juvenile and Age-1 adult	-	F&G	F&G	F	F&G	-	-	-	F&G		-	-	

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
		Fry	-	-	-	-	-	-	-	N	-		-	N
Tular Dandi (Nona bele)	Akram Point	Adult	F	-	-	-	-	-	-	-	-		-	-
	South-west of the Project	Adult	-	-	F	-	-	-	-	-	-		F	-
	Chalna Point	Adult	F	-	F	-	F	-	F	-	-		-	-
Tairel	Akram Point	Adult	F	-	-	-	-	-	-	F	-		-	-
	Harbaria	Age-1 Adult	-	-	-	-	-	-	-	-	F&G		-	-
	Mongla Point	Juvenile	F	-	-	-	-	-	-	-	-		-	-
Pheksa	Akram Point	Adult	F	-	-	-	-	-	-	F	-		-	-
		Juvenile	-	-	F&G	-	-	-	-	-	-		-	-
	Haldikhali	Juvenile	-	-	F&G	-	-	-	-	-	-		-	-
	Haldikhali	Adult	-	-	-	F	-	-	-	-	-		-	-
	Harbaria	Juvenile	-	-	-	-	-	-	-	-	F&G		-	-
	Chalna Point	Juvenile and Adult	F	F&G	-	-	-	-	F&G	-			-	-
		Adult	-	-	F	F	F	-	F	-	-		-	-
	Mongla Point	Adult	-	-	F	F	-	-	F&G	-	-		F	-
	Chandpai	Juvenile and Adult	F	F&G	-	-	F&G	-		-	-		-	-
	Maidara	Juvenile and Adult	F	F&G	-	-	-	-	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	F&G	-	-		-	-
		Adult	-	-	F	F	-	F	-	-	-		-	-
Paissa	Akram Point	Juvenile and Adult	F	-	F&G	F	-	-	-	F&G	-		-	F
		Brood	-	-	-	-	-	-	-	-	-		-	S
		Juvenile	-	-	-	-	-	-	F&G		-	-	-	
	Haldikhali	Juvenile and Adult	F	-	F&G	F	-	-	-	-	-		-	-
		Juvenile	-	-	-	-	-	-	F&G	-	-		-	-
	Harbaria	Juvenile-1 and Juvenile	-	-	F	-	F&G	-	F&G	-	-		-	-
		Adult	-	-	-	-	-	-	-	F	-		-	-
	Chandpai	Fry	B&S	-	-	-	N	-	-	-	N		-	-
	Chandpai	Juvenile and Adult	-	-	F&G	-	-	N&F	-	-	-		F&G	F
	Harbaria	Juvenile	-	-	-	-	-	-	F&G	-	-			-
	Mongla Point	Fry	B&S	-	-	-	-	N	-	-	N		-	-
		Age-1 Juvenile	-	-	-	-	-	-	F&G	-	F&G		-	-
		Age-1 Adult	-	-	-	-	F&G	F	-	-			-	-
	Maidara	Fry, Juvenile and Age-1 adult	B&S	F&G	-	-	F&G	-	-	-			-	-

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose											
			1 <sup>st</sup> QM	2 <sup>nd</sup> QM	3 <sup>rd</sup> QM	4 <sup>th</sup> QM	5 <sup>th</sup> QM	6 <sup>th</sup> QM	7 <sup>th</sup> QM	8 <sup>th</sup> QM	9 <sup>th</sup> QM	10 <sup>th</sup> QM	11 <sup>th</sup> QM	12 <sup>th</sup> QM
Banshpata		Age-1 Juvenile and Age-1 Adult	-	-	-	-	-	-	F&G	-	-		F&G	-
		Adult	-	-	-	-	-	F	-	-	-		-	-
	Chandpai	Juvenile	F	-	-	-	-	-	-	-	-		-	-
		Adult	-	-	-	F	-	F	-	-	-		-	-
	Akram Point	Juvenile	-	-	-	-	-	-	F&G	-	-		-	-
		Adult	-	-	-	-	-	-	-	F	-		-	-
	Haldikhali	Juvenile and adult	-	-	F&G	F	-	-	F&G	-	-		-	-
	Harbaria	Adult	-	-	-	-	-	-	-	F	F		F	-
	Mongla Point	Fry and Adult	F	N	-	-	-	-	-	-	-		-	-
		Adult	-	-	-	F	-	-	-	-	F		-	-
	Maidara	Adult	-	-	F	F	-	B&S	-	-	-		-	-
	Chalna Point	Adult	-	-	F	F	-	-	-	-	-		-	-
Hilsa	Akram Point	Brood Fish	-	-	-	-	-	-	-	-	-		B&S	-
	Haldikhali	Brood Fish	-	-	-	-	-	-	-	-	-			-
		Juvenile	-	-	F&G	-	-	-	-	-	-		-	-
	Harbaria	Brood Fish	-	-	-	-	-	-	-	-	-		B&S	-
	Chandpai	Adult and Brood Fish	-	-	-	-	-	-	F&B	-	-		-	-
	Mongla Point	Adult	-	-	F	-	-	-	-	-	-		-	-
		Brood Fish	-	-	-	-	-	-	-	-	-		B&S	-
	Maidara	Age-1 Adult	-	-	-	-	-	-	-	-	-		F	-
	Chalna Point	Brood fish	-	-	-	-	-	B&S	-	-	-		-	-
Pangas	Haldikhali	Juvenile	-	-	F&G	-	-	-	-	-	-		-	-
	Harbaria	Adult	-	-	-	-	-	-	-	F	-		-	-
	Mongla Point	Juvenile and Adult	-	-	F	-	-	-	-	-	-		-	-

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																											
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM				
Tapsi	Haldikhali	Juvenile and Age-1 adult	-	-	G	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	F	-			
	Charaputia	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	-	-			
	Chalna Point	Age-1 adult and Brood fish	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	M&F	-	-	-	-	-	M&F			
		Adult	-	F	-	-	F	-	-	F	F		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Harbaria	Juvenile and Age-1 adult	F	-	-	-	-	-	-	-	-		-	-	-	-	-	F	F	-	-	-	-	-	-	F	-			
	Chandpai	Juvenile	-	F&G	-	F&G	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Mongla Point	Juvenile	-	-	-	-	-	-	F&G	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Adult	-	-	-	-		-	-	-	-		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Age-1 adult	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Fry	-	-	N	-	-	-	-	-	-		-	N	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Maidara	Age-1 adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Juvenile	-	-	-	-	-	M	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Adult	-	-	-	-	F	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bairagi /Amadi	Haldikhali	Juvenile and Age-1 adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	M	-	-	-	-	-	F	-			
	Akram Point	Juvenile and Age-1 adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	F	F	-	-	-	-	-	F&G	F	-			
	Chandpai	Fry	-	N	-	N	-	-		N	-		-	-	-	-	-	-	-	-	-	-	-	-	N	-	-			
		Juvenile	-	F&G	F&G	F&G	-	M	F&G	-	N		-	-	-	-	-	-	-	F&G	-	-	-	-	-	-	-			
	Chalna Point	Juvenile and Age-1 adult	-	-	-	-	-	-	-	F	-		-	-	-	-	-	-	-	-	M&F	-	-	-	-	-	-			
		Fry	N	-	-	-	-	N	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Harbaria	Juvenile	-	-	F&G	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	F	-			
	Mongla Point	Fry	N	-	N	-	-	-	-	-	-		N	N	-	-	-	-	-	-	F&G	-	-	-	-	-	F&G			
		Juvenile	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Maidara	Juvenile	-	-	-	-	-	M	-	-	-	F&G	-	-	-	-	F&G	-	-	-	M	-	-	-	-	-	-			
		Fry	N	-	N	-	-	N	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Charaputia	Adult	-	-	-	-	-	-	-	F	-		-	-	-	-	-	-	-	-	-	-	-	-	-	F	-			
	Jongra	Fry	-	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Chapila	Haldikhali	Juvenile	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	G	-	-	-	-	-	-	-			
	Akram Point	Juvenile	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	M&F	-				

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
	Harbaria	Juvenile	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Mongla Point	Fry	-	-	-	-	N	-	-	-	-		-	-	-	-	-	-	-	N	-	-	-	-	-	-	N		
		Juvenile	-	-	-	-	F&G	-	-	-	-		-	F&G	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Adult	-	-	-	-	F	-	M	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chalna Point	Adult	-	-	-	-	F	-	M	-	M	F	-	-	-	-	-	-	-	-	F&G	F&G	-	-	-	-	-		
		Fry	-	-	-	-	-	N	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Maidara	Juvenile to Age-1 adult	-	-	-	-	-	G&M	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Jongra	Fry	-	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mongla Point	Fry	-	-	N	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Poma	Haldikhali	Age-1 adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	M	-	-	-	-	-	-	-		
	Akram Point	Juvenile	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	G	-	-	-	F&G	-	-	-		
		Age-1 adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	M	-	-	-	-	-	-	-	M&F	M&F		
	Charaputia	Brood Fish	-	-	-	S	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile and Adult	-	-	-	F	-	-	G&M	F	-		G&M	-	-	G&M	M	-	M	G&M	-	-	-	-	-	M&F	M&F		
	Chandpai	Fry	-	-	-	N	N	-	-	-	-		-	-	-	-	-	-	N	-	G	-	-	-	-	-	-		
		Juvenile	F&G	-	-	F&G	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	G	-		
		Adult		F	F	F	-	-	-	-	-		-	-	-	-	F	-	-	-	-	-	-	-	-	-	-		
		Brood Fish	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Jongra	Fry	-	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Haldikhali	Fry and Juvenile	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	G	-	-	-	-	-	-	-		
	Harbaria	Adult and Brood Fish	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Adult	F	-	-	-	-	F	-	-	-		-	-	-	-	-	M	-	M	-	-	-	-	-	-	-		
		Fry and Juvenile	-	-	-	-	-	-	-	-	-		N	-	-	-	-	-	-	-	-	-	-	-	F&G	-	-		
	Mongla Point	Fry	N	N	-	-	N	-	F&G	-	N		N&M	N	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	-	-	-	-	-	-	-	-	N		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Age-1 Adult		-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	M	-	-	-	-	-	-	-	-			
Maidara	Adult	-	F	-	-	-	-	M&F	-	-		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Juvenile	-	-	-	-	-	-	-	-	-	-	-	M&F	-	-	-	-	-	-	-	-	-	-	-	-	M&F			
	Fry	-	-	-	-	-	N	-	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			



Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
	Chalna Point	Juvenile and Adult	-	F&G	-	-	-	M&F	M&F	-	M&F		-	M&F	-	-	-	-	-	-	-	M&F	M&F	-	-	-	M&F		
		Fry	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chhuri	Akram Point	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	-	-	-	-	-		
	Haldikhali	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-		
Chela	Akram Point	Juvenile and Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-	-	-	F	-	-	-	-	-	-	-		
	Charaputia	Juvenile and Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	G	-	-	-	-	-	-	-		
	Harbaria	Fry and Juvenile	-	-	-	-	-	-	-	-	-	-	-	-	N&M	-	-	-	-	-	-	-	-	-	-	M&F	N&F		
	Chalna Point	Fry and Juvenile	-	-	-	N&F	-	-	-	-	-	N&M	-	N&M	-	-	-	-	-	-	-	-	M&F	-	-	-	-		
	Chandpai	Fry and Juvenile	-	-	F&G		-	-	-	N	N		-	-	N&M	-	F&G	-	F&G	-	-	-	-	-	-	-	M&F		
	Mongla Point	Fry and Juvenile	-	N	-	-	-	-	-	-	-	N&M	-	-	-	-	-	-	-	-	-	F&G	-	-	-	-	-		
Gang Tengra	Chandpai	Adult	-	-	-	-	F	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	M	-	-		
	Maidara	Fingerling	-	-	-	-	N	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Mongla Point	Fingerling					N	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Age-1 Adult					F&G	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ghagra Tengra	Chandpai	Juvenile and Age-1 adult	-	-	-	-	-	M		-	-		-	-	M	-	M	-	-	-	-	-	-	-	-	-	M&F		
		Brood Fish	-	-	B	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Fry	-	-	-	-	N	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Mongla Point	Age-1 adult	-	-	-	-	-	-	M&F	-	M&F		-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-		
		Juvenile	-	-	-	-	-	-	-	-	-	-		-	F&G	-	-	-	N	-	-	-	-	-	-	-	-		
	Akram Point	Juvenile and Adult	F	-	-	-	-	-	-	-	F&G	-		-	-	M	-	-	-	-	-	-	-	-	M&F		M&F	-	
		Adult	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	F&G	-	-		
	Haldikhali	Juvenile	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	F&G	-	-	-	-	M	-	-	-	
		Adult	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	M	-	-	-	-	M&F	-		
	Harbaria	Adult	F	B	-	-	-	-	-	F	-	-		-	-	M	-	M	F	M	-	-	-	-	-	-	M&F	-	
		Juvenile	-	-	-	-	M	-	M	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Charaputia	Juvenile and Age-1 adult	-					M	-	-		M	-	-	M	-	M	-	M	-	-	-	-	M&F	-	M&F	-		

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
Gulsha Tengra	Haldikhali	Adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	M	-	-	-	-	-	-	-		
	Akram Point	Adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	M	-	-	-	-	-	-	-		
	Chandpai	Age-1 adult	F	-	F&G	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	-	F&G	-	F&G	-	-	-	-	-		-	-	-	-	-	-	-	F&G	-	F&G	F&G	-	-	-	-		
	Charaputia	Juvenile	-	-	-		-	-	F&G	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-		
		Age-1 adult	-	-	-	-	-	-	-	-	-	-		-	-	-	M	-	-	M	-	-	-	-	-	-	M&F		
	Mongla Point	Age-1 adult	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Harbaria	Juvenile	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Age-1 adult		-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	M&F			
Chalna Point	Juvenile	-	-	-	-	-	-	-	-	-	-		-	F&G		-	-	-	-	-	-	M	-	-	-	-			
Potka	Akram point	Adult	-	-	-	--		-	-	-	-		--		-	-	-	-	-	F	-	-	-	-	-	-	-		
	Haldikhali	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	-	M&F	-	-		
	Chalna Point	Fry	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chandpai	Fry	-	-	-	-	-	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	F	-	-	-	-	-	-	F&G	-	-		-	-	-	-	F and G	-	-	-	-	-	-	-	-	-		
		Adult	-	F&G	F	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Jongra	Fry	-	-	-	-	-	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Mongla Point	Fry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Maidara	Fry	-	-	-	N	-	N	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile	-	-	-	-	-	M	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Harbaria	Fry	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Charaputia	Juvenile and adult	-	-	-	-	-	-	F&G	-	-	-	-	-	-	-	F&G	-	-	F&G	-	-	-	-	-	M&F	M&F		
Paira Chanda	Akram Point	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-	-	-		
		Juvenile and Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F&G	-	-	-	-	-	-	-	-		
	Charaputia	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-		
Chewa	Chandpai	Fry and Juvenile	-	-	-	-	-	-	-	N	-		-	-	-	-	F&G	-	F&G	-	-	-	-	-	-	-	-		

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
		Juvenile	-	F&G	-	-	-	-	-	-	-	F&G		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Adult	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Jongra	Fry	-	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Fry and Juvenile	-	-	-	-	-	-	-	-	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Mongla Point	Juvenile	-	-	-	-	-	-	-	-	N	M	M	-	-	-	-	F	-	-	-	-	-	-	-	-	-		
		Fry	-	-	-	-	N	-	-	-	-	-		-	-	-	-	-	-	-	-	-	F&G	-	-	-	-		
	Maidara	Juvenile	-	-	-	-	-	-	-	-	-	M	-	-	-	-	M	-	-	-	-	-	-	-	-	-	-		
		Fry	-	-	N	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chalna Point	Adult	-	-	-	-	F	-	-	-	-	F	-	F	-	-	-	-	-	-	-	-	-	-	N	-	-		
		Age-1 Juvenile	-	-	-	-	-	-	-	-	-		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bele	Akram Point	Adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Juvenile and Adult	-	-	-	-	-	-	-			-	-	-	-	F	-	-	F&G	F&G	-	-	M&F	-	-	M&F			
	Chandpai	Fry	-	-	-	N	N	-	-	N	-	N	-	-	-	-	M	-	-	-	-	-	-	-	N		-		
		Juvenile and Adult	F&G	-	F&G	-	-	-	-	F&G	-	-	-	-	M&F	-	-	-	-	-	-	-	-	-	-	M&F	M&F		
	Jongra	Fry	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Harbaria	Juvenile and Age-1 Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F&M	M	-	-	F	-	-	M&F			
	Mongla Point	Fry	-	N	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Juvenile and Adult	-	-	-	-	-	-	-	-	M&F	-	-	-	-	-	-	-	-	-	M&F	M&F	-	-	M&F	-			
	Chalna Point	Fry	-	-	N	N	-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	N	-	-		
		Fingerling	-	-	-	-	N	-	-	-	-		N	N	-	-	-	-	-	-	-	-	-	-	-	-			
		Juvenile and Age-1 adult	-	-	-	-	-	-	-	-	-	-	-	M&F	-	-	-	-	F&M	-	-	-	-	-	-	M&F			
	Maidara	Juvenile and Age-1 adult	-	-	F&G	-	F&G	F&G	-	-	M&F	M&F	M&F	-	-	-	F&G	-	-	-	-	-	-	-	-	-	M&F		
		Fry	N	-	N	-	-	-	-	-		-	-	-	-	-	-	-	-	N	-	-	-	-	-	-	-		
	Charaputia	Juvenile and Age-1 adult	-	-	-	-	-	M	-	-		-	-	-	-	-	M	-	M	-	-	-	-	-	M&F	-			
Tular Dandi	Akram Point	Adult	-	-	-	-	-	-	-	F&M	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Chandpai	Age-1 Adult	-	-	F	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
		Juvenile	-	-	-	-	-	G	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
		Fry	-	-	-	-	-	-	-	N	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Jongra	Fry	-	-	-	-	-	-	-	N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Maidara	Adult	-	F	-	-	-	-	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chalna Point	Adult	-	-	-	-	-	-	M	M	M&F	-	-	-	M&F	-	M&F	-	-	-	-	-	-	-	-	-	-		
Tairel	Akram Point	Adult	-	-	-	F	-	-	-	-	-	-	-	-	-	M	-	-	M	-	-	-	-	-	-	M&F	-		
	Haldikhali	Juvenile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	G&M	-	-	-	-		
	Charaputia	Juvenile	-	-	-	-	-	-	-	M	-		-	-	-	-	-	-	M	-	-	-	-	-	-	M	-		
	Harbaria	Age-1 Adult	-	F&G	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-		
	Chandpai	Juvenile	-	-	-	-	-	G	-	-	F&G		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chalna Point	Juvenile	-	-	-	-	-	-	-	-	G		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Maidara	Juvenile	-	-	-	-	-	G	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pheksa	Akram Point	Adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	M	M	-	-	-	-	-	-	-	-		
	Charaputia	Juvenile and Adult	-	-	-	-	-	-	-	F&M	-	-	-	-	-	-	-	-	-	M	-	-	-	-	-	M&F	-		
	Harbaria	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M&F	-		
	Chalna Point	Juvenile and Adult	-	-	-	F&G	-	-	-	M	M			-	M	-	M	-	-	-	-	-	-	-	-	-	-		
		Adult	-	F	-	-	-	-	M	-	-	F		-	-	-	-	-	M	-	-	-	-	-	-	-	-		
	Mongla Point	Adult	-	-	-	-	-	-	M	-	-		M	-	-	-	-	-	-	M	-	-	-	-	G&M	-	-		
		Juvenile	-	-	-	G	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Chandpai	Juvenile and Adult	-	-	-	F&G	-	-	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Maidara	Adult	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Paissa	Akram Point	Juvenile and Adult	F	-	-	-	-	G&M	-	-	-	-	-	-	-	G&M	-	-	G&M	G&M	-	-	G&M	-	-	-	M&F		
		Brood	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Charaputia	Brood Fish	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		Juvenile and Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	G&M	G&M	-	-	G&M	-	-	-	M&F		
		Fry	-	-	-	-	-	-	-	-	-	-		N	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Harbaria	Juvenile and Adult	-	F&G	-	-	-	-	-	-	-	-	-	-	-	F&G	-	-	F	G&M M	G&M	-	-	G&M	-	-	-	M&F	
		Adult	-	F	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																											
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM				
	Chalna	Fry	-	-	-	-	-	-	F&G	-	F&G		N	N	-	F	-	-	-	-	-	-	G&M	-	-	-	-	M&F		
	Chandpai	Fry	-	-	-	N	-	-	F&G	N	N	N	N	-	F&G	F	F&G	-	-	N	G&M	-	-	-	-	-	-			
		Juvenile and Adult	F	F&G	-	F&G	-	M	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Jongra	Fry	-	-	-	-	-	-	-	N			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Harbaria	Juvenile	-	-	F&G	-	-	M	-	-			-	-	F&G	-	-	-	F&G	F&G	-	-	G&M	-	-	-	M&F			
	Mongla Point	Fry	-	-	N	-	-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	N	-	-			
		Age-1 Adult	-	-	-	-	-	-	-	-	-		M	-	-	-	-	-	-	-	-	-	G&M	-	-	-	-			
	Maidara	Fry, Juvenile and Age-1 adult	-	-	-	-	-	-	-	F&G	-	F&G		-	-	F&G	-	-	-	-	-	M	G&M	-	-	-	-	G&M		
		Juvenile	-	-	-	-	-	G	-	-	-	-		M	-	-	-	-	-	-	-	-	-	-	-	-	-			
Banshpata	Chandpai	Juvenile	-	-	-	G	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	G&M	G&M	-				
		Adult	-	F	F	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Jongra	Juvenile	-	-	-	-	-	-	-	M	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Charaputia	Juvenile and Age-1 Adult	-	-	-	F	-	-	G&M	-	-		-	-	-	G&M	-	-	G&M	M	-	-	-	-	M&F	M&F				
	Akram Point	Juvenile	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	G&M	-	-	-	-	M&F	-				
	Haldikhali	Juvenile and adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	M	-	-	-	-	M&F	-				
	Harbaria	Adult	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	F&G	-	-	-	-	-	M&F	-				
	Mongla Point	Juvenile	-	-	-	-	F&G	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Maidara	Juvenile and Age-1 Adult	-	-	-	-	-	G&M	G&M	-	-		-	-	M	-	-	-	-	-	-	-	-	-	-	-				
		Adult	-	F	-	-	-	F	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Chalna Point	Juvenile and Age-1 Adult	-	-	-	-	-	-	G&M	F	G&M		-	G&M	-	-	-	-	-	-	-	-	-	-	-	-				
Hilsa	Akram Point	Brood Fish	-	-	-	-	-	-	-	-	-		-	-	-	-	-	M	-	-	-	-	-	-	-	-				
	Maidara	Age-1 Adult	-	-	-	-	-	-	-	-	-	M	-	-	-	-	-	M	M	-	-	-	-	-	-	-				
	Chalna Point	Adult	-	-	-	-	-	M	-	-	-	F	-	-	-	-	-	M	-	M	-	-	-	-	-					
	Mongla	Age-1 Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	M	M	M	-	-	-	-	-					
Pangas	Akram Point	Adult	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-					

Migratory Fish Species	Sampling Sites	Year Class*	Migration Purpose																										
			13 <sup>th</sup> QM	14 <sup>th</sup> QM	15 <sup>th</sup> QM	16 <sup>th</sup> QM	17 <sup>th</sup> QM	18 <sup>th</sup> QM	19 <sup>th</sup> QM	20 <sup>th</sup> QM	21 <sup>th</sup> QM	22 <sup>th</sup> QM	23 <sup>th</sup> QM	25 <sup>th</sup> QM	26 <sup>th</sup> QM	27 <sup>th</sup> QM	28 <sup>th</sup> QM	29 <sup>th</sup> QM	30 <sup>th</sup> QM	31 <sup>st</sup> QM	32 <sup>nd</sup> QM	33 <sup>rd</sup> QM	34 <sup>th</sup> QM	35 <sup>th</sup> QM	36 <sup>th</sup> QM	37 <sup>th</sup> QM			
	Haldikhali	Juvenile	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	G	-	-	-	-	-	-	-		
	Charaputia	Adult	-	-	-	-	-	-	-	F	-	-	-	-	-	-	-	-	M	-	-	-	-	-	-	-	-		
	Mongla Point	Juvenile	-	-	-	-	-	-	F&G	-	F&G	-	-	-	-	-	-	N	-	-	-	-	-	-	-	-	-		
	Maidara	Juvenile and Age-1 Adult	-	-	-	-	-	-	-	-	-	F&G	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Source: Field findings at different times

\*Only Age-1 to Brood fish was allowed to interpret the migration purpose; F = Feeding; B=Breeding, S = Spawning, N=Nursing, G=Growing, M=Maturation

**(E) Traffic Survey Data**

**Table E.1: Traffic Volume Survey at Khulna Mongla Road (Khudir Bottola)**

Date: October 27, 2023

Vehicles		7:00 AM to 10:00AM			12:00 PM to 2:00PM			17:00 PM to 19:00PM		
Direction	Factor	Khulna to Mongla	Mongla to Khulna	PCU	Khulna to Mongla	Mongla to Khulna	PCU	Khulna to Mongla	Mongla to Khulna	PCU
Pedestrian	0	25	17	0	18	11	0	19	8	0
Auto Rickshaw	0.8	0	5	4	1	1	1	0	1	0
Van	0.6	72	41	67	59	18	46	17	76	56
Cycle	0.2	10	4	3	7	3	2	1	9	2
Human Howler	0.6	3	8	6	2	2	2	4	2	3
CNG	0.5	6	15	11	6	10	8	3	11	7
Private Car	1	14	26	40	13	28	41	0	36	36
Motor Cycle	0.3	55	78	40	64	89	46	9	157	50
Jeep	1	2	12	14	2	3	5	0	3	3
Pick-up	2	4	4	16	4	2	10	3	3	12
Micro	1	7	17	23	10	13	22	4	18	21
Bus	2.5	32	39	175	21	28	121	0	45	111
Light Truck	2	4	20	47	9	4	26	0	4	8
Medium Truck	2	20	29	96	15	19	67	2	32	67
Heavy Truck	2	8	9	33	4	6	18	0	13	25
			<b>Total</b>	<b>574</b>			<b>415</b>			<b>400</b>

Table E.2: Traffic Volume Survey at Khulna Mongla Road (Gonai Bridge)

Date: October 26, 2023

Vehicles		7:00 AM to 10:00AM			12:00 PM to 2:00PM			17:00 PM to 19:00PM		
Direction	Factor	Babubari to Plant site	Plant site to Babubari	PCU	Babubari to Plant site	Plant site to Babubari	PCU	Babubari to Plant site	Plant site to Babubari	PCU
Pedestrian	0	7	9	0	1	4	0	12	18	0
Auto Rickshaw	0.8	0	0	0	0	0	0	0	0	0
Van	0.6	44	33	47	16	14	18	17	29	27
Cycle	0.2	54	9	13	13	7	4	1	6	2
Human Howler	0.6	14	2	9	2	4	4	4	5	5
CNG	0.5	8	4	6	1	2	2	3	5	4
Private Car	1	7	1	8	0	2	2	0	6	6
Motor Cycle	0.3	107	24	39	27	18	13	9	34	13
Jeep	1	2	0	3	0	1	1	0	2	2
Pick-up	2	8	2	19	1	1	2	3	8	22
Micro	1	13	4	16	2	2	3	4	7	10
Bus	2.5	2	0	7	1	0	1	0	1	3
Light Truck	2	1	0	2	0	0	0	0	3	6
Medium Truck	2	9	1	19	1	3	7	2	4	12
Heavy Truck	2	16	3	39	1	1	4	0	1	2
			<b>Total</b>	<b>227</b>			<b>60</b>			<b>113</b>



Table E.3: Traffic Volume Survey at Power Plant access road (Gonabelai Bridge)

Date: October 25, 2023

Vehicles		7:00 AM to 10:00AM			12:00 PM to 2:00PM			17:00 PM to 19:00PM		
Direction	Factor	Khulna to Mongla	Mongla to Khulna	PCU	Khulna to Mongla	Mongla to Khulna	PCU	Khulna to Mongla	Mongla to Khulna	PCU
Pedestrian	0	13	10	0	8	12	0	38	44	0
Auto Rickshaw	0.8	0	0	0	0	0	0	0	0	0
Van	0.6	56	39	57	52	34	51	72	68	84
Cycle	0.2	3	4	1	4	3	1	6	4	2
Human Howler	0.6	10	6	10	11	15	15	5	11	9
CNG	0.5	22	23	22	16	12	14	34	26	30
Private Car	1	12	4	16	12	3	15	8	21	29
Motor Cycle	0.3	75	37	34	57	44	30	71	73	43
Jeep	1	2	1	3	2	3	5	3	4	7
Pick-up	2	2	4	12	2	6	16	1	12	24
Micro	1	16	4	21	4	4	7	5	12	17
Bus	2.5	11	11	55	12	5	40	6	20	65
Light Truck	2	2	1	6	4	5	16	1	3	6
Medium Truck	2	30	6	73	29	10	76	11	23	67
Heavy Truck	2	6	2	15	11	6	34	3	5	16
			<b>Total</b>	<b>324</b>			<b>320</b>			<b>397</b>

**Table E.4: Existing Cropping Pattern of Monitoring Agriculture Plot**


Year	Cropping Season	Monitoring Spot-1 (Baranpara)	Monitoring Spot-2 (Chunkuri-2)	Monitoring Spot-3 (Kapalirmet)	Monitoring Spot-4 (Chakgona)	Monitoring Spot-5 (Basherhula)	Monitoring Spot-6 (Bidyarbon)
2013-2014	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	-
	Kharif-II	Local Aman	HYV Aman	Local Aman	Local Aman	Local Aman	-
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	-
2014-2015	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	-
	Kharif-II	HYV Aman	Local Aman	Fallow	Fallow	Local Aman	-
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	-
2015-2016	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	-
	Kharif-II	HYV Aman	HYV Aman	Fallow	Fallow	Local Aman	-
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	-
2016-2017	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	-
	Kharif-II	HYV Aman	Local Aman	Fallow	Fallow	Local Aman	-
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	-
2017-2018	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	-
	Kharif-II	Local Aman	Local Aman	Fallow	Fallow	Local Aman	
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	
2018-2019	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
	Kharif-II	Local Aman	Local Aman	Fallow	Local Aman	Local Aman	Local Aman
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
2019-2020	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
	Kharif-II	Local Aman	Local Aman	Fallow	Local Aman	Local Aman	Local Aman
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
2020-2021	Monitoring field visit was not taken place due to COVID-19 Pandemic						
2021-2022	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
	Kharif-II	HYV Aman	Local Aman	Fallow	Local Aman	Local Aman	HYV Aman
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
2022-2023	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
	Kharif-II	HYV Aman	Local Aman	Fallow	Local Aman	Local Aman	HYV Aman
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
2023-2024	Kharif-I	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow
	Kharif-II	HYV Aman	HYV Aman	Fallow	Local Aman	HYV Aman	Local Aman
	Rabi	Fallow	Fallow	Fallow	Fallow	Fallow	Fallow

Source: Based on field information and farmers interviewed.



## Appendix IV: Monitoring Results

অধ্যাপক ড. মাহমুদ হোসেন  
ফরেস্ট্রি এন্ড উড টেকনোলজি ডিসিপ্লিন  
খুলনা বিশ্ববিদ্যালয়, খুলনা-৯২০৮  
বাংলাদেশ।



Prof. Dr. Mahmood Hossain  
Forestry & Wood Technology Discipline  
Khulna University, Khulna-9208  
Bangladesh.

**Results for February 2023 Samples**

Sampling sites	Depth of soil sample	Sample weight for Bulk density (g)	EC (mS/cm)	pH	Organic carbon (%)	Nitrogen (mg/g)	Phosphorus (mg/g)
	0-15	95.45	3.14	7.06	2.37	1.58	0.31
	15-30	97.2	4.73	7.34	2.47	0.68	0.51
	30-50	106.1	4.67	7.1	1.87	1.33	0.47
	50-100	109.15	5.3	7.15	1.99	1.16	0.45
	0-15	108.65	5.67	7.02	2.47	1.52	0.44
Karamjai	15-30	118.06	3.17	7.06	1.97	0.67	0.45
	30-50	115.7	3.62	7.08	2.09	0.71	0.49
	50-100	111.25	4.63	7.01	2.02	0.73	0.49
	0-15	120.1	3.8	6.97	2.03	1.27	0.38
	15-30	119.15	5.33	7.04	1.65	0.54	0.45
	30-50	121.65	6.11	6.89	2.15	1.27	0.49
	50-100	118.13	7.09	6.86	2.17	1.35	0.38
	0-15	92.07	3.45	6.88	2.02	1.33	0.49
	15-30	110.22	3.78	7.06	1.69	1.42	0.47
	30-50	116.64	4.86	7.03	2.78	0.69	0.49
	50-100	109.8	5.13	7.01	2.65	1.15	0.35
	0-15	117.25	4.87	6.94	2.35	0.62	0.37
Harbariya	15-30	112.45	4.79	7.00	2.27	1.01	0.42
	30-50	110.31	4.78	6.97	2.05	1.17	0.45
	50-100	120.22	4.85	7.04	2.28	1.14	0.44
	0-15	118.13	2.13	6.96	2.65	0.82	0.58
	15-30	112.25	2.51	7.03	2.83	1.50	0.56
	30-50	92.03	3.8	7.01	2.95	1.10	0.58
	50-100	98.07	4.05	6.99	3.02	0.99	0.77
	0-15	125.07	3.75	7.08	0.99	0.87	0.80
	15-30	113.85	4.12	7.01	2.19	0.50	0.52
	30-50	126.8	5.65	6.97	1.72	0.11	0.56
	50-100	131.1	5.99	7.08	1.85	0.50	0.72
	0-15	109.25	5.21	6.85	2.78	0.50	0.61
Hironpoint	15-30	119.12	5.71	6.82	1.67	0.94	0.49
	30-50	120.2	4.8	6.86	1.38	1.49	0.51
	50-100	121.3	4.5	6.86	1.10	0.32	0.54
	0-15	125.15	8.27	6.52	2.24	0.86	0.45
	15-30	128.16	6.05	6.52	1.38	1.40	0.44
	30-50	131.2	5.28	6.71	2.35	0.35	0.45
	50-100	107.1	4.8	6.78	2.08	0.70	0.38
	0-15	101.2	3.16	6.87	1.77	0.40	0.68
	15-30	120.11	4.43	6.85	2.22	0.46	0.54
	30-50	104.08	6.58	6.76	2.56	1.38	0.47
	50-100	120.1	7.22	6.78	2.70	1.29	0.38
	0-15	122.25	7.19	6.81	2.60	1.00	0.44
Akrampoint	15-30	92.75	5.11	6.75	2.65	1.28	0.45
	30-50	107.88	4.85	6.88	2.53	1.19	0.42
	50-100	109.65	4.6	6.68	2.19	1.29	0.49
	0-15	121.22	6.64	6.64	2.66	1.41	0.49
	15-30	125.12	3.71	6.84	2.34	1.45	0.47
	30-50	110.2	3.78	6.85	1.86	0.98	0.54
	50-100	105.1	5.05	6.75	1.97	0.58	0.38
	0-15	98.02	2.54	7.15	1.32	0.76	0.51
	15-30	110.2	3.9	6.78	1.42	0.51	0.54
	30-50	115.15	5.49	7.06	1.61	0.55	0.45
	50-100	116.65	6.17	7.02	1.99	0.59	0.38
	0-15	118.65	2.98	7.05	1.85	0.64	0.47
Sutarkhali	15-30	119.25	3.08	7.29	2.25	0.51	0.54
	30-50	113.1	4.95	7.32	1.95	0.91	0.61
	50-100	110.65	6.76	7.1	2.40	1.00	0.33
	0-15	119.2	4.57	7.14	1.53	0.64	0.49
	15-30	118.17	5.05	7.29	1.83	0.79	0.52
	30-50	107.98	5.8	7.36	1.71	1.86	0.56
	50-100	101.88	7.18	7.28	2.13	1.76	0.52

Phone: (PABX) 041-720171-3, 724717 Ext.-2111 (Off) Fax: 880-41-731244, 880-41-724717 e-mail: mahmoodhossain@hotmail.com

Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com

Lab Memo: 549/ CC, DPHE, CL, Dhaka Date: 23-11-2023





**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110151	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-01)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Calcium (Ca)	75	40	mg/L	AAS	0.17
3	Chemical Oxygen Demand (COD)	4.0	36	mg/L	CRM	4.0
4	Chloride	150-600	23	mg/L	Titrimetric	-
5	Bi-Carbonate (HCO <sub>3</sub> <sup>-</sup> )	0.0	18	mg/L	Titrimetric	-
6	Hardness	200-500	110	mg/L	Titrimetric	-
7	Iron (Fe)	0.3-1	4.65	mg/L	AAS	0.05
8	Magnesium (Mg)	30-35	8	mg/L	AAS	0.05
9	Potassium (K)	12.0	7	mg/L	AAS	-
10	Total Dissolved Solid (TDS)	1000	146	mg/L	Multimeter	-
11	Total Suspended Solid (TSS)	10	15	mg/L	Gravimetric Method	-
12	Turbidity	10	140	NTU	Turbidity Meter	-
13	Carbonate (CO <sub>3</sub> )	-	0.09	mg/L	Titrimetric	-

Comments: Sample was collected & supplied by client.  
N.B. AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

Test Performed by:	Signature	Countersigned/Approved by:	Signature
1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer	 23.11.2023	1.) Name: Mita Sarker Designation: Senior Chemist	 23.11.2023
2.) Name: Taslima Akhter Designation: Sample Analyzer	 23.11.2023	2.) Name: Md. Biplob Hossain Designation: Chief Chemist	 23.11.2023

Department of Public Health Engineering  
Central Laboratory Mohakhali, Dhaka

Page 1 of 1

**Government of the People's Republic of Bangladesh**  
**Office of the Chief Chemist**  
**Department of Public Health Engineering**  
**Central Lab, 38-39, Mohakhali C/A, Dhaka-1212**  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com

Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110152	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-02)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	48	mg/L	CRM	4.0
3	Hardness	200-500	120	mg/L	Titrimetic	-
4	Total Dissolved Solid (TDS)	1000	132	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	12	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.  
 N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<p><b>Test Performed by:</b></p> <p>1.) Name: Md. Saiful Alam Khosru          Designation: Sample Analyzer</p> <p>2.) Name: Taslima Akhter          Designation: Sample Analyzer</p>	<p><b>Countersigned/Approved by:</b></p> <p>1.) Name: Mita Sarker          Designation: Senior Chemist</p> <p>2.) Name: Md. Biplab Hossain          Designation: Chief Chemist</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Government of the People's Republic of Bangladesh**  
**Office of the Chief Chemist**  
**Department of Public Health Engineering**  
**Central Lab, 38-39, Mohakhali C/A, Dhaka-1212**  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com

Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110154	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-04)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Calcium (Ca)	75	45	mg/L	AAS	0.17
3	Chemical Oxygen Demand (COD)	4.0	20	mg/L	CRM	4.0
4	Chloride	150-600	25	mg/L	Titrimetic	-
5	Bi-Carbonate (HCO <sub>3</sub> <sup>-</sup> )	0.0	27	mg/L	Titrimetic	-
6	Hardness	200-500	125	mg/L	Titrimetic	-
7	Iron (Fe)	0.3-1	5.19	mg/L	AAS	0.05
8	Magnesium (Mg)	30-35	9	mg/L	AAS	0.05
9	Potassium (K)	12.0	7	mg/L	AAS	-
10	Total Dissolved Solid (TDS)	1000	146	mg/L	Multimeter	-
11	Total Suspended Solid (TSS)	10	17	mg/L	Gravimetric Method	-
12	Turbidity	10	153	NTU	Turbidity Meter	-
13	Carbonate (CO <sub>3</sub> )	-	0.20	mg/L	Titrimetic	-

Comments: Sample was collected & supplied by client.  
 N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<p><b>Test Performed by:</b></p> <p>1.) Name: Md. Saiful Alam Khosru          Designation: Sample Analyzer</p> <p>2.) Name: Taslima Akhter          Designation: Sample Analyzer</p>	<p><b>Countersigned/Approved by:</b></p> <p>1.) Name: Mita Sarker          Designation: Senior Chemist</p> <p>2.) Name: Md. Biplab Hossain          Designation: Chief Chemist</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110153	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-03)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.002	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	52	mg/L	CRM	4.0
3	Hardness	200-500	90	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	109	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	14	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: <i>Alam</i> 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: <i>Taslima</i> 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: <i>Mita Sarker</i> 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: <i>Md. Biplab Hossain</i> 22.11.2023 Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110155	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-05)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.001	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	56	mg/L	CRM	4.0
3	Hardness	200-500	120	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	136	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	12	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: <i>Alam</i> 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: <i>Taslima</i> 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: <i>Mita Sarker</i> 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: <i>Md. Biplab Hossain</i> 22.11.2023 Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------





Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

#### Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110156	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-06)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

#### LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	4	mg/L	CRM	4.0
3	Hardness	200-500	110	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	135	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	13	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

#### Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110157	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-07)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

#### LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Calcium (Ca)	75	46	mg/L	AAS	0.17
3	Chemical Oxygen Demand (COD)	4.0	12	mg/L	CRM	4.0
4	Chloride	150-600	28	mg/L	Titrimetric	-
5	Bi-Carbonate (HCO <sub>3</sub> <sup>-</sup> )	0.0	18	mg/L	Titrimetric	-
6	Hardness	200-500	125	mg/L	Titrimetric	-
7	Iron (Fe)	0.3-1	5.71	mg/L	AAS	0.05
8	Magnesium (Mg)	30-35	9	mg/L	AAS	0.05
9	Potassium (K)	12.0	8	mg/L	AAS	-
10	Total Dissolved Solid (TDS)	1000	160	mg/L	Multimeter	-
11	Total Suspended Solid (TSS)	10	11	mg/L	Gravimetric Method	-
12	Turbidity	10	132	NTU	Turbidity Meter	-
13	Carbonate (CO <sub>3</sub> )	-	0.17	mg/L	Titrimetric	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110158	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-08)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.002	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	4	mg/L	CRM	4.0
3	Hardness	200-500	110	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	132	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	12	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: 22.11.2023 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: 22.11.2023 Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110159	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-09)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.002	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	20	mg/L	CRM	4.0
3	Hardness	200-500	125	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	142	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	9	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: 22.11.2023 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: 22.11.2023 Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------





Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110160	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-10)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.004	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	16	mg/L	CRM	4.0
3	Hardness	200-500	170	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	218	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	13	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110161	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-11)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	16	mg/L	CRM	4.0
3	Hardness	200-500	185	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	297	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	16	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110162	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-12)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	12	mg/L	CRM	4.0
3	Hardness	200-500	190	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	320	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	14	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110163	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-13)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	8	mg/L	CRM	4.0
3	Hardness	200-500	800	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	675	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	10	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110164	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-14)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.004	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	20	mg/L	CRM	4.0
3	Hardness	200-500	1500	mg/L	Titrimetic	-
4	Total Dissolved Solid (TDS)	1000	4200	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	13	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist
-----------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

**Physical /Chemical/ Bacteriological Analysis of Water Sample**

Sample ID: CEN2023110165	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Surface Water
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : SW-15)	Union:, Vill.:
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

**LABORATORY TEST RESULTS:**

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.003	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	124	mg/L	CRM	4.0
3	Hardness	200-500	1900	mg/L	Titrimetic	-
4	Total Dissolved Solid (TDS)	1000	5800	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	9	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer 2.) Name: Taslima Akhter Designation: Sample Analyzer	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist 2.) Name: Md. Biplab Hossain Designation: Chief Chemist
-----------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------





Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110166	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Deep Tube Well
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : GW-01)	Union:, Vill.: Rajnagar
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.006	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	20	mg/L	CRM	4.0
3	Hardness	200-500	185	mg/L	Titrimetic	-
4	Total Dissolved Solid (TDS)	1000	392	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	1	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: <i>[Signature]</i> 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: <i>[Signature]</i> 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: <i>[Signature]</i> 23.11.2023 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: <i>[Signature]</i> 23.11.2023 Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110167	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2626.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Deep Tube Well
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : GW-02)	Union:, Vill.: Karpasdanga
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.055	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	12	mg/L	CRM	4.0
3	Hardness	200-500	190	mg/L	Titrimetic	-
4	Total Dissolved Solid (TDS)	1000	650	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	2	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

<b>Test Performed by:</b> 1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer Signature: <i>[Signature]</i> 23.11.2023 2.) Name: Taslima Akhter Designation: Sample Analyzer Signature: <i>[Signature]</i> 23.11.2023	<b>Countersigned/Approved by:</b> 1.) Name: Mita Sarker Designation: Senior Chemist Signature: <i>[Signature]</i> 23.11.2023 2.) Name: Md. Biplab Hossain Designation: Chief Chemist Signature: <i>[Signature]</i> 23.11.2023 Md. Biplab Hossain Chief Chemist Department of Public Health Engineering Central Laboratory Mohakhali, Dhaka
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Government of the People's Republic of Bangladesh  
Office of the Chief Chemist  
Department of Public Health Engineering  
Central Lab, 38-39, Mohakhali C/A, Dhaka-1212  
Phone: 88-02-9881927, Fax: 88-02-9882003, Email: wqmsc\_central\_lab@yahoo.com



Lab Memo: 549/ CC, DPHE, CL, Dhaka

Date: 23-11-2023

#### Physical /Chemical/ Bacteriological Analysis of Water Sample

Sample ID: CEN2023110168	Sample Receiving date: 12-10-2023
Ref. Memo No: 42.06.2628.119.37.001.23-04583 & Dated: 12-10-2023	Sample Source: Deep Tube Well
Sent by: Mohammed Mukteruzzaman, Director, P, E & Mineral Resources Division, CEGIS, Gulshan-1, Dhaka.	Dist: Bagerhat, Upa: Rampal
Care Taker: CEGIS (Sample ID : GW-03)	Union:, Vill.: Project Site
Sample Collection date:	Date of Testing: 12/10/2023-14/11/2023

#### LABORATORY TEST RESULTS:

Sl.#	Water quality parameters	Bangladesh Standard	Concentration present	Unit	Analysis Method	LOQ
1	Arsenic (As)	0.05	0.002	mg/L	AAS	0.001
2	Chemical Oxygen Demand (COD)	4.0	4	mg/L	CRM	4.0
3	Hardness	200-500	160	mg/L	Titrimetric	-
4	Total Dissolved Solid (TDS)	1000	272	mg/L	Multimeter	-
5	Total Suspended Solid (TSS)	10	1	mg/L	Gravimetric Method	-

Comments: Sample was collected & supplied by client.

N.B: AAS - Atomic Absorption Spectrophotometer, CRM-Closed Reflex Methods, LOQ - Limit of Quantitation.

Test Performed by:	Signature	Countersigned/Approved by:	Signature
1.) Name: Md. Saiful Alam Khosru Designation: Sample Analyzer		1.) Name: Mita Sarker Designation: Senior Chemist	
2.) Name: Taslima Akhter Designation: Sample Analyzer		2.) Name: Md. Biplob Hossain Designation: Chief Chemist	

**Md. Biplob Hossain**  
Chief Chemist  
Department of Public Health Engineering  
Central Laboratory Mohakhali, Dhaka



Center for Environmental and Geographic Information Services  
(A Public Institution under the Ministry of Water Resources)  
House 6, Road 23/C, Gulshan-1, Dhaka-1212, Bangladesh.  
Tel: 88-02-5891749-52-984261, 984253 Fax: 88-02-9843128 e-mail: cegis@cegisbd.com http://www.cegisbd.com

## Environmental Laboratory

Memo No. ELAB202401003444

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Socio Economic Monitoring of 2x660 MW MSTPP at Rampal. Code: FPC008

Sample Type: Surface Water ID: FPC008\_001 Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah Received Date: 11/12/2023 Testing Date: 01-08/01/2024

#### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh Standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>1</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	15.468	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	Undetectable	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0834	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam  
Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert  
Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature:

## Environmental Laboratory

Memo No. ELAB202401003445

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_002

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>2</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	7.9336	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.2761	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.1046	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:  08.01.2024

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:  08.01.2024

## Environmental Laboratory

Memo No. ELAB202401003446

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_003

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>3</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	7.259	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.1289	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.1147	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:  08.01.2024

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:  08.01.2024



## Environmental Laboratory

Memo No. ELAB202401003448

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_005

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>5</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	7.6467	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.6546	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.1829	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003449

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_006

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>5</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	8.7267	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.8438	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0964	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003450

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_007

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>7</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	28.833	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.5915	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0468	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003451

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_008

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>8</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	9.2245	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	1.2433	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0838	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:



## Environmental Laboratory

Memo No. ELAB202401003452

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_009

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>9</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	7.9926	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	0.6756	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0415	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003453

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_010

Collection Date: 01-09/11/2023

Location: N/A

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>10</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	43.733	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	1.1172	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.0733	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003454

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_011

Collection Date: 01-09/11/2023

Location: Shapmari.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>11</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	41.953	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	7.1099	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.9322	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003455

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_012

Collection Date: 01-09/11/2023

Location: Mongla.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>12</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	24.842	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	1.9162	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.4559	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003456

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_013

Collection Date: 01-09/11/2023

Location: Harbaria.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>13</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	35.060	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	3.6404	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.4183	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

## Environmental Laboratory

Memo No. ELAB202401003457

Test Report

Date: /08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_014

Collection Date: 01-09/11/2023

Location: Akrapoint.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>14</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	103.85	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	1.1172	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.1134	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:



## Environmental Laboratory

Memo No. ELAB202401003458

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Surface Water

ID: FPC008\_015

Collection Date: 01-09/11/2023

Location: Hiron Point.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	SW <sub>15</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	-	-	-	-	211.27	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	-	-	7	-	4.1871	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	-	-	0.5	-	0.2034	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 

## Environmental Laboratory

Memo No. ELAB202401003459

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Drinking Water

ID: FPC008\_016

Collection Date: 01-09/11/2023

Location: PPJ RO drinking.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	GW <sub>1</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	400	-	250	-	5.4277	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	10	-	45	-	Undetectable	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	6	-	-	-	0.0291	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 



Center for Environmental and Geographic Information Services  
(A Public Trust under the Ministry of Water Resources)  
House 6, Road 23/C, Gulshan-1, Dhaka-1212, Bangladesh.  
Tel: 88 02 9881744-52; 9842581, 9842551 Fax: 88 02 9843128 e-mail: cegis@cegisbd.com http://www.cegisbd.com

## Environmental Laboratory

Memo No. ELAB202401003460

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Drinking Water

ID: FPC008\_017

Collection Date: 01-09/11/2023

Location: Rajnagar.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	GW <sub>2</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	400	-	250	-	1.7658	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	10	-	45	-	1.853	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	6	-	-	-	0.7062	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer.

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:



Center for Environmental and Geographic Information Services  
(A Public Trust under the Ministry of Water Resources)  
House 6, Road 23/C, Gulshan-1, Dhaka-1212, Bangladesh.  
Tel: 88 02 9881744-52; 9842581, 9842551 Fax: 88 02 9843128 e-mail: cegis@cegisbd.com http://www.cegisbd.com

## Environmental Laboratory

Memo No. ELAB202401003461

Test Report

Date: 08/01/2024

Physical/Chemical/Bacteriological Analysis of water

Project Name: Environmental and Compliance Monitoring of MSTPP.

Code: FPC008

Sample Type: Drinking Water

ID: FPC008\_018

Collection Date: 01-09/11/2023

Location: Kapashdanga.

Received From: Md. Mutasim Billah

Received Date: 11/12/2024

Testing Date: 01-08/01/2024

### Laboratory Test Results:

SL.#	Name of Sample	Water quality parameters	Bangladesh standard ECR/97		Bangladesh Standard ECR/2023		Concentration Present	Unit	Analysis Method	Remarks
			Drinking	Others	Drinking	Others				
01	GW <sub>3</sub>	Sulphate (SO <sub>4</sub> <sup>2-</sup> )	400	-	250	-	4.9889	ppm	UV-VIS	Sample was collected and supplied by assigned professional. This report is valid only for particular sample tested.
02		Nitrate (NO <sub>3</sub> <sup>-</sup> )	10	-	45	-	10.53	ppm	UV-VIS	
03		Phosphate (PO <sub>4</sub> <sup>3-</sup> )	6	-	-	-	1.3997	ppm	UV-VIS	

N.B: UV-VIS means UV-1800 Spectrophotometer

#### Test Performed by & Checked by

Name: Rafiqul Islam & Md. Rafiqul Alam

Designation: Research Associate & In-Charge of Scientific Equipment and Laboratory Expert

Signature:

#### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature:

Form No. QSF-22

Revision No. 12

Revision Date: 04 November, 2022

জীবনের জন্য বিজ্ঞান

"শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন"



38

বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ

BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Institute of National Analytical Research and Service (INARS)

**ANALYSIS REPORT**

ASC Ref No. : IN-626 of Analytical Service Cell

BCSIR-16/10/2023

Lab/Sample ID : A-557-582

Client's Details : মোহাম্মদ মোজাক্করুজ্জামান

পরিচালক (ভারপ্রাপ্ত)

পাওয়ার এনার্জি এন্ড মিনারেল রিসোর্সেস ডিভিশন।

**Center For Environmental And Geographic****Information Service (CEGIS)**

House No. 06, Road No. 23/C, Gulshan-01, Dhaka-1212

Number of Sample : 26 (Twenty Six)

Sample Description : রামপাল ২×৬৬০ মেগা ওয়াল্ট বিদ্যুৎ প্রকল্পের অধীনে পানির নমুনা পরীক্ষার প্রসংগে,

সূত্র নং-৪২.০৬.২৬২৬.১১৯.৩৭.০০১.২৩.০৪৪৩০, তারিখ ১৬/১০/২০২৩ ইং।

Test Commencement Date : 16/10/2023

Test Completion Date : 12/11/2023

Lab ID	Particulars of supplied sample	Parameters	Results	Test Method (APHA)
A-557	Water (Hiron Point)	Oil and Grease	Less than 2.0 mg/L	5520.B
A-558	Water (Akram Point)	Oil and Grease	Less than 2.0 mg/L	5520.B
A-559	Water (Mongla)	Oil and Grease	Less than 2.0 mg/L	5520.B
A-560	Water (Moidara)	Oil and Grease	Less than 2.0 mg/L	5520.B
A-561	Water (Harbaria)	Oil and Grease	Less than 2.0 mg/L	5520.B

Page 1 of 6

Note:

- The results reported here are based only on the supplied samples in this laboratory.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell

Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail:asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)

Form No. QSF-22

Revision No. 12

Revision Date: 04 November, 2022

জীবনের জন্য বিজ্ঞান

"শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন"



বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ

BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Lab ID	Particulars of supplied sample	Parameter	Results	Test Method (APHA)
A-562	Water (SW-01)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-563	Water (SW-02)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-564	Water (SW-03)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-565	Water (SW-04)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-566	Water (SW-05)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-567	Water (SW-06)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-568	Water (SW-07)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-569	Water (SW-08)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-570	Water (SW-09)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-571	Water (SW-10)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-572	Water (Shapmari)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B

Page 2 of 6

Note:

- The results reported here are based only on the supplied samples in this laboratory.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell

Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail:asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)



Form No. QSF-22

Revision No. 12

Revision Date: 04 November, 2022

জীবনের জন্য বিজ্ঞান



"শেখ হাসিনার দর্পন, সব মানুষের উন্নয়ন"



বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ

BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Lab ID	Particulars of supplied sample	Parameter	Results	Test Method (APHA)
A-573	Water (Mongla)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-574	Water (Harbaria)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-575	Water (Akram Point)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-576	Water (Hiron Point)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-577	Water (GW-Kapashdanga)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-578	Water GW-Rajnagar)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B
A-579	Water (GW-Power Plant)	Mercury (Hg)	Less than 0.001 mg/L	3112.B
		Lead (Pb)	Less than 0.01 mg/L	3111.B

Page 3 of 6

Note:

- The results reported here are based only on the supplied samples in this laboratory.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell

Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail: asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)

Form No. QSF-22

Revision No. 12

Revision Date: 04 November, 2022

জীবনের জন্য বিজ্ঞান



"শেখ হাসিনার দর্পন, সব মানুষের উন্নয়ন"



বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ

BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Lab ID	Particulars of supplied sample	Parameters	Results (µg/L)	Test Method (APHA)
A-580	Water, Jetty Polynuclear Aromatic Hydrocarbon (PAH)	Acenaphthene	Not detectable	6440.B
		Acenaphthylene	Not detectable	6440.B
		Anthracene	Not detectable	6440.B
		Benzo[A]Anthracene	Not detectable	6440.B
		Benzo[B]Fluoranthene	Not detectable	6440.B
		Benzo[K]Fluoranthene	Not detectable	6440.B
		Benzo[G,H,I]Perilene	Not detectable	6440.B
		Benzo[A]Pyrene	Not detectable	6440.B
		Chrysene	Not detectable	6440.B
		Dibenzo[A,H]Anthracene	Not detectable	6440.B
		Fluoranthene	Not detectable	6440.B
		Fluorene	Not detectable	6440.B
		Indeno[1,2,3-CD]Pyrene	Not detectable	6440.B
		Naphthalene	Not detectable	6440.B
		Phenanthrene	Not detectable	6440.B
		Pyrene	Not detectable	6440.B
	Water, Jetty	Total Carbon	61.0 mg/L	5520.B
		TOC (Total Organic Carbon)	Less than 5.0 mg/L	5310.B

Page 4 of 6

Note:

- The results reported here are based only on the supplied samples in this laboratory.
- Any complain about test report will not be acceptable after one month from the date of issuing of the said report.
- This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell

Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail: asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)

Form No. QSF-22 Revision No. 12 Revision Date: 04 November, 2022  
জীবনের জন্য বিজ্ঞান "শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন"

বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ  
BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Lab ID	Particulars of supplied sample	Parameters	Results (µg/L)	Test Method (APHA)	
A-581	Water, Hiron Point Polynuclear Aromatic Hydrocarbon (PAH)	Acenaphthene	Not detectable	6440.B	
		Acenaphthylene	Not detectable	6440.B	
		Anthracene	Not detectable	6440.B	
		Benzo[A]Anthracene	Not detectable	6440.B	
		Benzo[B]Fluoranthene	Not detectable	6440.B	
		Benzo[K]Fluoranthene	Not detectable	6440.B	
		Benzo[G,H,I]Perilene	Not detectable	6440.B	
		Benzo[A]Pyrene	Not detectable	6440.B	
		Chrysene	Not detectable	6440.B	
		Dibenzo[A,H]Anthracene	Not detectable	6440.B	
		Fluoranthene	Not detectable	6440.B	
		Fluorene	Not detectable	6440.B	
		Indeno[1,2,3-CD]Pyrene	Not detectable	6440.B	
		Naphthalene	Not detectable	6440.B	
		Phenanthrene	Not detectable	6440.B	
		Pyrene	Not detectable	6440.B	
		Water, Hiron Point	Total Carbon	134 mg/L	5520.B
		Water, Hiron Point	TOC (Total Organic Carbon)	Less than 5.0 mg/L	5310.B

Page 5 of 6

Note:  
a. The results reported here are based only on the supplied samples in this laboratory.  
b. Any complain about test report will not be acceptable after one month from the date of issuing of the said report.  
c. This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell  
Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail:asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)

Form No. QSF-22 Revision No. 12 Revision Date: 04 November, 2022  
জীবনের জন্য বিজ্ঞান "শেখ হাসিনার দর্শন, সব মানুষের উন্নয়ন"

বাংলাদেশ বিজ্ঞান ও শিল্প গবেষণা পরিষদ  
BANGLADESH COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

Lab ID	Particulars of supplied sample	Parameters	Results (µg/L)	Test Method (APHA)	
A-582	Water, Majhar Polynuclear Aromatic Hydrocarbon (PAH)	Acenaphthene	Not detectable	6440.B	
		Acenaphthylene	Not detectable	6440.B	
		Anthracene	Not detectable	6440.B	
		Benzo[A]Anthracene	Not detectable	6440.B	
		Benzo[B]Fluoranthene	Not detectable	6440.B	
		Benzo[K]Fluoranthene	Not detectable	6440.B	
		Benzo[G,H,I]Perilene	Not detectable	6440.B	
		Benzo[A]Pyrene	Not detectable	6440.B	
		Chrysene	Not detectable	6440.B	
		Dibenzo[A,H]Anthracene	Not detectable	6440.B	
		Fluoranthene	Not detectable	6440.B	
		Fluorene	Not detectable	6440.B	
		Indeno[1,2,3-CD]Pyrene	Not detectable	6440.B	
		Naphthalene	Not detectable	6440.B	
		Phenanthrene	Not detectable	6440.B	
		Pyrene	Not detectable	6440.B	
		Water, Majhar	Total Carbon	47.0 mg/L	5520.B
		Water, Majhar	TOC (Total Organic Carbon)	Less than 5.0 mg/L	5310.B

Page 6 of 6

Note:  
a. The results reported here are based only on the supplied samples in this laboratory.  
b. Any complain about test report will not be acceptable after one month from the date of issuing of the said report.  
c. This report/result shall not be reproduced/published without prior approval of the authority.

Analytical Service Cell  
Dr. Qudrat-I-Khuda Road, Dhanmondi, Dhaka-1205, Bangladesh  
Telephone: 9671108, Fax: 88-02-9671108 E-mail:asc@bcsir.gov.bd Website: [www.bcsir.gov.bd](http://www.bcsir.gov.bd)



## Environmental Laboratory

Memo No. ELAB202311000011

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_001 Experiment Date: (25-26)/10/2023


Location: 89°33' 13.7"E; 22° 35' 43"N; Maitree Township Area, Khulna

Experiment Time: 10: 00 AM to 10:00 AM Downloaded Date:19/11/23


### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-01	1440	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	41.71	150	150
02		1440	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	35.69	65	75
03		1440	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	34.38 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.175	05	-
05		1440	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	33.12	80	120
06		1440	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	34.71	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	16.95	100	-

#### Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature:  31.12.23

#### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature:  31.12.23

## Environmental Laboratory

Memo No. ELAB202311000012

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_002 Experiment Date: 26/10/2023


Location: 89°35'16.49"; 22°34'37.11"N; Access Road bridge area or Taltola Bazar/BIFPCL (Project)

Experiment Time: 11: 00 AM to 19:00 PM Downloaded Date:19/11/23


### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-02	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	45.61	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	39.23	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	37.57 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.522	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	25.22	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	34.77	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	18.85	100	-

#### Test Performed by & Checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature:  31.12.23

#### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature:  31.12.23

## Environmental Laboratory

Memo No.: ELAB202311000013

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of EMP along with engineering activities during construction period of 2x660 MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_003 Experiment Date: 28/10/2023


Location: 89°31'24.2"E; 22°36'6.7"N; Chalna Bazar Area, Dacope

Experiment Time: 10:00 AM to 18:00 PM Downloaded Date: 19/11/23


**Pollutant Results:**

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-003	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	70.15	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	57.14	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	55.55 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.519	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	31.48	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	40.24	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	24.85	100	-

Test Performed by & Checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature:  31.12.23

Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature:  31.12.23

## Environmental Laboratory

Memo No. ELAB202311000014

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of EMP along with engineering activities during construction period of 2x660 MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_004 Experiment Date: 27/10/2023


Location: 89°33'34.5"E; 22°34'33.8"N; South-West corner of the project Boundary, Moldara

Experiment Time: 07:00 AM to 15:00 PM Downloaded Date: 19/11/23


**Pollutant Results:**

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-004	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	74.85	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	60.18	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	58.69 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.2096	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	22.00	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	38.24	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	22.53	100	-

Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature:  31.12.23

Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature:  31.12.23

## Environmental Laboratory

Memo No. ELAB202311000015

Date: 31/12/2023

### Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_005 Experiment Date: 30/10/2023

Location: 89°32'3.8"E; 22°36'32.5"N; Propose Township area near Chimney location, Sapmari.

Experiment Time: 09: 00 AM to 17:00 PM Downloaded Date: 19/11/23


### Pollutant Results:

SL NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-05	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	75.82	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	60.55	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	58.85 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.501	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	13.82	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	41.02	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	25.87	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature: 

Memo No. ELAB202311000016

Date: 31/12/2023

### Test Report Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat. Code: FPC008

Sample Type: Ambient Air Quality ID: FPC008\_005 Experiment Date: 29/10/2023

Location: 89°33'51.8"E; 22°36'1.06"N; North west corner of the project boundary (Kolgardas Kathir Char)

Experiment Time: 09 00 AM to 17:00 PM Downloaded Date: 19/11/23


### Pollutant Results:

SL NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-06	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	81.10	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	67.90	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	64.79 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.1725	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	13.47	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	36.90	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	24.96	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature: 



## Environmental Laboratory

Memo No. ELAB202311000017

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660,  
MW MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_007

Experiment Date: 31/10/2023

Location: 89°34'01.1"E; 22°32'3.3"N; Bauja Union 4km south west from the chimney location

Experiment Time: 10:00 AM to 18:00 PM

Downloaded Date: 19/11/23

### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ007	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	70.63	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	57.45	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	55.81 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.360	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	26.61	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	37.24	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	25.23	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam

Designation: Research Associate & Scientific Instrument In-Charge (addl.)

Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 

## Environmental Laboratory

Memo No. ELAB202311000018

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660,  
MW MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_008

Experiment Date: 01/11/2023

Location: 89°34'37.7"E; 22°38'51.8"N; Barni, Gaurambha 4 KM North-West from the Chimney location

Experiment Time: 08:00 AM to 17:00 PM

Downloaded Date: 19/11/23

### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ008	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	83.01	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	71.01	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	67.19 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.366	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	6.00	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	36.49	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	25.83	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam

Designation: Research Associate & Scientific Instrument In-Charge (addl.)

Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 

## Environmental Laboratory

Memo No. ELAB20231100020

Date: 31/12/2023

### Test Report Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_010

Experiment Date: 03/11/2023

Location: 89°35'50.4"E; 22°28'24.8"N; Mongla Port Area


Experiment Time: 09:00 AM to 17:00 PM

Downloaded Date: 19/11/23


### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-10	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	91.03	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	81.18	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	76.21 (Calculated value)	200 (ECK'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.348	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	17.40	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	38.56	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	24.88	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature: 

## Environmental Laboratory

Memo No. ELAB20231100021

Date: 31/12/2023

### Test Report Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
EMP along with engineering activities during construction period of 2x660  
MW MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_011

Experiment Date: 04/11/2023

Location: 89°35'34.2"E 22°17'43.1"N; Harbaria, Sundarban


Experiment Time: 06:00 AM to 14:00 PM

Downloaded Date: 19/11/23


### Pollutant Results:

SL. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-11	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m <sup>3</sup>	103.96	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m <sup>3</sup>	95.60	65	75
03		480	Suspended Particulate matter (SPM)		µg/m <sup>3</sup>	87.85 (Calculated value)	200 (ECK'97)	150
04		480	Carbon Monoxide (CO)		mg/m <sup>3</sup>	0.392	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m <sup>3</sup>	12.47	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m <sup>3</sup>	35.81	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m <sup>3</sup>	20.56	100	-

### Test Performed by & checked by

Name: Md. Rafiqul Islam  
Designation: Research Associate & Scientific Instrument In-Charge (addl.)  
Signature: 

### Compiled & Approved by

Name: Md. Rafiqul Alam  
Designation: Laboratory Expert  
Signature: 

## Environmental Laboratory

Memo No. ELAB202311000022

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
 EMP along with engineering activities during construction period of 2x660  
 MVV MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_012

Experiment Date: 06/11/2023

Location: 89°27'53.2"E; 21°46'27.60"N; Hiron Point, Sundarban

Experiment Time: 06:00 AM to 14:00 PM

Downloaded Date: 11/09/23

**Pollutant Results:**

Sl. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration on Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-12	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m³	108.76	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m³	100.11	65	75
03		480	Suspended Particulate matter (SPM)		µg/m³	91.21 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m³	0.164	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m³	3.90	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m³	21.49	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m³	12.23	100	-

**Test Performed by & checked by**

Name: Md. Rafiqul Islam

Designation: Research Associate & Scientific Instrument In-Charge (addl.)

Signature: 

**Compiled & Approved by**

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 

## Environmental Laboratory

Memo No. ELAB202311000023

Date: 31/12/2023

Test Report  
Analysis of Ambient Air

Project Name: Monitoring of Environmental Parameter & Implementation of  
 EMP along with engineering activities during construction period of 2x660  
 MVV MSTPP at Rampal, Bagerhat.

Code: FPC008

Sample Type: Ambient Air Quality

ID: FPC008\_013

Experiment Date: 07/11/2023

Location: 89°30'54.1"E; 22°23'50"N; Akram Point (Sibsa River)

Experiment Time: 06:00 AM to 15:00 PM

Downloaded Date: 19/11/23

**Pollutant Results:**

Sl. NO.	Sampling ID	Test Duration (min)	Name of the Criteria Pollutants	Method	Unit	Concentration on Present	Bangladesh (DoE) Standard	IFC/ World Bank Standard
01	AQ-13	480	Suspended Coarse Particulate matter (PM <sub>10</sub> )	Sensor based instrumentation	µg/m³	131.93	150	150
02		480	Fine particulate matter (PM <sub>2.5</sub> )		µg/m³	119.62	65	75
03		480	Suspended Particulate matter (SPM)		µg/m³	108.34 (Calculated value)	200 (ECR'97)	150
04		480	Carbon Monoxide (CO)		mg/m³	0.400	05	-
05		480	Sulphur dioxide (SO <sub>2</sub> )		µg/m³	6.35	80	120
06		480	Oxide of Nitrogen (NO <sub>x</sub> )		µg/m³	29.43	80	200
07		480	Ozone (O <sub>3</sub> )		µg/m³	26.81	100	-

**Test Performed by & checked by**

Name: Md. Rafiqul Islam

Designation: Research Associate & Scientific Instrument In-Charge (addl.)

Signature: 

**Compiled & Approved by**

Name: Md. Rafiqul Alam

Designation: Laboratory Expert

Signature: 





Center for Environmental and Geographic Information Services  
<http://www.cegisbd.com>

